



COBRA
CORDLESS TELEPHONE
AND SPEAKERPHONE
MODEL CP-474S
See page 71 for details
OUR PRICE **\$149⁹⁵**



COBRA SUPERHETERODYNE
TRAPSHOOTER® RADAR DETECTOR
MODEL RD-3120

FEATURES

- Responds to "X" and "K" band radar.
- Extended "K" band range.
- Dual Alarms...audio and visual.
- Visor or dash mountable.

OUR PRICE **\$119⁹⁵**



VENDEX HEADSTART COMPUTER SYSTEM
MODEL TURBO-888XT With Color Monitor!

See inside backcover for details OUR PRICE **\$1180⁰⁰**



WELLER SOLDERING STATIONS

MODEL EC-1000

OUR PRICE **\$149⁹⁵**

MODEL EC-2000

OUR PRICE **\$196⁹⁵**

See page 77 for details

CALL US

Monday thru Friday 8:00 AM to 6:30 PM E.T.
Saturday 9:00 AM to 3:00 PM E.T.

Out of State Toll Free **800-645-9518**

NYS Toll Free **800-832-1446**

RADAR DETECTORS

COBRA SUPER HETERODYNE TRAPSHOOTER™ RADAR DETECTOR SERIES

Featuring: Dual Band, Super Heterodyne, Super Sensitivity, Alarm-Audio, Visual & "Lockout"
PERFECT FOR ANY VEHICLE: CARS, TRUCKS, MOTORCYCLES.

TRAPSHOOTER RADAR DETECTOR

MODEL RD-2100 OUR PRICE **\$65.00 SPECIAL!**

The RD-2100 Trapshooter is a compact, low cost superheterodyne Radar Detector equipped with Cobra's exclusive "No False" circuitry, which screens out false alarms from "Dirty" radiating type radar detectors.

FEATURES

- Highway/city switch. • Green LED power indicator. • Audible alarm.
- Alarm Signal Indicator: flashing red LED. • Audible alarm delay. • "No False" circuitry.
- Comes with: adjustable removable Dash/Visor mounting bracket, detachable 9 ft. DC fused power cord with spare fuse, power cord retaining clips, Velcro fasteners for dash mount.
- Sensitivity: "X" Band-112 dBm, "K" Band-110 dBm.
- Size: 3-1/8"W x 1-1/4"H x 4-1/8"D. Wght: 10 oz.

TRAPSHOOTER RADAR DETECTOR

So Tiny Yet Sensitive and Accurate

MODEL RD-3110 OUR PRICE **\$109.95 SPECIAL!**

FEATURES

- TEST/MUTE BUTTON: This allows the user to adjust the volume output of the beeper to a comfortable level, and test for proper operation when no radar signal is present. Also used to silent the audible alarm when in the field of a constant radar signal. When the received radar signal disappears, the mute function is automatically cancelled and the detector is reset to receive its next radar contact. Signal strength meter is not affected by the mute function.
- Responds to "X" & "K" band speed radar frequencies, the only two approved by the FCC.
- "NO FALSE" and "LOCKOUT": "No False" eliminates false alerts from "Dirty" radiating type radar detector. "Lockout" reduces false alerts from out-of-band signals emanating from microwave devices such as microwave transmission links. This assures accurate radar detection of true police signals.
- Easy Installation...just plug power cable into cigarette lighter.
- Velcro fasteners with mounting bracket used for dash board installation.
- Adjustable removable visor/dash mounting bracket. • Highway/City switch.
- Small and compact...only 3-1/8"W x 1-1/4"H x 4-1/8"D. Weight: 12 oz.
- 5 segment LED signal strength/Range meter. • Attention getting audible alarm.
- Power on/off volume control. • Power Indicator: Green LED lights when detector is on.

TRAPSHOOTER MICRO RADAR DETECTOR

Excellent Rating From Car and Driver

MODEL RD-3160 REG. \$219.95 OUR PRICE **\$149.95 SPECIAL!**

FEATURES Same as the RD-3110 Plus:

- "X" & "K" Band Indicators: LED lights to show if the signal is in the "X" band or "K" band.
- Photoelectric Sensor: Automatically adjusts brightness level of control panel for day/night driving.
- Signal Strength Meter: 5 segment LED meter indicates relative strength of signal being received
- Alert Mode Selector: A three position switch allows the user to select the type of alert. "Audio" only, "Light" only or a combination of both.
- Highway/City Switch: In the city position, additional screening of interference in urban areas takes place with minimal reduction of sensitivity.
- On/Off volume control. • Power on indicator.
- Size: 4-1/4"D x 2-3/4"W x 3/4"H. Wght: 8 oz.
- Audible Alarm: Two different alarm tones are used to indicate the band of radar signal received. Repetition rate of audible alarm increases with incoming signal strength. The closer the detector gets to the radar source, the faster the audible alarms sounds.
- Power: 11.0-16.0 volts DC negative ground only.
- Sensitivity: "X" Band-114 dBm/cm². "K" Band-104 dBm/cm².

NEW! TRAPSHOOTER ULTRA RADAR DETECTOR

SELECTABLE ALARMS: VOICE, MELODY OR BEEP

MODEL RD-3170 OUR PRICE **\$169.95 SPECIAL!**

FEATURES Three Selectable Alarms:

- Voice alarm tells you, "Be careful, slow down.", Melody Alarm sounds a musical warning, Beep Alarm sounds a "beep" for "X" band or a "brap" for "K" band.
- Signal Strength Meter: 5 segment color coded LEDs change from green to red.
- Alarm Signal Indicator: Amber warning light flashes when signals are detected.
- "DIM" Switch: To adjust brightness of visual alarms for day or night driving.
- Highway/City Filter Switch: Set for optimum results.
- Test/Mute Button: Tests that the Trapshooter ULTRA is working properly when no radar signal is present. Lets you adjust volume of audio alarms or silence the audio alarm.
- "X" and "K" Band Indicators: LED lights show if signal is in the "X" or "K" band.
- Dual Speakers: One on each side of the detector assures adequate volume level.
- "No-False" eliminates false alerts from dirty radar signals from other radar detectors.
- "Lock-out" reduces false alerts from out-of-band signals emanating from microwave devices.
- "Signal Sensor" operates only in the city mode and filter out signals generated by intrusion alarms, door openers, etc.
- Sensitivity: X band: -117dBm/cm² (typical), K band: -115dBm/cm² (typical).
- Power: 13.8 volts DC @ 250mA. Neg. ground only.
- Size: 2-3/4"W x 1-4/34"H x 4-1/4"D. • Weight: 7 oz.
- Accessories supplied: Adjustable dash visor mounting bracket, suction cup type windshield mounting bracket, 6 ft. detachable curly power cord with cigarette lighter plug and 9 ft. straight power cord, leatherette carrying case.

TRAPSHOOTER Pro II RADAR DETECTOR

SIGNAL SENSOR! LOCKOUT! & NO FALSE!

MODEL RD-4100 OUR PRICE **\$124.95**

EXCLUSIVE SIGNAL SENSOR Reduces annoying false alarms. This means fewer false alerts from low level transitory in-band signals. Signal Sensor operates in the city mode only where you are likely to come in contact with in-band interference from microwave intrusion alarms and microwave door openers.

The RD-4100 incorporates two additional features to further reduce false alerting:

- NO FALSE circuitry eliminates false. larms caused by poorly designed or dirty radar detectors.
 - LOCKOUT circuitry reduces false alarms from out-of-band radar sources such as microwave and satellite links, and fast food microwave ovens.
- Both features are in operation 100% of the time regardless of the highway/city mode switch position.

FEATURES

- Responds to X and K band Speed radar frequencies. The only one approved by the FCC.
- Cobra's Exclusive SIGNAL SENSOR circuitry reduces Falsing...signals generated by microwave phone relays, intrusion devices, etc.
- Detachable clip for Visor mounting. • Small and compact.. only 5-1/4"W x 1-5/8"H x 5"D.
- Power: 11.0-16.0 Volts DC. • City/Highway selector.

TRAPSHOOTER Pro II REMOTE RADAR DETECTOR

SIGNAL SENSOR! LOCKOUT! & NO FALSE!

MODEL RD-5100 OUR PRICE **\$179.95**

FEATURES Same As The RD-4100 plus:

- Small and compact control head...only 3-1/8"W x 1"H x 3"D. Wght: 7 oz.
- Detector Portion: 4-3/8"W x 5-3/4"H x 1-1/2"D. Wght: 1 lb. 8 oz.
- On/Off control. • Volume control. • Highway/City selector switch.
- Control Head "DISGUISE" Cover.
- Power: 13.8 volts DC @ 300mA full alarm (nominal), 190mA. no signal (nominal).
- Sensitivity: X-Band -115 dBm/cm² (typ.), K-Band -112 dBm/cm² (typ.).



X-10® POWERHOUSE SECURITY SYSTEMS and TIMERS NUMBER ONE IN HOME CONTROL

TIMER CONSOLE MODEL TC-262

OUR PRICE **\$32.00**

DESCRIPTION

Automatically turns 8 lights and appliances on and off at the times you want. Special feature key: daily, once, security, sleep, now, all lights on, clear key. Timer features battery backup capabilities for retaining program and time, in memory, during power failures. Requires 4 "AA" alkaline batteries (not included) to retain program and time.



MAXI CONTROLLER MODEL SC-503

OUR PRICE **\$22.50**

DESCRIPTION

Instantly control 18 lights and appliances throughout the house with the push of a button. From one convenient location. Special feature keys: dim and bright, all lights, all units off.



MINI CONTROLLER MODEL MC-260

OUR PRICE **\$12.95**

DESCRIPTION

Instantly control 8 lights and appliances throughout the house with the push of a button. From one convenient location. Special key features: dim and bright, all lights on, all units off.



TELEPHONE RESPONDER/ CONTROLLER SET MODEL TR-2700

OUR PRICE **\$42.50**

DESCRIPTION

Consists of one TR-270 Telephone Responder/Controller, and one TR-274 Remote Telephone Transmitter. Plugs into standard telephone jack and standard 120V wall outlet. Enables you to telephone your home from anywhere and turn 8 lights and appliances on an off. You can light up your home, cool it off or heat it up before you arrive.

Remote Telephone Transmitter

Model TR-274 \$14.95

To be used with TR-270. Transmits Command signals over the telephone to the Responder/Controller in your home.



THERMOSTAT CONTROLLER SET MODEL TH-2867

OUR PRICE **\$34.95**

DESCRIPTION

Consists of one TH-280 Temperature Regulator, one LV-287 Low-Voltage Adaptor and one Appliance Module. Allows control of existing heating and air conditioning thermostats. Low-Voltage Adaptor is plugged into appliance module controlled in turn by a Timer or TR-2700 Telephone Responder/Controller.



REMOTE CONTROLLED SECURITY SYSTEM

MODEL RC-5000

OUR PRICE **\$39.75**

DESCRIPTION

Consists of one Radio Frequency (r.f.) Transmitter (RT-504) and one Transceiver/Appliance Module (RR-501). The RT-504 transmits to the RR-501 to control whatever you plug into it — from inside or outside your home. The RR-501 also re-transmits (over your house wiring), the signals it receives from the RT-504. This lets you remotely control up to 8 standard X-10 Modules and even dim lights!

Radio Frequency (r.f.) Transmitter Model RT-504 \$14.95

Sends r.f. signals to the RR-501 to control lights and appliances from inside or outside your home. Gives you remote control from multiple locations — purchase one for each car and several for around the house.

R.F. Transceiver/Appliance Module

Model RR-501 \$24.95

Receives signals from the RT-504 and re-transmits (over your house wiring) to control up to 8 standard X-10 Modules. Set one RR-501 to control Modules set to 1 thru 8 and purchase another RR-501 to control Modules set to 9 thru 16. This lets you control up to 16 Modules from inside or outside your home.



LM-465

AM-486

WS-467



MODEL

LM-465 LAMP MODULE OUR PRICE **\$14.95**

Lets you turn lamps on or off anywhere in the house. Even dim or brighten them. Maximum rating: 300W, Incandescent lamp only.

AM-486 2-PIN APPLIANCE MODULE \$14.95

Lets you turn appliances on and off anywhere in the house by remote control. Maximum rating: 15A resistive, 500W lamps, 1/3 H.P. motors.

SR-227 WALL RECEPTACLE MODULE \$19.95

Lets you turn lamps and appliances on and off anywhere in the house by remote control. Maximum rating: 15A unconditional.

WS-467 WALL SWITCH MODULE \$14.95

Lets you turn any wall switch operated lights on or off anywhere in the house. Even dim or brighten them. Maximum rating: 500W, Incandescent lights only.

HEAVY DUTY APPLIANCE MODULES MODEL HD-243 220V

OUR PRICE **\$29.95**

Split Phase Systems Only. Maximum rating: 15A unconditional

MODEL HD-245 220V

OUR PRICE **\$29.95**

Split Phase Systems Only. Maximum rating: 20A unconditional



BURGLAR ALARM INTERFACE/CONTROLLER

MODEL BA-284

OUR PRICE **\$39.00**

DESCRIPTION

Connects to dry contact closure or low voltage output terminals in burglar alarm control box equipped with such terminals. When burglar alarm system is activated, BA-284 Interface/Controller transmits one of the three following signals: All lights on, All lights flashing, or All lights on plus selected appliance module on.



PENTRON AUTOMATIC SECURITY LIGHTING

With INFRARED SENSOR

MODEL LP-2101

REG. \$149.95

OUR PRICE **\$69.95**

FEATURES

- Security. • Energy efficient. • UL listed.
- Convenient & Save. • Easy to install.
- The PENTRON Automatic Security Lighting Infrared sensor detects changes in temperature caused by movement of persons or objects. When this occurs, the solid state circuit activates floodlights up to 500W.
- Instant illumination of driveways, patios, etc., are proven deterrents to intruders.
- Don't leave costly floodlights on while your away. This unit will automatically light when you pull into your driveway.
- Sensor Range: Min. 40 ft. L x 60 ft. W. • Sensor Circuitry: Passive controlled infrared sensor.
- Power Required: 120 volts AC, 60 Hz. • Load Rating: 500 watts max.
- Time Adjustment: 10 sec. to 20 min. approx. • Light bulbs not included.



RCA SECURITY SWITCH

Motion-Sensing Light Device

MODEL C-23

OUR PRICE **\$37.50**

DESCRIPTION

Don't stumble in a dark room again. Now you can turn any single wall switch in your home into an advanced motion-detecting light switch. The SecuritySwitch "sees" you approaching...and turns on the light. Automatically. Instantly. Silently. Then it turns the lights off again, after you leave.

The SecuritySwitch responds when a heat source, such as a person, moves into its field of view. It's offers you safety, security, energy savings and hands-free convenience all around the house. It covers an entire room up to 25 ft. from switch. Operates any incandescent light up to 300 watts. Fully electronic solid-state dependability. UL listed.



CONSUMER PRODUCTS

MONTY® PLAYS SCRABBLE® BRAND CROSSWORD GAME

MODEL 66

OUR PRICE **\$79.95**

FEATURES

- Can play at four different skill levels. • Easy to use, for players eight to adult.
- 12,000 word vocabulary, expandable to 44,000 with additional modules available.
- Friendly personality, congratulates opponents on especially good plays.
- Assigns tiles and keeps score. • Displays moves on LCD screen. • Audio mute.
- Operates on four "C" batteries (not included) or AC. • Special feature to conserve battery life.
- 2,000,000 calculations per second means no move takes longer than three minutes.
- Special problem mode allows player to set up a situation to put "Monty" to the test.
- Comes with portable computer console, instruction booklet, and special Scrabble® score pad. (Scrabble® board and tiles not included.) • Size: Computer console: 5-3/4" x 10-1/4" x 2-1/4".

DESCRIPTION

Monty® Plays Scrabble® is a portable computer opponent for the classic Scrabble® Brand Crossword Game. It is a friendly opponent which can assign tiles (not included), keep score, and play with up to three players at four different skill levels. "Monty" will challenge word configurations and even offer his opponents hints and encouragement. But don't be fooled by his friendliness. Inside "Monty" is a powerful computer capable of performing 2,000,000 calculations per second, and storing 12,000 words. And while not "thinking," the computer rests to conserve battery life. "Monty" is perfectly portable. The game can be played using the special score pad included with the computer, or with a standard Scrabble® board game and tiles.

OPTIONAL ACCESSORIES

MONTY® PLAYS SCRABBLE® BRAND CROSSWORD GAME

Advanced Vocabulary Module I model #186 **\$29.95**

This unit plugs into the computer console edition to add 16,000 less commonly used words to computer's vocabulary.

Universal AC Adaptor model #AC-900 **\$4.95**

Monty® is the registered trademark of Ritam Corporation for its line of computer opponent products for popular board games. SCRABBLE® is the registered trademark of the Selchow & Righter Company for its line of word games and entertainment services.



Advanced Vocabulary Module II model #266 **\$29.95**

This module adds another 16,000 words - some of the most obscure in the language - from the "Official Scrabble® Player Dictionary" to computer's built-in memory.

SEIKO DAYFILER DAILY PLAN

MODEL DF-510

OUR PRICE **\$29.95**


DESCRIPTION

Adapt the DAILY PLAN to your schedule of appointments. It has three different modes available for use:

Time - This is the normal display showing time. **Schedule** - with the schedule you can enter up to ten different events over the course of the day. Enter the time of the event and the DAILY PLAN's alarm will automatically remind you. **Alarm** - The DAILY PLAN can ring at the same time each day, if you wish.

FEATURES

- Desk clock with memo pad.
- Programmable alarm.
- 1/2 hour settings from 8am - 7pm with symbols.
- Standard 24 hour alarm.
- Large digits.
- Metal case.
- Size: Clock 2-3/8" cube.
- Memo pad/holder: 5-1/8" W x 2" H x 4" D.



SEIKO DAYFILER EXPENSE RECORDER


Keep Track Of Your Accounts

MODEL DF-1220

OUR PRICE **\$59.95**

FEATURES

- Travel alarm clock, day-date-time.
- Calculator - 8 digit, 4 function.
- Money Changer: Any foreign currency to US dollar and US dollar to any foreign currency.
- 8K Memory. • 403 Events.
- Hold up to 2 months expense records.
- 10 Categories of Input (hotel, air, breakfast, dinner, etc.)
- 7 Types of transactions (cash, check, American Express, Visa, etc.)
- Total all categories, Transactions: Day, Week, or Monthly.
- Size (closed): 5-3/8" W x 3-1/4" H x 1/2" D.



SEIKO DAYFILER TELEPHONE BOOK

Replace Your Old Bulky Paper Telephone Book With The Seiko Telephone Book It's New Fast and Organized

MODEL DF-1210

OUR PRICE **\$59.95**

FEATURES

- Travel alarm clock, day-date-time.
- Calculator - 8 digit, 4 function.
- 634 entries for name, numbers, and addresses. 40 characters -name (Alpha) function, 39 Characters numeric function.
- Self Contained
- Black or White.
- Size (closed): 5-3/8" W x 3-1/4" H x 1/2" D.



SEIKO DAYFILER SCHEDULE

Dayfiler Schedule Keeps Track Of Your Day A Helpful Reminder For Your Appointments

MODEL DF-1200

OUR PRICE **\$59.95**

FEATURES

- Travel Alarm Clock.
- Day-Date-Time.
- Calculator - 8 digit, 4 function.
- 40 Event schedule mode.
- 1000 Entry memo mode.
- Self Contained travel case.
- Color: Black or Dark Red.
- Size (closed): 5-3/8" W x 3-1/4" H x 1/2" D.



FRANKLIN COMPUTER WORD WIZ

Spelling Corrector and Word List Maker

MODEL WW-93

OUR PRICE **\$69.95**

FEATURES

- 60,000 plus word spelling corrector and word list maker.
- Extended built-in word game programming.
- Advanced phonetic spelling technology.
- Built-in encryption system.
- Typewriter keyboard layout.
- "Prefix" spelling capability.
- Large 16 character display.
- User adjustable LCD contrast.
- Automatic one-touch scrolling.
- Visual activity indicator.
- Automatic 45 second shut-off with "warning" indicator.
- Operates with a 4MHz CMOS Z80 microprocessor with 128 bytes of ROM plus additional RAM.
- Operates on 4 "AAA" batteries (not included). • Size: 6-1/2" W x 4" L x 1" D. • Weight: 8 oz.



AURORA E-Z DIALER


One Touch Dialer with 156 Name and Number Memory

MODEL EZ-7

OUR PRICE **\$44.95**

FEATURES

- 156 Names and Numbers can be memorized.
- 3 Step Easy Input/Output.
- LONG DISTANCE and LOCAL One Touch Dialing.
- Memory Guard System (Approx. 5 years).
- 4 Function Calculator.
- Automatic Shut Off (Approx. 2 minutes).
- Size: 2-1/4" W x 4-1/8" L x 3/8" D.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

CASIO DATA BANK MODEL PF-7000

OUR PRICE **\$59.95**

DESCRIPTION

In step with the age of fast information, these models provide easy carry-around access to numerous types of data. Input is available in a fast and imaginative way, and relies on simple usage and instant availability of memorized facts and figures.

SPECIFICATIONS

Memory Capacity: 1985 characters.
Power Source: Calculation/display — 2 lithium batteries (CR2025C), Memory Protection: 1 lithium battery (CR1220). **Battery Life:** Main power source — approx. 250 hours (continuous use), Memory protection battery — approx. 2 years. **Size:** 7 1/16" H x 4 1/4" W x 2 1/2" D (folded), 11 3/32" H x 4 1/4" W x 5 3/8" D (unfolded). **Weight:** 3 oz.



TELE-ART CARD SIZE PERSONAL DATABANK

Remembers Up To 120
Names and Phone Numbers
MODEL PD-2K

OUR PRICE

\$24.95 SPECIAL!

FEATURES

- 2K Memory Capacity.
- 20 Character display.
- Flexible Record Size.
- Sorts all records in alphabetical order.
- Easy search and recall.
- 4 Function calculator with percent.
- Metric conversions. • Scrolling display. • Security Lock. • Auto shut off.
- Long lasting battery and pouch included.
- Use it to store: names, addresses, phone numbers, reminders, schedules, appointments, birthdays, anniversaries, credit card numbers, bank account info, pin numbers, security combinations.




SANYO PAPERLESS CALCULATOR with CORRECTION CAPABILITY MODEL CX-480

OUR PRICE **\$39.95**

DESCRIPTION

Balance your checkbook with ease with Sanyo's Exclusive Paperless Printer. You can scan up and down to check and change up to 100 entries.

The LCD display consists of 8 digits across by 4 lines down. It performs the 4 basic functions, has 3 memory keys, and operates on three alkaline-manganese button cells. Size: 4" x 6 1/2" x 3/4". Weight: 6 ozs.



SEIKO PHONE CARD and CALCULATOR

The Phonebook that
can store up to 429
names and numbers


MODEL DF-210

OUR PRICE **\$29.95**

FEATURES

- 429 names/numbers.
- 8 characters for name.
- 16 digits for a number.
- Entries automatically listed in alphabetical order.
- Search function.
- Last phone number displayed will be recalled even after you turn the unit off or use the calculator mode.
- Calculator - 8 digit, 4 function with memory.

NEW!



FRANKLIN COMPUTER LANGUAGE MASTER

Revolutionary Hand-Held Electronic Dictionary
with Built-In Thesaurus and Spelling Corrector

MODEL LM-2000

OUR PRICE **\$269.00**

DESCRIPTION

The Language Master provides definitions for each of the more than 80,000 words in its list. The Merriam-Webster® Collegiate® thesaurus has 35,000 entry words and returns approximately 450,000 synonyms. Since synonyms exist for multiple senses of some words, definitions of these different senses are included for clarification.


Every word in the dictionary is shown with the correct hyphenation points.

The Language Master has a standard typewriter keyboard layout and the large custom 4-line, 160 character LCD has user adjustable contrast.

Contains the advanced features of the new Spelling Ace including the powerful phonetic spelling corrector and crossword puzzle assistance.

An indispensable tool for writers, students, word game fans and all word lovers in general. Size: 7" x 5" x 1 1/2". Weight: 8 oz. Runs on 4 AA batteries not included.

NEW!



CASIO DIGITAL DIARY

MODEL SF-3000

OUR PRICE **\$89.95**

DESCRIPTION

The future schedule keeper has arrived. Like a never-ending pocket diary.

Shows any month in the 20th and 21st centuries, carries any day's schedule. It has a 1,497 character memory capacity, a schedule function with time sort, full month calendar (from Jan. 1901 - Dec. 2099) — any day's schedule recalled from full-month calendar display, 10 phase memories (max. 58 characters for each phrase). Power source:

Calculation/display - 3 lithium batteries (CR2032C). Memory protection - 1 lithium battery (CR1220). Battery life:

Main power source approx. 130 hrs continuous. Memory protection battery approx. 2 years. Size: (Folded): 3/8" H x 5" W x 5 1/4" D. (Unfolded): 3/8" H x 5" W x 5 1/4" D. Weight: 5.3 oz.

The Ultimate In Diaries — Any Day's Schedule In 200 Years!



CASIO GRAPHIC SCIENTIFIC CALCULATOR

See Your Formulas Laid Out with Graphic Clarity


NEW!

FEATURES

- Formula-to-graph conversions at the touch of a key.
- Large screen-style display.
- 82 Functions for top level application in science and technology: All these scientific functions activate at the touch of a key to put the most complex computations at your fingertips. Trigonometric, inverse trigonometric, hyperbolic, inverse hyperbolic and coordinate conversion functions are all built in. Binary, octal, and hexadecimal based numbers are easy to convert and combine, while logical operations and streamlined to accelerate circuit designs and addressing. A wide selection of statistical functions performs everything from standard deviation to regression calculations.
- Instant recall of formulas for repeat or revision.
- 26 Memories (expandable to 78), convenient for algebraic formulas.
- Flexibly programmable for wide applications.

DESCRIPTION

The FX-7000G is a scientific wizard with executive intelligence. It plots trends. Analyses data characteristics. Graphically compares values. And it does this, and more, on a model that slips into your pocket as nicely as an ordinary calculator. But then there's nothing ordinary about it 82 scientific functions that include paired variable statistics, as well as binary, octal, and hexadecimal calculations. You can even write graphics into programs, so they come out tailored to your specifications.




CASIO DESKTOP SCIENTIFIC SOLAR PLUS CALCULATOR

MODEL FX-600M OUR PRICE **\$29.95**

FEATURES

- Works perfectly in normal roomlight, daylight, sunlight, lamplight, with any light over 50 Lux.
- Memory protected no matter what the light.
- 105 functions, 8-digits or 8-digit mantissa plus 2-digit exponent. • Workbook included.
- Sensible eye-angle display for easy reading.
- Full formula capacity with true algebraic logic - 18 pairs of parentheses nestable in 6 levels for reading and processing.
- With the base conversions and logical operations function, your calculator becomes a useful new tool in the scientific field.
- Progressive standard deviations contribute to swift handling of statistics.
- Functions Include: Basic calculations, Constant calculations, Memory calculations, Fraction calculations, Binary/octal/hexadecimal conversions, Binary/octal/hexadecimal arithmetic operations, Logical operations, Trigonometric/inverse trigonometrics, Hyperbolic/inverse hyperbolic, Logarithms, Square roots, Cube roots, Squares, Reciprocals & Fractionals, FIX, SCI, NORM, RND, Retangular to polar co-ordinates conversions, Permutations, Combinations, Standard deviations, Percentage calculations, Random numbers
- Size: 1 1/8" H x 4" W x 6 1/4" D. • Weight: 4.2 oz.



CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

GROOMING & MASSAGE APPLIANCES

WAHL 2 SPEED MASSAGER KIT RELIEVE STRAIN, STRESS and FATIGUE THROUGHOUT YOUR WHOLE BODY MODEL 4120

OUR PRICE **\$24.95**

DESCRIPTION

The 2-Speed massager kit comes with 6 attachments; general body, deep muscle, knuckle-joint, facial, scalp and ripple effect.



WAHL DELUXE HOME HAIR CUTTING KIT MODEL 9251

OUR PRICE **\$29.95**

DESCRIPTION

This deluxe multi-cut clipper kit includes: multi-cut electro-magnetic motor clipper, 4 attachment combs, blade guard, barber scissor, styling and barber combs, dusting brush, cape, shampoo, cleaning brush, oil and instruction book in case.



WAHL 15-WAY STANDARD WIDTH CONTOUR- FLEX BACK MASSAGER MODEL 4980

OUR PRICE **\$59.95**

DESCRIPTION

Unique design delivers penetrating heat and massage comfort deep into lower back, upper back, shoulder and neck areas. Corded remote control featuring high, medium and low speed and heat settings, doubles as spot heat applicator.



WAHL GROOMSMAN II MODEL 9910

OUR PRICE

\$24.95

DESCRIPTION

The Groomsman II cordless trimmer keeps beards, mustaches and necklines always looking well-kept and professionally groomed. It comes with 3 AA size batteries, storage base, instruction book, cleaning brush, oil mustache comb and trimming guide attachment.



WAHL 7-in-1 HEAT MASSAGER KIT MODEL 4196

OUR PRICE **\$29.95**

DESCRIPTION

Massager features low and high speed massager settings, dual heat settings and comes with 7 attachments: heat applicator, general body, deep muscle, knuckle-joint, facial, scalp and ripple effect.



WAHL MOTOR DRIVEN MULT-CUT PET CLIPPER KIT MODEL 9764

OUR PRICE **\$49.95**

DESCRIPTION

Extra-powerful gear-driven rotary motor. Kit includes: multi-cut clipper, 4 attachment combs, slicker brush, blade guard, scissors, dog comb, cleaning brush, clipper oil, grooming book, vinyl storage case and organizer tray.



WAHL MASSAGER MASTER POWERFUL 2-SPEED ALL PURPOSE MASSAGER MODEL 4175

OUR PRICE **\$45.00**

FEATURES

- Special flex-action head for full body massage.
- Low speed for soothing, invigorating massages.
- High speed provides deep penetrating massage to loosen tight, tired muscles.
- Unique teardrop-shaped massager head for pinpoint, penetrating massages.
- Rounded sides on massager head provide soothing, overall massages.
- Extra-long contoured handle is comfortable to hold, makes it easy to massage hard-to-reach areas.



FREEDOM BLADE The Ultimate Wet Shave! A Rechargeable Twin Blade Cordless Razor!

MODEL B-1 (Black)

OUR PRICE **\$37.50**

MODEL M-1 (Mauve)

OUR PRICE **\$37.50**

DESCRIPTION

Ladies and Gentlemen the FREEDOM BLADE is the newest innovation in shaving. It combines the close, clean, shave of a conventional twin blade disposable blade with the ease and comfort of an electric razor plus it's submersible! The FREEDOM BLADE uses any conventional twin blade. Its special oscillating motor stimulates a highspeed vibration that generates the blade to rapidly change direction in two dimensions as it "glides" over the skin. The vibration upon the skin surface relaxes the taut skin which enables the blades to cut the hairs giving the closest most comfortable shave possible. The FREEDOM BLADE is the answer to most shaving problems for men and women. Made in U.S.A.



SHARP DIGITAL BLOOD PRESSURE MONITOR

MODEL MB-500

OUR PRICE **\$54.95**

DESCRIPTION

The MB-500 uses the latest, state-of-the-art microphoneless system (oscillometric method) to measure your blood pressure and pulse rate. This method measures your blood pressure by detecting small pressure oscillation wave forms in the cuff caused by your pulsating artery. Troublesome, precise cuff positioning is no longer required for reliable and accurate measurements. It's fully automatic blood pressure/pulse rate measurement after cuff inflation, easy-to-read large liquid crystal display which automatically shows blood pressure and pulse, auto-power-off system saves battery life. Comes with electronic monitor, adult cuff, carrying case, operation manual and record book. Uses 4 "AA" batteries (not included).



SHARP DIGITAL BLOOD PRESSURE MONITOR


HAS PRINTER and LAST READING MEMORY

MODEL MB-700

OUR PRICE **\$89.95**

DESCRIPTION

The MB-700 uses a unique microprocessor based microphoneless system (oscillometric method) to measure blood pressure and pulse rate. This method assures reliable and accurate measurements by detecting small pressure oscillation wave forms in the cuff caused by a pulsating artery. No troublesome, precise cuff positioning is required. It features a convenient data printout consisting of: date, time, blood pressure and pulse rate printout. The super large easy-to-read liquid crystal display automatically shows blood pressure and pulse, also functions as a clock. Kit includes electronic monitor, adult cuff, durable carrying and storage case, operation manual, roll printout paper and record book. Uses 4 "C" batteries or optional AC adaptor not included.



THINNER™ ELECTRONIC DIGITAL SCALE

MODEL MS-7

OUR PRICE **\$49.00**



DESCRIPTION

Thinner is a computerized weight measurement system. It is accurate within 1/2%, has a capacity of 330 lbs, and displays to the half pound increment. Each Thinner scale is individually computer calibrated and automatically sets to zero. There are no manual adjustments nor are there any batteries to buy or replace since Thinner scales come with an exclusive lifetime, self contained lithium battery. The Thinner has specially designed snap on feet for use on carpet or uneven floors. Size: 10 1/4" W x 10 1/4" L x 1" H. Weight: 6 1/2 lbs. Colors: Lavender, Grey, or White. Specify when ordering.

BP ELECTRONIC HOT-COMPRESS MASSAGER

With Magnetic Acupressor.

MODEL MS-88

OUR PRICE **\$69.95**

SPECIAL!

FEATURES

- Relieve stress, strain, and fatigue.
- High and Low speeds for invigorating, vibrating massage.
- Soothing heat massage that's stimulating.
- Utilizes acupuncture points with heat massage for effective relief.
- Comes with instruction booklet.




BRAUN RECHARGEABLE C/ SHAVER

MODEL 3525

OUR PRICE **\$69.95**

DESCRIPTION

The difference is performance, design and quality in the male shaver. Braun 3525 rechargeable c/ shaver system 1-2-3 has full width extendable trimmer for combination shave and precise trimming. Cord or cordless. Built-in recharger. Recharges in only one hour—3 minute cordless shave after 5 minute recharging. Full charge signal. Low charge indicator. Automatic worldwide voltage adjustment. 12 volt car/boat charging. Elegant grey and metal housing. Luxury soft travel case with mirror.



MAXI RUB PERSONAL MASSAGE UNIT

MODEL MR-2

OUR PRICE **\$89.95**

DESCRIPTION

The Maxi Rub is an effective 2-speed massage unit, for fast relief from tension, and minor aches and pains. This versatile massager can be applied to almost any part of the body with one hand. Massage the tens of thousand of nerve endings on the soles of the feet to relieve tired feet and stimulate the rest of the body. Improve your circulation, ease lower back pain and spasms. This unit even helps break down ugly, lumpy cellulite nodes by directly dissolving them and increasing circulation. The Maxi-Rub features a powerful, heavy-duty motor, thick contoured orbiting pad and maintenance-free design with strong, aluminum die-cast components and permanently sealed bearings.



NOVAFON ELECTRO SOUND MASSAGE UNIT


MODEL NV-1

OUR PRICE

\$149.95

DESCRIPTION

NOVAFON is a precision electric vibration massage appliance for the relief of pain. It produces mixed frequency sound waves equalling 60,000 oscillations per second, penetrating 2-1/4" beneath the skin stimulating blood circulation; as opposed to 7,000 oscillations per minute using other massage appliances. It gives pleasant relief to tired, sore muscles and joints without the use of drugs and their side effects. NOVAFON is used in clinics, by doctors, chiropractors, physiotherapists, masseurs, athletic trainers, etc., around the world. The NOVAFON is easy to handle, and only weighs 8 oz. It comes in a small vinyl case and contains a 120 volt-transformer supplying 14 volts, (not dangerous), to the sound-head or energizer. Two attachments are included which are useful for all parts of the body, one disc-type and one bell type for use on concave surfaces such as between fingers. This appliance was especially designed for home use.



CONSUMER ENTERTAINMENT PRODUCTS

RANDIX® COMPACT AM/FM MINI LED CLOCK RADIO

MODEL RC-95

OUR PRICE **\$24.95**



FEATURES

- Weke to music or buzzer alarm. • 59 minutes sleep switch.
- Snooze bar. • Hi-Lo dimmer switch. • Battery back-up. • Bright LED clock display.
- Slide rule dial scale. • LED dial pointer. • Dimensions: 5"W x 4 1/4"H x 4"D.

GPX® KITCHEN COMPANION TV/WEATHER/AM/FM CLOCK RADIO

MODEL DK-555

OUR PRICE **\$29.95**

FEATURES


- AM/FM reception.
- TV channels 2 through 13.
- 24 hour weather reception.
- LED digital clock.
- Mounts under cabinet with adjustable bracket.
- Countdown timer.
- Battery back-up against power failure.
- Appliance outlet.
- Size: 10-1/2"W x 3"H x 6"D.



RANDIX® AM/FM/FM STEREO CLOCK RADIO WITH STEREO CASSETTE PLAYER

MODEL RCC-555

OUR PRICE **\$59.95**



FEATURES

- AM/FM/FM stereo full function alarm clock radio. • Sleep feature • Battery back-up.
- Top loading stereo cassette playback deck. • LED dial pointer. • AC 120V 60Hz operated.
- Dual intensity blue fluorescent clock display. • Weke to music or alarm tone.
- Auto Reverse. • 5-Band Graphic Equalizer. • Unique design. Hi-tech black.
- Left and right front firing speaker. • Flashing display power — failure indicator.
- Dimensions: Unit—6 1/2"W x 5"H x 5"D. Speaker—4"W x 5"H x 5"D. • UL/FCC approved.

SONY SoundRider™ AM/FM STEREO CASSETTE-CORDER Step-Up, Dual Cassette Stereo Cassette-Corder

MODEL CFS-W401

OUR PRICE **\$129.95**

NEW!



- Dual Cassette deck for convenient dubbing and editing. • High speed dubbing.
- Relay play switches from A to B deck for up to 90 minutes of continuous playback.
- Built-in quartz clock with alarm and sleep timer for 60 minutes.
- Auto Reverse. • 5-Band Graphic Equalizer. • Unique design. Hi-tech black.
- Automatic Music Sensor skip forward or backward to next selection.
- Cue and review on "B" deck provides sound in fast forward and rewind.
- Locking pause control. • Soft eject. • Fine tuning control.
- 4" Speakers. • Built-in electret condenser mic. • Automatic recording level control.
- Power: AC 120V, 60 Hz, or optional batteries "D" x 8. • Size: 20-7/8"W x 5-1/4"H x 4-3/4"D.
- Comes with AC cord and instruction manual. • Weight: 7 lbs. 7 oz. • Color: Black.

SONY AM/FM DREAM MACHINE® CLOCK RADIO

Super Compact with Unique Cube Design
MODEL ICF-C10W

NEW!

OUR PRICE **\$36.50**

FEATURES

- Super AM/FM clock radio fits anywhere.
- Distinctive tuning scale pinpoints stations on a diagonal line.
- Choice of radio or buzzer alarm.
- 59-minute sleep timer.
- Dream bar for 8 minutes of additional sleep after alarm sounds.
- Easy two button time setting with separate buttons for hour and minute.
- Blue fluorescent digital time display is easy to read from a distance.
- Fluorescent time display switches to alarm set time.
- Power back-up maintains the correct time even during extended blackouts.
- Power requirements: AC 120V, 60 Hz; power back-up 1 9V battery (optional) for approx 20 hrs radio/1 yr. clock.
- Size: (HWD) 4-3/4" x 4-7/8" x 4-5/8". Weight: 1 lb. 13 oz. • Colors: White or Black.



SONY AM/FM DREAM MACHINE® CLOCK RADIO

Exciting Dream Machine combines Dual Alarm System with Dramatic Slant-Front Design
MODEL ICF-C220W

NEW!

OUR PRICE **\$36.50**

FEATURES

- AM/FM clock radio with Dual Alarm System important for working couples and others who need different wake-up times.
- Slant-front positions all controls and read-outs for easy use and clear visibility.
- Dual alarm offers two separate alarm-time settings for two separate wake-ups.
- Radio or buzzer alarm. • 60-minute Sleep Timer. • Dream Bar for 8 minutes of additional sleep.
- LED time display for easy reading and high visibility.
- Power back-up maintains the correct time even during extended power blackouts—it also holds the alarm times set.
- Power Requirements: AC 120V, 60 Hz; power back-up 1 9V battery for approx. 55 hours playing time for radio and one year for clock.
- Size (HWD): 3-3/4" x 9-1/4" x 5-5/16". • Weight: 31.7 oz. • Color: Gray.



THOMAS OLD TIME RADIO MODEL BD-109

OUR PRICE **\$79.95**

DESCRIPTION

Revive the warm end nostalgic feelings of listening to the radios of yesteryear. Reminisce while enjoying the melodious tones of the beautifully crafted Old Time Radio. The shape of things that were with the sophistication of what's today. The BD-109 features: AM/FM rotary tuning knob, volume control, lighted dial, AM/FM selector, tone control, and AM/FM/AFC selector. It has a full 4" dynamic speaker and FM automatic frequency control. The Old Time Radio is fashioned as it was in 1928, a rich solid wood cabinet, antique metal dial trim plate and an old fashion grill cloth. The cabinet measures 11"W x 13"H x 9"D. UL Listed.



RANDIX® AM/FM/FM STEREO RADIO WITH TWIN CASSETTE RECORDER

MODEL SCR-530

OUR PRICE **\$49.95**



FEATURES

- AM/FM/FM Stereo Radio. • Stereo playback cassette deck.
- Stereo playback/record cassette deck. • Tape A to Tape B dubbing.
- Continuous Playback from Tape A to Tape B. • Automatic stop in play/record modes.
- Built-in condenser microphone. • Separate left & right volume controls.
- AC/DC operation. • Dimension: 21 1/2"W x 5"H x 4 1/2"D.

CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

CONSUMER ENTERTAINMENT PRODUCTS

BP 100 WATT 3-WAY COMPACT SPEAKERS BIG SOUND PRODUCERS

MODEL HF-16 REG. \$149.95 OUR PRICE **\$79.95** per pair

FEATURES

- High performance compact speakers.
- CD Compatible.
- Distinctive sound quality.
- Wooden cabinet.
- Impedance: 4-8 ohms.
- Each speaker has: 1-High performance 2-3/4" tweeter, 1-High efficient 3-1/2" midrange, and 1-full base 5" woofer.
- Power: 2x 100 watts.
- Frequency response: 80-20,000 Hz.
- Size (each): 14"H x 6-3/4"D x 8-5/8"W.



BP FM/STEREO ANTENNA AMPLIFIER

MODEL FM-9700 OUR PRICE **\$34.95**



DESCRIPTION

Help your FM receiver deliver crisp, clean, undistorted sound, by using the FM-9700. This high quality FM antenna will enhance your listening pleasure without having to purchase large unsightly outdoor antennas.

SPECIFICATIONS

FM/Stereo Signal: 88-108 MHz. Gain: 15dB. Output: 75 ohm or 300 ohm. Size: 6"W x 4 1/4"D x 4 1/4"H, antenna bar 23 1/2"L. Comes with 6 ft. coaxial cable and matching transformer. Operates on 110-117 VAC.

BP 3-WAY MINI SPEAKERS with BRACKETS

THE MINI SPEAKER with MAXI SOUND

MODEL HF-9 OUR PRICE **\$34.95** per pair



SPECIFICATION

- Die cast aluminum. • 1" Soft dome tweeter. • 3" Long throw woofer.
- 2" Extended midrange speaker. • Frequency response 80-20,000 Hz.
- Impedance: 8 ohms. • Max. power: 50 watts. • Size: 7-1/4"W x 4-1/2"H x 4-3/8"D

SONY COMPACT DISC PLAYER with DISC CHANGER

DiscJockey® 5-Disc Component Changer

MODEL CDP-C5F OUR PRICE **\$399.95**



DESCRIPTION

The only thing better than listening to one CD is the convenience of playing one after another without having to manually change the disc. So Sony created a revolutionary method for CD multi-play operation...It's called DiscJockey®. It offers superb sound performance, convenience and advanced technology.

FEATURES

- **DiscJockey Carousel:** The special, motorized carousel platter has five separate sections designed to hold a compact disc in each. The carousel electronically moves the desired disc into position on command. You can load one disc for single play convenience, or as many as you'd like. When all five sections are loaded your CDP-C5F will provide up to six hours of CD performance without repeating any selection. With 32-program capability, the CDP-C5F also lets you use its extensive programming and repeat-play functions to play your discs in any order you prefer, and hear favorite tracks as frequently as you like.
- **RM-D5 Remote Commander® Control:** Use the wireless, supplied, with the CDP-C5F to enter the disc number you want to hear. You can also remotely control repeat and search functions, and play, pause, all from your easy chair.
- Size: 17"W x 4-1/4"H x 16-3/8"D. • 16 lbs. 9 oz.

SHARP STEREO DOUBLE CASSETTE DECK

MODEL RT-W500 OUR PRICE **\$100.00**



FEATURES

- Double cassette system offers the versatility of synchronous dubbing, high-speed dubbing and continuous playback.
- 2-Color, 10-LED peak level meter. • Dolby noise reduction. • 3-Digit tape counter.
- Auto stop mechanism. • Soft eject cassette compartment.
- Metal tape capability. • Left/right microphone jacks. • Headphone jacks.
- Size: 16-5/16"W x 4-5/8"H x 8-1/2"D. • Weight: 8.4 lbs.

SHARP STEREO DOUBLE CASSETTE DECK

With DUAL AUTO REVERSE

MODEL RT-W800 OUR PRICE **\$170.00**



FEATURES

- Double auto reverse cassette system allows continuous dubbing of both sides, plus continuous playback.
- High-speed dubbing system cuts recording time by about half.
- Soft-touch operation. • Dolby® B noise reduction system.
- APSS® (Auto Program Search System) for Tape 1. • Metal tape capability.
- 2-Color, 5-LED/CH peak level meters. • Full auto stop.
- Left/right microphone jacks • Headphone jack. • Tape counter.
- Size: 17"W x 4-13/16"H x 8-9/16"D. • Weight: 8.6 lbs.

CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

AUDIOVOX CAR STEREOs



AUDIOVOX AM/FM/MPX RADIO with STEREO CASSETTE PLAYER

MODEL AVX-3000 OUR PRICE **\$39.50**

FEATURES

- Slide-load cassette mechanism. • Stereo balance control.
- Locking fast-forward and eject control. • FM local-distant reception switch.
- Pushbutton band selection. • 14 watts maximum stereo power.
- Automatic tape-radio changeover circuit. • FM stereo light.
- Adjustable shefts. • Dimensions: 7"W x 2"H x 5"D.



AUDIOVOX AM/FM/MPX STEREO with AUTO-REVERSE CASSETTE PLAYER

MODEL AVX-3050 OUR PRICE **\$69.50**

FEATURES

- Auto-reverse cassette player with locking fast-forward.
- Cassette program selector with LED indicator lights.
- Pushbutton band selector. • FM local-distant reception switch.
- Stereo balance control. • LED stereo indicator.
- 14 watts maximum output power. • Adjustable shefts.
- Dimensions: 7"W x 2"H x 5"D.



AUDIOVOX AM/FM/MPX RADIO with STEREO CASSETTE PLAYER and QUARTZ CLOCK *Electronically Tuned*

MODEL AVX-932 OUR PRICE **\$79.00**

NEW!

FEATURES

- Function knobs are back-lit for easy night-time use.
- 12-station (6 AM / 6 FM) electronic memory with individual pushbuttons.
- Automatic SEEK tuning with local/distant sensitivity switch.
- Frequency, time and functions displayed on back-lit LCD panel.
- Locking fast-forward and cassette eject control.
- Full-range tone and stereo balance controls. • Display priority switching.
- 10 watt maximum output power. • Size: 7"W x 2"H x 5-1/8"D.




AUDIOVOX AM/FM/MPX RADIO with AUTO-REVERSE CASSETTE PLAYER and QUARTZ CLOCK *Electronically Tuned*

MODEL AVX-934 OUR PRICE **\$109.00**

NEW!

FEATURES

- Bright LED display of frequency and time.
- 12-station (6 AM / 6 FM) electronic memory with individual pushbuttons.
- Automatic SEEK tuning with local/distant sensitivity switch.
- Auto-reverse cassette player with locking fast-forward and rewind controls.
- Manual program selector and LED tape direction indicators.
- Full-range tone and stereo balance controls.
- 14 watt maximum output power. • Size: 7"W x 2"H x 5"D.



AUDIOVOX 7-BAND 50 WATT GRAPHIC EQUALIZER with DUAL POWER METERS

MODEL AMP-785 OUR PRICE **\$49.50**

FEATURES

- Switchable sensitivity dual 5 segment LED power meters.
- 7-band graphic equalizer. • LED indicator slide controls.
- By-pass selector. • Built-in fader.
- Can be used with any system including floating-ground and bridged types.
- 20-30,000 Hz response. • Size: 7"W x 5"D x 2"H.



AUDIOVOX 7-BAND GRAPHIC EQUALIZER/AMPLIFIER with LED POWER METER

MODEL AMP-760 OUR PRICE **\$32.50**

NEW!

FEATURES

- Five segment multi-color LED power display.
- Built-in front/rear fader control.
- Power on/off switch with indicator LED.
- Can be used with all standard common-ground sound systems.
- 50-20,000 Hz response. • 40 watt maximum output power. • Size: 1"H x 6"W x 3-3/4"D.



AUDIOVOX 130 WATT HI-FI POWER AMPLIFIER

MODEL AMP-535 OUR PRICE **\$69.50**

NEW!

FEATURES

- High end low-level input capabilities.
- Remote on/off switching. • Power indicator LED.
- Compatible with common and floating ground stereos.
- Low voltage indicator. • Adjustable sensitivity low-level RCA inputs.
- Quick-connect spring-loaded input and output terminals.
- Thermal and overload protected output stage. • Designed for under-seat or trunk mounting.
- Massive heat-sinks for efficient heat transfer.

AUDIOVOX CAR STEREOs



AUDIOVOX FLAT-FACE AM/FM/MPX RADIO WITH AUTO-REVERSE CASSETTE PLAYER 5-BAND GRAPHIC EQUALIZER AND QUARTZ CLOCK *Electronically Tuned*

MODEL AVX-210 OUR PRICE **\$189.00**

FEATURES

- High style flat-face design.
- Automatic SEEK and SCAN tuning.
- Auto-reverse cassette player.
- Locking fast-forward and rewind control.
- 12-station electronic memory (6 AM, 6 FM).
- Back-lit LCD panel for display of frequency, time, functions.
- Display priority switching for frequency or time readout.
- 4-way balance controls.
- Built-in 40 watt power amplifier.
- Built-in 5-band graphic equalizer for precise tonal adjustment.
- DNR® system for reduced noise on tape and radio.
- Size: 7"W x 2"H x 5-1/2"D.



AUDIOVOX "THEFT PREVENTION" REMOVABLE CHASSIS SYSTEM

MODEL AVX-210BR OUR PRICE **\$249.00**

FEATURES

- Same features as the AVX-210 plus:
- Slide-out bracket which allows the owner to remove unit from car for safe keeping.
- Front panel handle provides for easy removal & carrying.
- The chassis includes a memory circuit with back-up battery to maintain pre-set stations and clock time.



AUDIOVOX FLAT-FACE AM/FM/MPX RADIO with STEREO CASSETTE PLAYER and QUARTZ CLOCK *Electronically Tuned*

MODEL AVX-205 OUR PRICE **\$120.00**

NEW!

FEATURES

- High style flat-face design.
- Back-lit LCD panel for display of frequency, time and functions.
- 12-station electronic memory (6 AM / 6 FM).
- Automatic SEEK tuning with local/distant sensitivity switch.
- Locking fast-forward and cassette eject control.
- Back-lit switches and knobs for easy night-time use.
- Full-range tone and stereo balance controls.
- Display priority switching.
- FM mono/stereo switch.
- 10 watt maximum output power.
- Size: 7"W x 2"H x 5-1/2"D.



AUDIOVOX AM/FM/MPX RADIO WITH AUTO-REVERSE CASSETTE PLAYER 5-BAND GRAPHIC EQUALIZER AND QUARTZ CLOCK *Electronically Tuned*

MODEL AVX-989 OUR PRICE **\$179.00**

FEATURES

- Built-in 5-Band Graphic Equalizer for precise tonal adjustment.
- Synthesized electronic-tuning with 12-station memory (6 AM, 6 FM).
- Automatic SEEK and SCAN tuning.
- Auto-reverse cassette deck with locking fast-forward.
- Back-lit LCD panel for display of frequency, time and functions.
- 4-way balance controls.
- Display priority switching.
- Built-in 40 watt amplifier.
- Size: 6-1/4"W x 2"H x 5-1/8"D.



AUDIOVOX AM/FM/MPX RADIO with CASSETTE PLAYER and 5-BAND GRAPHIC EQUALIZER and QUARTZ CLOCK

MODEL AVX-987 OUR PRICE **\$149.00**

NEW!

FEATURES

- Synthesized electronic-tuning with single button 12-station memory (6 AM / 6 FM).
- Back-lit LCD panel displays frequency, time and functions.
- Automatic SEEK tuning with local/distant sensitivity switch.
- 5-Band graphic equalizer for precise tonal adjustment.
- Locking fast-forward and eject control.
- Display priority switching.
- 4-way balance controls.
- Built-in 40 watt power amplifier.
- Size: 6-1/4"W x 2"H x 5-1/8"D.



AUDIOVOX 7-BAND 200 WATT COMPUTER-CONTROLLED EQUALIZER/AMPLIFIER with SPECTRUM ANALYZER and MEMORY

MODEL AMP-792 OUR PRICE **\$99.00**

NEW!

FEATURES

- 49-LED display matrix graphically illustrates equalizer settings or spectrum analysis of program material.
- 4 memory settings allow instant recall of equalization curves.
- Built-in volume and fader slide controls.
- Soft-touch back-lit electronic up/down switches adjust 7-bands of equalization.
- Selectable spectrum or equalization curve display.
- Low-level (RCA) and high-level (floating-ground compatible) inputs.
- 4-channel (50 watts x4) power amplifier.
- Size: 1-3/4"H x 6"W x 6-1/2"D.

MIDLAND CB RADIOS/AUTO ACCESSORIES

MIDLAND "READY RESCUE II" EMERGENCY 40 CHANNEL CB

True Hi Power Walkie Talkie
Fully Portable with Battery
Pack Included

MODEL 77-911A/18-911

OUR PRICE **\$59.95**
SPECIAL!

DESCRIPTION

An ultra compact 40-channel transceiver comes with car lighter adaptor for use as an emergency Citizensband mobile. Comes with battery pack that clips onto bottom of 77-911A to convert it to full portable operation.

FEATURES

- 3/8" high L.E.D. channel readout.
- Channel 9 emergency button.
- Electronic up-down channel tuning switches.
- L.E.D. bar light for "S" and "RF" readings.
- Computer circuitry, volume, squelch and accessory jacks.
- Complete with cigarette lighter plug, flexible antenna, mobile magnetic antenna mount, cable, carrying case and battery pack (uses 8 alkaline "AA" batteries not included).
- 4 watts total power.
- 12-V DC neg. ground.
- Dimensions: 2-3/4" x 6-7/8" x 13-3/8".



MIDLAND COMPACT 40 CHANNEL PORT-A-PAK MOBILE/PORTABLE TRANSCIVER

MODEL 77-805

OUR PRICE **\$99.95**

DESCRIPTION

Convertible from in-vehicle use to true portable use, center-loaded antenna for use in portable mode, new high power 8 "C" cell battery pack for up to 4 times battery life of previously used AA pen cells (batteries not included).

FEATURES

- On-demand lite switch for L.E.D. channel display.
- Mobile mounting brackets with quick disconnect DC power cable.
- Lighted Bar-type S/RF power indicator.
- Portable carrying case with shoulder strap and mike clip.
- Transmits power: 4 watts switchable to 1.0 watts for longer battery life.
- 13.8 volt DC negative ground.
- Dimensions: (with case) 4-3/4" x 2-3/4" x 7", without case 4" x 1" x 6".



MIDLAND "POWERMAX" OVER-THE-ROAD CB TRANSCIVER

MODEL 77-250

OUR PRICE **\$99.95**
SPECIAL!

DESCRIPTION

A specially designed over-the-road communication unit with a combination of user friendly features.

FEATURES

- A deluxe ETR tuning system with a new J-Fet front end for high sensitivity reception.
- ANL/NB and a Dynamic Noise Filter (DNF).
- Instant Channel 9 switch.
- Channel 19 memory.
- Bright/dim RF gain.
- Mic gain.
- SWR system and more.
- Dimensions: 7-1/4" x 7-1/4" x 2-1/4".



MIDLAND 40 CHANNEL 5 WATT HAND-HELD CB

MODEL 75-790

OUR PRICE **\$89.95**

DESCRIPTION

Midland's compact new 40-channel five-watt portable model 75-790 is the ultimate in hand-held performance with features usually found only in advanced mobile radios such as: instant channel 9; electronically synthesized (no crystal required); adjustable squelch and automatic noise limiter; separate LEDs for transmit and receive; analogue meter to measure received signal, transmit power and battery condition. Choice of power levels, one or five watts. Jack provided for recharging nicad batteries. Carrying case included. Size: 9 1/2" H x 3" W x 3 3/4" D. Receiver sensitivity: 1uV for 10 dB (S + N)/N. Frequency control: Electronically synthesized, 40 channels.



MIDLAND 5-WATT, 3-CHANNEL CB HAND HELD WITH SWITCHABLE HI/LO POWER

MODEL 75-764B

OUR PRICE **\$55.00**

FEATURES

- Operates on any 3 of the 40 CB channels: Channel 11 crystals installed, 2 channel positions open.
- Transmitter rated for nominal 5-watt input power operation with high level modulation-switchable to battery saver 2-watt low power.
- Superheterodyne receiver has tuned RF stage.
- Ceramic IF filter.
- Automatic gain control.
- Variable squelch.
- Pushbutton L.E.D. battery check light.
- Uses 12-V power from eight "AA" dry cells, ten ni-cad "AA" cells, or external sources (batteries not included).
- Jacks for external power, charges, microphone, complete with carrying case.
- Metal cabinet 8-3/4" x 3-1/4" x 2-1/8".

2-WATT, 3-CHANNEL LIGHTWEIGHT HAND HELD CB

MODEL 75-719B

OUR PRICE **\$39.95**

FEATURES

- Operates on any 3 of the 40 CB channels.
- Channel 11 crystals installed, 2 channel positions open.
- Full range variable squelch control to block out background noise.
- Transmitter rated for nominal 2-watt input power operation with high level modulation.
- Superheterodyne receiver has tuned RF stage.
- Automatic gain control.
- Pushbutton L.E.D. battery check light.
- Operates on Uses 12-V DC from eight "AA" size batteries (not included).
- Metal cabinet with chrome trimmed die-cast face plate and jacks for battery charger and earphone.
- Dimensions: 7-7/8" x 2-7/8" x 2-1/8".



MIDLAND 40 CHANNEL MINIATURE MOBILE CB TRANSCIVER

MODEL 77-104

OUR PRICE **\$36.95**
SPECIAL!

FEATURES

- Super-compact (4" x 1" x 6") and easy to install.
- Front loaded microphone.
- Built-in speaker.
- Bar-type L.E.D. signal strength/RF output meter.
- All-metal cabinet with quick release mounting bracket.
- External speaker jack.
- Illuminated L.E.D. channel indicator.
- 4 Watt output.
- 13.8 volt DC negative ground.



MIDLAND NEW! 40-CHANNEL MOBILE CB TRANSCIVER

MODEL 77-149

OUR PRICE **\$79.00**

FEATURES

- #40-Channel up/down scan tuning on microphone.
- Highest legal power output 4 watt.
- All-metal cabinet.
- Quick disconnect DC hook up.
- Green LED channel display.
- External speaker jack.
- S/RF LED Bar-type meter.
- Instant access to channel 9 emergency or highway channel 19 switch.
- Public Address PA/CB switch.
- TX indicator.
- Modulation indicator.
- ANL (Automatic Noise Limiter) switch.
- RF gain control for local or distant selection.
- Size: 5"W x 1-1/4"H x 8"D.
- Receiver sensitivity: 0.8uV for 10 dB (S/N)/N.
- Power requirements: 13.8 VDC negative or positive ground.

DESCRIPTION

The 77-149 has NEW MIC-RO-TUNE channel selection system, for fingertip control of changing channels on top of the microphone. No fumbling for the controls. Choice of fast or slow speed. And of course, a large green digital channel readout on the radio. And for much easier monitoring of your incoming signal strength or RF power output, the 77-149 offers a new "sliding scale" electronic bar graph S/RF meter. As signal strength increases, the meter moves sequentially through a multi-colored display bar to give you instant measurement at a glance. Other features on the 77-149 give you ultimate CB performance and operational ease. It's tomorrow's CB today!



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

COBRA 40 CHANNEL 18 PLUS CB RADIO MODEL 18-PLUS

OUR PRICE **\$59.95**

**FREE Magnetic Mount
Antenna with Purchase
of the 18-PLUS**

FEATURES

- Power On/Off volume control.
- Instant Channel "9": Immediate access to emergency channel 9.
- Public Address Pushbutton: Turns CB into a 4 Watt P.A. system when used in conjunction with a P.A. speaker.
- LED Bar Graph Signal Strength Meter: 5-segment, 3-color staircase type. Changes color from green to yellow to red as strength increases.
- Separate Transmit/Receive Indicators: LED indication of the mode of operation. Red "TX" for transmit, green "RX" for receive. • Large LED channel display for greater readability.
- Squelch Control: Eliminates background noise in the absence of an incoming signal.
- Front Panel Microphone Connector: Five pin "DIN" locking type allows easy removal of microphone. • Size: 5-7/8" W x 1-3/4" H x 6-1/8" D. • Wght: 3 lbs. 4 oz.
- Electronic Tuning: A simple push of the up or down pushbutton advances the channel change, enabling a complete 40 channel scan in 8 seconds. As each channel change occurs, a volume controlled audible beep tone is emitted through the speaker. In addition there's the "Channel Saver", a three lead power connection for memory retention of last channel used.
- Automatic Noise Limiter: Non-switchable, is always "On" reduces background noise.



COBRA 40 CHANNEL 25 PLUS CB RADIO MODEL 25-PLUS

OUR PRICE **\$99.95**

FEATURES

- Instant Channel "9": Immediate access to emergency channel 9.
- Power On/Off volume control.
- Public Address Pushbutton: Turns CB into a 4 Watt P.A. system when used in conjunction with a P.A. speaker.
- LED Bar Graph Signal Strength Meter: 5-segment, 3-color staircase type. Changes color from green to yellow to red as strength increases.
- Separate Transmit/Receive Indicators: LED indication of the mode of operation. Red "TX" for transmit, green "RX" for receive. • Large LED channel display for greater readability.
- Squelch Control: Eliminates background noise in the absence of an incoming signal.
- Front Panel Microphone Connector: 4-pin, miniature screw-on type for easy microphone removal.
- Electronic Tuning: A simple push of the up or down pushbutton advances the channel change, enabling a complete 40 channel scan in 6 seconds. As each channel change occurs, a volume controlled audible beep tone is emitted through the speaker. In addition there's the "Channel Saver", a three lead power connection for memory retention of last channel used.
- Exclusive Dynamike Control: Allows user to deliver 100% modulation at all speaking levels.
- Noise Blanking Pushbutton: Reduces engine and electrical interference.
- RF Gain Control: Adjust receiver sensitivity to match incoming signal. Allows you to decrease or increase sensitivity for strong or weak signals.
- Automatic Noise Limiter: Non-switchable, is always "On" reduces background noise.
- Size: 6-1/4" W x 2-1/8" H x 6-5/8" D. • Wght: 3 lbs. 10 oz.



COBRA 40 CHANNEL 19 PLUS CB RADIO MODEL 19-PLUS

OUR PRICE **\$42.90**

SPECIAL!

FEATURES

- Instant Channel "9": Immediate access to emergency channel 9.
- Power On/Off volume control.
- C/P.A. Switch: One switch allows selection of CB operation or public address. In "P.A." mode, display indicates "PA".
- LED Bar Graph Signal Strength Meter: 5-segment, 3-color staircase type. Changes color from green to yellow to red as strength increases.
- Transmit Indicator: Red LED indicates "TX" for transmit mode. • Large LED channel display.
- Squelch Control: Eliminates background noise in the absence of an incoming signal.
- Front Panel Microphone Connector: Five pin "DIN" locking type allows easy removal of microphone. • Size: 4-9/16" W x 1-3/4" H x 6-5/8" D. • Wght: 3 lbs. 4 oz.
- Electronic Tuning: A simple push of the up or down pushbutton advances the channel change, enabling a complete 40 channel scan in 6 seconds. As each channel change occurs, a volume controlled audible beep tone is emitted through the speaker.



COBRA AM CB RADIO MODEL 29-PLUS REG. \$174.95

OUR PRICE
\$119.95

- "The Truckers Choice" with an instant emergency channel 9 switch — it's the industry standard. Cobra's 29-Plus reflects the latest advances in CB technology to deliver maximum power output, 100 per cent modulation and fine receiver sensitivity. The 29-Plus features: SWR bridge and antenna warning indicator, switchable automatic noise limiting/noise blanking to suppress ignition and external electrical interference. DynaMika modulation control delivers 100 per cent modulation at all speaking levels, RF gain control to adjust receiver sensitivity to match your needs, Delta Tuna and illuminated S/R/F SWR meter with dimmer. Size: 7-1/4" W x 2-1/4" H x 8-3/4" D. Wght: 4 lbs. 10 oz.




COBRA 40 CHANNEL 21 PLUS CB RADIO MODEL 21-PLUS

OUR PRICE **\$89.90**

FEATURES

- Instant Channel "9": Immediate access to emergency channel 9.
- Power On/Off volume control.
- Public Address Pushbutton: Turns CB into a 4 Watt P.A. system when used in conjunction with a P.A. speaker.
- LED Bar Graph Signal Strength Meter: 5-segment, 3-color staircase type. Changes color from green to yellow to red as strength increases.
- Separate Transmit/Receive Indicators: LED indication of the mode of operation. Red "TX" for transmit, green "RX" for receive.
- Squelch Control: Eliminates background noise in the absence of an incoming signal.
- Front Panel Microphone Connector: Four pin, miniature screw-on type allows easy removal of microphone. • Large LED channel display for greater readability.
- Electronic Tuning: A simple push of the up or down pushbutton advances the channel change, enabling a complete 40 channel scan in 8 seconds. As each channel change occurs, a volume controlled audible beep tone is emitted through the speaker. In addition there's the "Channel Saver", a three lead power connection for memory retention of last channel used.
- Exclusive Cobra Dynamike Control: Allows user to deliver 100% modulation at all speaking levels. • Size: 6-1/4" W x 2-1/8" H x 8-5/8" D. • Wght: 3 lbs. 14 oz.
- Automatic Noise Limiter: Non-switchable, is always "On" reduces background noise.



COBRA 40 CHANNEL 31 PLUS CB RADIO with WEATHER BANDS MODEL 31-PLUS

OUR PRICE **\$149.95**

FEATURES

- NOAA Weather Radio Broadcast: Receives the latest weather and highway information 24 hours a day. Choose the Weather Radio Station that is active in your location...up to 50 mile range.
- Automatic Noise Limiter and Noise Blanking Pushbutton.
- Local/Distance Button: Adjusts receiver sensitivity to match incoming signal.
- Public Address Pushbutton: Turns CB into a 7 watt P.A. system when used with a P.A. Speaker.
- Dimmer Pushbutton: Selects the brightness of the multi-function meter and channel display.
- Instant Channel 9 Pushbutton. • Squelch Control. • Large LED channel display.
- LED Function Indicators: Provides a visual indication of meter selector position.
- LED Bar Graph Signal Strength Meter: 7 segments, 3 colors, changes color as strength increases.
- Separate Transmit/Receive Indicator. • Power and Volume Control.
- Antenna Warning Indicator: A red LED showing "ANT" indicates trouble in antenna system.
- Electronic Tuning: Up or down button advances channels, enabling a 40 channel scan in 8 sec.
- Meter Function Selector: Selects for S/R/F, modulation, calibration, and SWR measurements.
- SWR Calibration Control: Allows you to check your antenna system for best performance.
- 8 Instant Access Preset Channel Buttons. • Silda Mounting Bracket for many positions.
- FCC: All transmitter and receiver specifications required by the FCC have been met or exceeded.
- Size: 7-1/4" W x 2-1/4" H x 8-3/4" D. • Weight: 4 lbs. 10 oz.



COBRA 40 CHANNEL Remote CB RADIO

All Controls Are On The Easy-To-Use Dynamic Microphone

MODEL 67LTD

REG. \$199.95

OUR PRICE **\$119.00**

DESCRIPTION

Our newest hide-away mobile CB. The 67LTD remote mounts easily under the seat, on the firewall or in the trunk of your car, since it's only 1-5/8" (H) x 4-3/4" (W) x 6-1/2" (D). The easy-to-use remote control dynamic microphone has all the controls right at your finger-tips for Loud & Clear transmission: LED transmit/receive indicator, digital LED channel display, on/off and volume control, channel selector, instant emergency channel 9 switch, push-to-talk bar, RF gain control, switchable ANL and so much more. The 67LTD comes complete with all the necessary brackets and hardware. Wght: 3 lbs.



COBRA S.O.S. EMERGENCY 40 CHANNEL CB RADIO With Full 4 Watt Transmit Power (Maximum FCC Allowable)

MODEL 39-PLUS

OUR PRICE **\$59.95**

FEATURES

- Storage Case.
- CB Radio Hanger.
- Range (Squelch) Control: Eliminates background noise in the absence of an incoming signal.
- Range Window: Visual reference when setting squelch level.
- Instant Emergency Channel 9 button.
- Electronic Tuning Buttons: Up or down pushbutton change channels quickly. Scan 40 channels in 8 seconds.
- Large easy to read channel display. • Microphone: Built-in electret condenser type.
- Volume Control Window: Visual reference when setting volume level, also on/off volume control.
- Press To Talk Bar/Release To Listen: Easy for right or left hand use.
- Frequency Range: 26.965 to 27.405 MHz. • Power Output: 4 watts (max. F.C.C. allowable).
- Size: 7" L x 2-5/8" W x 1-3/8" D. Weight: 12 oz. unit.



SCANNERS/BASE STATIONS/WALKIE TALKIE

COBRA HANDHELD SCANNERS

MODEL SR-10 OUR PRICE \$149.90

The SR-10 is an economical 10 channel, crystal free, programmable hand-held scanner. A two-digit liquid crystal display shows both channels being scanned and also indicates "Lockout" and "Weather" when features are activated.

FEATURES

- 11 Bands: Four "Ham" bands, Federal and Military, land mobile bands, all public service bands, and National Weather Service band.
- 10 Channels: Program into memory your favorite frequencies.
- Instant access to local Weather Service frequency.
- Review: Allows you to check frequency entered on each channel.
- Scan: Rerun frequencies that have been programmed on all channels.
- Manual: Direct access to wanted channels or advance one at a time.
- Built-In Delay: 3 sec. delay on all channels for replays then scanning resumes.
- Keyboard Lock: Locks keyboard to prevent any accidental programming.
- Battery Low Indicator: Beep tone every 15 seconds for four minutes then alternately flashing "P" and "L" on the display.
- Memory Back-up: Retains frequencies entered for 30 minutes without battery.

SPECIFICATIONS

Frequency Range: 29.0-29.7MHz 10 meter Ham band, 29.7-50.0MHz VHF low band, 50.0-54.0MHz 8 meter Ham band, 136-144MHz Military Land Mobile, 144-148 MHz 2 meter Ham band, 182.4-162.55MHz Weather band, 148-174MHz VHF high band, 406-420MHz Federal Government Mobile, 420-450MHz 70 cm Ham band, 450-470MHz UHF band, 470-512MHz UHF "T" band. **Size:** 2-5/8" W x 7" H x 1-3/8" D. **Weight:** 10-1/2 oz. **Batteries:** 5AA standard batteries (not included) or optional rechargeable battery pack and AC adaptor. **Scanning Speed:** 10 channels per sec. **Accessory supplied:** Belt clip.



MODEL SR-12 OUR PRICE \$218.90

The SR-12 was designed for the person who wants the best in a handheld scanner. This crystal free, 16 channel programmable scanning receiver has a sealed rubber keyboard and a chassis of extruded aluminum, giving you the durability needed in a handheld scanner. Also included is a LCD display for viewing at night.

FEATURES

- 9 Bands: Two "Ham" bands, Federal and Military, land mobile bands, all Public Service band and AM Aircraft band.
- 18 Channels: Program into memory your favorite frequencies.
- Priority: Automatically switches to your favorite frequencies when it becomes activated.
- Lockout: Skip channels you don't want.
- "Lockout" indicator appears.
- Scan: Review programmed frequencies on all channels.
- Manual: Direct access to wanted channels or advance one at a time.
- Automatic Search: Automatically finds new frequencies.
- Limit: Sets lower and upper frequency limits for automatic search.
- Hold: Stops searching action to hold on frequency of interest.
- Selective Scan Delay: 3 sec. delay on all channels for replays then scanning resumes.
- Keyboard Lock: Locks keyboard to prevent any accidental programming.
- Battery Low Indicator: LED indicator lights when batteries need recharging.
- Memory Back-up: Retains frequencies entered for 30 minutes without battery.
- Antenna: "Rubber Duckie" type with "BNC" type connector.
- Earphone/External Speaker Jack: 3.5 mm size.

SPECIFICATIONS

Frequency Range: 30.0-50.0MHz VHF low band, 118-135.975MHz Aircraft band, 136-144MHz Military land mobile, 144-148MHz 2 meter Ham band, 148-174MHz VHF high band, 406-420MHz Federal Government mobile, 420-450MHz 70 cm Ham band, 450-470MHz UHF band, 470-512MHz UHF band. **Size:** 3" W x 7" H x 1-3/8" D. **Weight:** 1 lb. 4 oz. **Batteries:** 6AA Ni-CAD (included). **Scanning Speed:** 16 channels per sec. **Accessories supplied:** Flexible rubber antenna, AC adaptor/charger, earphone.

COBRA CB BASE STATION MODEL 90LTD

OUR PRICE \$110.00

FEATURES

- Exclusive Cobra Dynemika Control.
- Overlaid LED channel display.
- Illuminated S/R/F meter.
- Microphone connector.
- Instant Emergency channel 9 switch.
- Dynamic Microphone.
- CB/PA switch.
- Noise blanker/off switch.
- Automatic noise limiter/off switch.
- LED transmit indicator.
- Antenna connector.
- P.A. speaker jack.
- External speaker jack.
- Size: 9-5/8" L x 9-1/4" W x 3-3/4" H.
- Built-in speaker.
- LED channel display.
- Channel selector switch.
- Power on/off switch.
- R.F. gain control.
- Dynamika control.
- Squelch control.
- Compact Size.
- Volume Control.



COBRA SSB MOBILE

MODEL 148GTL

REG. \$269.95

OUR PRICE \$179.95

The 148GTL is a no compromise, precision AM/SSB mobile unit for the discriminating citizen's band operator who demands maximum performance.

Features: DynaMike, Volume, ON/OFF control, Squelch, RF gain, SWR CAL control, Voice Lock, S/R/F/CAL/SWR switch, LSB/AM/USB mode switch, switchable automatic noise limiting and noise blanking, CB/PA switch, Hi/LOW tone switch, meter and LED brightness control, channel selector, LED display, receiver and transmit indicator, illuminated S/R/F/SWR meter, PA and external speaker outputs, maximum legal power plus plug-in mike and brackets. **Size:** 2-3/8" H x 7-7/8" W x 9-1/4" D.



COBRA SSB MOBILE

MODEL 146GTL

REG. \$209.95

OUR PRICE \$149.95

This is for the value-minded AM/SSB mobile user. The 146GTL is for the citizen's band operator who appreciates quality and performance.

It features: Volume, ON/OFF control, Squelch, RF gain, Voice Lock, LSB/AM/USB mode switch, switchable automatic noise limiting and noise blanking, CB/PA switch, channel selector, LED display, receiver and transmit indicator, illuminated S/R/F meter, PA and external speaker outputs, and more. **Size:** 2-5/8" H x 7-5/8" W x 9-1/8" D.



REGENCY 55 CHANNEL HAND HELD SCANNER

Keyboard Programmable

MODEL HX-1500

OUR PRICE \$249.95

DESCRIPTION

The HX-1500 scanner lets you keep in touch with the action while you're on the go.

FEATURES

- 10-Band coverage including aircraft.
- 4-Independently programmable scan banks.
- Search or Scan.
- Squelch control.
- Priority control.
- Flexible antenna.
- Auxiliary scan control.
- No crystal required.
- On/Off volume.
- LCD.
- Display Messages.
- Direct Access.
- Keyboard lock switch.
- Sealed rubber keypad.
- Permanent memory, needs no batteries.
- Rugged die-cast aluminum chassis.
- **Optional Accessories:**
- Model MA-553 Case \$14.95
- Model MA-518 Adaptor \$14.95



COBRA HANDHELD 100 CHANNEL 11 BAND SCANNER

MODEL SR-15

OUR PRICE \$225.00 NEW!

FEATURES

- 11 Bands: Military Land Mobile, Fed. Government Land Mobile, UHF, UHF "T", VHF Low and High bands, 2 Meter Amateur, 6 Meter Amateur, 10 Meter Amateur, 70 cm Amateur, Aircraft.
- 100 Channels.
- Direct channel access.
- Manual search.
- Channel scan.
- 5 selectable bank scanning.
- Lockout.
- Priority.
- Automatic search.
- Limit.
- Hold.
- Keyboard lock.
- Selectable delay.
- Low battery indicator.
- Power Requirements: AC/DC.
- Size: 2-3/4" W x 6" H x 1" D.
- Weight: 10-1/4 oz.
- F.C.C. Certified.



COBRA COMMAND CALL WALKIE TALKIE VOICE ACTIVATED (VOX) or PUSH-to-TALK

MODEL HC-200

OUR PRICE \$29.95 each SPECIAL!

FEATURES

- Power Source: 9 VDC.
- Modulation: FM.
- Frequency Range: 49.830-49.890 MHz.
- Receiver System: FM dual conversion super heterodyne.
- Sensitivity: 0.5 uV min. (20 dB quieting).
- Adjustable headphones with boom mike and antenna.
- Voice activated (VOX) transmitter.
- Removable spring loaded belt clip.
- Power: 100mW input.

DESCRIPTION

The easiest way to keep in touch with hands free 2-way communication. The range of 1/4 to 1/2 mile will give unlimited industrial/commercial and recreational uses...construction, surveying, security, back packing, fishing, and many more.



COBRA SSB BASE

MODEL 2000GTL

REG. \$549.95

OUR PRICE \$349.95

Here's a precision AM/SSB base station with attractive component styling. From its sleek aluminum front panel and over-sized dual meters, to its built-in 6-digit frequency counter,

the 2000GTL is a real beauty, featuring: Volume, ON/OFF control, Squelch, coarse and fine Voice Lock, DynaMike Plus, RF gain, SWR, CAL control, tone control, Noise Blanker, Noise Limiter, mode control (LSB/AM/USB), LED channel display and more. **Size:** 15" W x 5-3/4" H x 13-3/8" D.



COBRA SSB BASE

MODEL 142GTL

REG. \$269.95

OUR PRICE \$199.95

This precision AM/SSB base is designed for the budget minded CB operator who demands the quality he can depend on, at a price he can afford.

It features: ON/OFF volume control, Squelch, RF gain, DynaMike, SWR/CAL control, Voice Lock, LSB/AM/USB switch, switchable noise limiting and noise blanking, CB/PA switch, plus many more features. **Size:** 5" H x 13-1/2" W x 13" D.



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

BP VIDEO-CINE CONVERTER

MODEL V-1701

OUR PRICE **\$37.95**

DESCRIPTION

The Video-Cine Converter is an optical device that allows the easy transfer of slides, regular 8mm, super 8mm or 16mm movie film to VCR tape. The Video-Cine Converter's precision optics transfers the video image from your movie or slide projector on a high-contrast rear projection screen. Your video camera then copies that image. While copying you can add narration or other sound effects. During playback you can color correct faded pictures and improve contrast and brightness.

The V-1701 can be used with any video camera or slide projector. If your video camera lacks close-up capability, you will need a macro lens attachment. Patent Pending

LENS ATTACHMENTS

MODEL V-14 Macro Lens... **OUR PRICE \$14.95**
CSP4-5 Close Up Lens for 4" or 5" Carousel Slide Projectors... **\$19.95**



BP VIDEO CASSETTE LIBRARY CASES

FEATURES For All Cases

- Single case cavity fits a VHS or Beta cassette tape.
- Excellent for attractive home cassette storage or movie rental.

MODEL	DESCRIPTION	OUR PRICE
V-6650	VHS vinyl case	1 FOR \$1.50 50 FOR \$50.00
V-6660	BETA vinyl case	1 FOR \$1.50 50 FOR \$50.00
V-6670	Universal vinyl case fits either VHS or BETA	1 FOR \$1.50 50 FOR \$50.00
V-6680	Universal See-thru Plastic case fits either VHS or BETA	10 FOR \$10.00 100 FOR \$80.00



BP VHS & BETA TAPE REWINDERS with counter

MODEL V-7779 VHS

OUR PRICE **\$49.95**

FEATURES

- Mechanical digit counter for tracking down desired tape positions.
- Fast Forward with soft button action.
- Rewind: Controlled speed tape rewinding.
- Automatic off when rewinding is completed.
- Stop/Eject: Soft hydraulic action ejection.
- Prevents accidental ejection, because it does not automatically erase.
- Prevents wear and tear on valuable tapes.
- Shielded motor prevents demagnetization.
- Size: 10"W x 6-3/4"D x 2-1/2"H.

MODEL V-7780 BETA

OUR PRICE **\$49.95**

SPECIAL!

VHS & BETA TAPE REWINDERS

MODEL V-7777 VHS

OUR PRICE **\$29.95**

Protect your valuable VCR heads with these AC operated, circuit protected tape rewinders. A key product for use by retail rental store locations.

FEATURES: • Led "power on" indicator. • Dimensions: 6-1/4W x 13-1/4D x 5-3/4H".



RABBIT DOUBLE PLAY

Watch 2 Channels At The Same Time With Your Existing TV

MODEL DP-5000

OUR PRICE **\$219.95**

DESCRIPTION

DOUBLE-PLAY gives your television set a "screen-within-a-screen"—so you can watch two channels at the same time.

If you're a sports fan, you could see two games on screen at the same time. If the action heats up on the smaller screen, just switch pictures at the touch of a button on the remote control to get a bigger view of all the excitement. You can freeze the picture in the smaller screen to capture a really spectacular play.

It's great for the fans of the talk-shows, day and nighttime soaps, weekly series, movies in the same time slot.

See what's on other channels without interrupting what you're watching! You can scan through other channels on the smaller screen. The system will scan automatically or back and forth between any two channels you select.

And DOUBLE-PLAY comes with its own wireless remote that lets you conveniently control each function: Scan channels, switch pictures, freeze frame...even move the smaller picture from one corner of your TV screen to another. The DOUBLE-PLAY must be used in conjunction with a VCR.



GOLD CONNECTOR CABLE SWITCHING KIT

MODEL V-489

OUR PRICE **\$19.95**

FEATURES

- All Gold Connectors Prevents Losses Of Any Kind.
- Economical way to record any pay channel while viewing any standard channel.
- Consist of: 3—F-3F (3 foot cables), 1—F-6F (6 foot cable), 1—A/B Switch, and 1—CA-2111.



BP DUBBING CABLES with GOLD CONNECTORS

MODEL V-3622

OUR PRICE **\$12.95** each

2 FOR **\$20.00**

FEATURES

- Deluxe 10 Ft. Dubbing Cable for Video & Audio
- Two Gold Plated RCA Plugs on Both Ends



TRIPLE DUBBING CABLES with GOLD CONNECTORS

MODEL V-3633 OUR PRICE **\$14.95** 2 FOR **\$25.00**

- 10 Ft. RCA to Triple RCA dubbing cable for stereo with gold connectors.

BP VIDEO CASSETTE CABINET

MODEL V-6636

OUR PRICE **\$24.95 SPECIAL!**

FEATURES

- Stores 35 VHS or BETA cassettes.
- Keeps video cassettes clean and safe.
- Two drawers hold 12 video cassettes and the middle holds 11 tapes.
- Unlimited mounting.
- Center drawer lock comes with lock key.
- Dim: 26"W x 16-1/2"D x 6"H.

2 DRAWER VCR TAPE CABINET

MODEL V-6624

OUR PRICE **\$14.95 SPECIAL!**

FEATURES

- Stores 24 VHS or BETA cassettes.
- Unlimited mounting.
- Dim: 17"W x 15-1/4"D x 5-3/4"H.
- Each drawer holds 12 video cassettes to keep them safe and clean.



VIDEO EQUIPMENT

BP AUDIO VIDEO COLOR PROCESSOR • IMAGE ENHANCER COLOR PROCESSOR • STABILIZER

STEREO COMPATIBLE with STEREO INPUTS & OUTPUTS

MODEL V-1895 OUR PRICE \$149.95

FEATURES

- Stereo Ready: Has stereo input and outputs.
- Audio Noise Reduction: Reduces annoying tape hiss and high frequency static.
- Image Enhancer: Restores sharp detail and definition to pre-recorded tapes.
- Distribution Amplifier (Avoid Signal Loss): Can be used with one VCR or up to 5 VCRs (1 Master (tape player), 4 Slave (recorder VCRs)). This allows you to make 4 one hour recordings in one hour. Great for Multiple Copies.
- Stabilizer: Reduces picture roll and jitter caused by copy guarded tapes.
- Color Processor: Amplifies off color and washed out images obtained by camera recordings photographed in poor lighting conditions.
- Corrects tapes that have single color dominance.
- Extends color, hue and brightness for more life like copies.
- Restores life like image often lost in Projection TV's.
- RF Modulation: Allow direct hook up to antenna terminals of TV set. Allows Video Cameras and other Video output devices to be hooked to a TV set instead of a monitor. Also allows enhancement of video tapes in play back mode.
- Bypass Control: You can compare instantly between original and processed signals.
- Mono-Color Switch: Allows quick comparison of B&W (monochromatic signals) and processed color signals. Detail on images is sometimes easier to obtain in the Mono (B&W) mode.
- Luminescence Meter: Monitors luminescence levels to avoid overloading distortion of video signals.
- Gain Control: Acts as a variable video fader and adjustment signal level for best luminance.

SPECIFICATIONS

Power Requirements: 12VDC, 400mA. Comes with 110VAC adaptor. Color Subcarrier: 3.58 MHz. Input: 1-Video (RCA connector) 1Vp-p. 2-Audio (RCA connector) 1-2Vp-p. Output: 4-Video (RCA connector) 1Vp-p. 8-Audio (RCA connector) 1-2Vp-p. 1-RF (CH-3/4 65dBu Min.) (75ohm F connector). Size: 14-3/4"W x 6-1/4"D x 2-1/2"H.

CABLE KIT HOOK-UPS
For Total Hook-ups 5 VCRs \$27.50
Consists of: 15 V-3606 cables @ \$1.75 ea.
1 F-3F cable @ \$1.25 ea.
To Hook-up 2 VCRs \$11.75
Consists of: 1 F-3F, & 6 V-3606 cables.
For each additional VCR
add 3 V-3606 cables

BP COMPACT VIDEO SWITCHER

MODEL V-4805 OUR PRICE \$24.95

Cable Kit \$3.75
Consists of: (3) F-3F cables @ \$1.25 ea

The V-4805 is a low cost compact video switcher 5-inputs, 2-outputs.

FEATURES

- Pushbutton Selection. • Deluxe plastic cabinet. • Provides 2 outputs: TV and VCR.
- Accepts 5 inputs: antenna TV, cable TV, VCR auxiliary and game.
- High Isolation. • Low Insertion loss. • All passive, no power required.

SPECIFICATIONS

INSERTION LOSS: VHF: 4 dB, UHF: 5 dB. ISOLATION: ANT: CH-2-6 70 dB normal, CH-7-13 60 dB normal, UHF 45 dB normal. ALL OTHER PORT: CH-2-13 60 dB normal, UHF 45 dB normal. Size: 6-1/4"W x 4-3/4"D x 1-5/16"H.

BP VIDEO SELECTOR

MODEL V-4803

OUR PRICE \$34.95

Dimensions: 9-1/2"W x 6-3/4"D x 3"H.

DESCRIPTION

The Video Selector Model V-4803 is a switcher that can accept six inputs and direct them to three outputs. By utilizing a switch similar to the one used on home VCR's, we avoid the signal loss incurred by using splitters. •Cables not supplied.

VIDEO LINK REMOTE MAGIC Home Video Control Products

REMOTE XTRA-LINK MODEL 170 OUR PRICE \$54.95

It's like having an extra VCR or cable box—XTRA-LINK ends the endless walk between rooms. No other video accessory available today offers as much added control and convenience. It's common to feed video signals through coaxial cables from one room to another. But as everyone knows, the control tape, disc or channel selection is still located with the video components in the main viewing room.

XTRA-LINK provides full function remote control for any kind of remote controlled video component regardless of location. Once XTRA-LINK is installed on a TV—for example, in a bedroom—total control of VCR, Video Disc or Cable Selector is possible by simply using the hand-held wireless remote controller. No matter how far away the components are located in the house, you can stop, start, fast forward, or perform any function available on the controller.

WIRELESS REMOTE SWITCHER

MODEL XL-400 REG. \$199.95 OUR PRICE \$149.95

FEATURES

- Multi-purpose 4-input electronic switcher.
- Stand-alone 4-in, 3-output switcher switches TV-1, TV-2 and VCR to four selectable inputs (cable, antenna, VCR, video disc for example).
- Hand-held remote allows TV-1 source to be remotely switched.
- When used with Model 170 XTRA-LINK allows TV-2 source to be remotely switched with its own hand-held remote control.
- Pushbutton included for remote switching of VCR/TV-3 source.
- Three panel buttons sequentially select inputs.
- Active input for each output is announced on 12 LED matrix "scoreboard."
- Trouble-free, all electronic switching provides millions of operations.
- 75 dB of isolation for undisturbed TV pictures and VCR recording.
- Extremely low (7.5 dB) insertion loss. • XTRA-LINK ready.

RABBIT VCR-RABBIT SYSTEM

Now Every TV In Your House Can Share A Single VCR...Without The Expense!

MODEL TR-7000

(1-transmitter, 1-receiver)

MODEL TR-8000

(additional receivers)

OUR PRICE \$69.95

OUR PRICE \$39.95 each

Now that you can choose what you watch, shouldn't you be able to choose where you watch it? With VCR-RABBIT you can!

The VCR-RABBIT sends the video/audio signal from your VCR to any of the other TV sets in your house. So you can enjoy your favorite video entertainment wherever it's most convenient! Think of the possibilities: Enjoy a movie in bed. An exercise tape in the den. Music videos while you're in the kitchen... And, of course, you can watch regular television on any of the sets while a video tape is showing on the others. All with the same picture and sound quality you normally get. VCR-RABBIT will even let your other sets share a single Cable TV hook-up, too, just by connecting the cable to your VCR. And if your VCR is the wireless remote type...no matter where you do your viewing, you'll still have full use of the remote controller.

VCR-RABBIT is a snap to install. There's a compact Transmitter unit that hooks right up to your VCR (VHS or Beta), a Receiver unit for the TV that will share the VCR, plus special connecting wire that's so thin it can be neatly hidden from sight along baseboards and door moldings. Just follow the easy step-by-step instructions and you'll be up and running in a few minutes! To expand the system, just add a Receiver unit for each TV set you want to share the VCR. The VCR-RABBIT "Multiplying" System is like having a VCR in every room.

Size (both units same size): 6-1/2"W x 1-3/4"H x 4"D.

BP VIDEO AND AUDIO ENHANCER

MODEL V-1850 OUR PRICE \$29.95

FEATURES

- Enhances stereo or mono. • Built-In Dubbing Cables.

DESCRIPTION

This device can connect two VCRs for duplicating video tapes. Built-in enhancer boosts video and audio signals so as to prevent any loss at all. The BP V-1850 will produce the dupe to be as good as the original.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

BP electronics

STABILIZER/IMAGE ENHANCER/RF CONVERTER/VIDEO FADER/2-WAY DISTRIBUTION AMPLIFIER FOR VCR TAPES ALL IN ONE VIDEO PROCESSOR

MODEL V-1880 OUR PRICE **\$89.95**

Dimensions: 13-1/4" W x 6-3/4" D x 2-3/4" H

The model V-1880 is one of the most versatile video processors on the market today. It contains five units in one. The V-1880 Video Processor can be used as a stabilizer, image enhancer, video to RF converter, video fader for professional fade in and fade out scenes and a dual output distribution amplifier.

VIDEO PROCESSOR FUNCTIONS

Stabilizer - Place stabilizer switch in 'ON' position. The lock control will correct the entire range of copy guard distortion such as jitter, vertical roll or a black bar travelling through picture. With the lock control fully counterclockwise, slowly turn it clockwise until the picture locks vertically or the black bar disappears. If the picture occasionally drifts vertically or a stationary black bar appears, turn control further clockwise. If the picture occasionally jitters vertically, slightly adjust the tracking control on your VCR. If that does not help, then try turning the lock control slightly counterclockwise. A stable picture will be obtained on about 1/4 of the controls range, but it is best to keep it near the counterclockwise end of this range. Once set for a given type of tape, further adjustment should not be required.

Enhancer - The enhancer function is controlled by the Detail control. Minimum enhancement is in the full counterclockwise position. The Detail control will let you attain best picture for your own preference. Rotate clockwise until visible grain develops in the TV picture coming from the recording unit. Reduce gain control until picture is sharp and clear. Image Enhancer effectiveness will vary depending on the source material. The better the source material the greater the possible improvement. On the other hand, enhancement of very poor quality material will produce minimal results. You cannot expect a great deal of improvement from a low quality source as a third generation elx hour tape.

RF Converter - The RF Converter allows your TV set to receive video and audio signals from your Image enhancer, guard stabilizer, video camera, computer, VCR, etc. The outputs of many video components cannot be directly hooked up to the VHF antenna terminals on your TV set. This problem is solved by utilizing this feature. The direct video signal from any video component is can be fed into the V-1880 and converted to a usable RF signal that can go to your TV antenna terminals.

Video Fader - This function can be used to produce professional fade ins and fade outs. Use it to make gradual transitions from full video to black end back to full video. To fade out, simply place fader control in the 'OUT' position and the V-1880 will automatically perform a fade out function. To fade in, simply place fader control in the 'IN' position and the V-1880 will automatically perform a fade in function.

IMAGE ENHANCER

MODEL V-1860 OUR PRICE **\$39.95** **SPECIAL!**

Dimensions: 8" W x 8 1/2" D x 2 1/4" H

The Model V-1860 Image Enhancer will dramatically improve the performance of video cameras and VCR's (off-the-air or second generation recordings), by compensating for deterioration of detail and sharpness. The detail control increases enhancement by improving the image sharpness, making detail more intense and flesh tones more natural. The gain control reduces snow and other low level luminance-noise brought up by too much enhancement. The gain control will also tune down the video signal eliminating excess signal which causes buzzing and distortion. Both detail and gain controls are inter-related. Adjustment of one can slightly effect the other.

For use with two slave VCR's, simply connect the V-1860 in line between your camera or master VCR. The output of the V-1860 Image Enhancer has a video output. This video output cannot be directly attached to the antenna terminals of your TV set. Attachment requires the use of a V-1885 video to RF Converter.

The V-1860 Image Enhancer includes a video distribution amplifier with two video outputs, allowing you to make two copies at once without loss in signal level.

RF CONVERTER

MODEL V-1885 OUR PRICE **\$29.95** **SPECIAL!**

Dimensions: 8" W x 6 1/2" D x 2 1/4" H

The Model V-1885 RF Converter also known as an RF Modulator allows your TV set to receive video and audio signals from your Image enhancer, guard stabilizer, video camera, computer, VCR, etc. The outputs of many video components cannot be directly hooked up to the VHF antenna terminals on your TV set. This problem is solved by using the Model V-1885 RF Converter. The direct video signal from any video component is fed into the V-1885 RF Converter and is converted to a usable RF signal that can go to your TV antenna terminals.

The V-1885 RF Converter allows your VCR output to feed two TV sets at the same time, with virtually no signal loss. It can also be used to feed a video switcher input.

ALL GUARD STABILIZER with VIDEO and AUDIO ENHANCER

MODEL V-1896 OUR PRICE **\$59.95** **SPECIAL!**

Dimensions: 5-1/2" W x 4" D x 1-3/4" H

The Model V-1896 will stabilize and remove jittering, rolling, and flashing (picture goes from bright to dim) from copyguarded video tapes. The audio section will compensate for low level audio tracks by adjusting gain to a usable level. This unit will work with older type copyguard and the very latest types of copyguard. This unit is designed for personal viewing of prerecorded video tapes. It is not intended nor should it be used for copying prerecorded program material as this may constitute a violation of existing copyright laws.

VIDEO LINK® ALL GUARD STABILIZER

MODEL 154A OUR PRICE **\$59.95**

Dimensions: 6-1/2" W x 4-1/4" D x 1-3/4" H

This product eliminates the picture jitters, bright flashes, rolling, and other instability caused by both yesterday's and today's copy and coding on prerecorded video tapes. A single control adjusts this stabilizer for your combination of components, and allows rock solid viewing of all prerecorded video tapes. Video inputs and outputs only.

This product is intended for personal use only, for the watching of prerecorded video tapes. It should not be used, nor is it intended for use in back-to-back copying of any prerecorded program material, and such use may constitute copyright infringement.

CABLE KIT (Hook-up Cables) \$11.75
Contains: 1 F-3F \$1.25 each
6 V-3606 \$1.75 each

CABLE KIT \$10.50
Contains: 6 V-3606

CABLE KIT \$4.75
Contains: 2 V-3606, 1 F-3F

CABLE KIT \$10.50
Contains: 6 V-3606

CABLE KIT \$5.25
Contains: 3 V-3606



TV CONVERTS and ACCESSORIES

PANASONIC 68 CHANNEL CABLE TV CONVERTER GUARANTEED TO BE TROUBLE FREE! Automatic Fine Tuning

MODEL TZ-PC130-3 Channel 3 OUR PRICE **\$99.95**



FEATURES

- **68 Channel Tuning:** Sophisticated phase-locked synthesized tuning assures accuracy and stability. The HRC and Standard/IRC frequency allocations are switch selectable to provide system compatibility. And can be switched without opening the cover. You have direct access to any of the 68 channels from any channel or you can scan up or down tuning in one channel after another.
- **BTSC Stereo Compatibility:** This converter has been designed to pass BTSC stereo signals to a stereo-ready TV set without needing an add-on unit or adaptor.
- **Favorite Channel Memory:** This converter can store up to 68 favorite channels. When you press the MEM key, it will run through memorized channels only.
- **Last Channel Recall:** When it comes to following two sporting events at the same time, you can switch back and forth between the current and the previous selected channels.
- **Durable handheld remote** with batteries included and Transmit Indicator.

Model	Our Price
TZ-PC130-2 Channel 2	\$109.95
Same features as the TZ-PC130-3 only channel 2	
TZ-PC150-3 Channel 3 with VOLUME CONTROL	\$139.95
Same Features as the TZ-PC130-3 plus volume control.	
TZ-PC160-2 Channel 2 with VOLUME CONTROL	\$149.95
Same Features as the TZ-PC130-2 plus volume control.	

REMBRANDT® 71 CHANNEL CORDLESS CONVERTER

MODEL VA-071 OUR PRICE **\$69.95**



FEATURES

- Full 71 channel capability (8 channel favorite memory).
- Cordless Infra-Red remote control.
- Ultra-Stable synthesized tuning, advanced microprocessor controlled PLL operation.
- Channel Step UP/DOWN and Power ON/OFF on the converter unit.
- Key Board Channel Selection from the comfort of your chair.
- LED digital display on the converter.
- Independent Channel Fine Tuning.
- Low Power Consumption.
- Works on all TV models, compatible with MATV/CATV systems.
- Channel 3 Output.
- Size: 9-3/4" W x 8-1/4" D x 2-1/2" H.

PIONEER BC-4500 SERIES - 83 CHANNEL WIRELESS REMOTE CONVERTER

MODEL BA-5000 OUR PRICE **\$119.95**

NEW!



This converter features Pioneer's frequency synthesized phase lock loop (PLL) circuit to maintain accurate tuning, a SAW resonator to maintain stable output frequency, and capacitors to guard against currents and power surges. The 550MHz capability is standard, offering up to 83 channels for your programming needs. It can also be used in conjunction with Pioneer's SmartRemote.

FEATURES

- Available in Channel 2 or 3.
- Favorite Channel Memory with 10 programmable channels.
- Quick channel scanning of a series of favorite channels.
- Last Channel Recall, permits you to monitor two channels by switching back and forth.
- TV on/off Relay.
- Size: 8.25" W x 5" D x 2" H. Weight: 2.2 lbs.

BP 133 CHANNEL WIRELESS REMOTE CONTROL CABLE CONVERTER with VOLUME CONTROL

MODEL V-7739 OUR PRICE **\$129.95**

FOR CABLE TV or UHF/VHF ANTENNA



FEATURES

- LED Channel Display.
- 133 Channel Capability.
- Fine Tuning/On-Off.
- Volume Control with Mute.
- Simple Installation.
- UHF, VHF, Cable TV.
- Favorite channel memory & recall.
- Single Channel Scan: Scan up/down or direct access.
- Base Band Audio & Video Outputs: can be used on any monitor.

SPECIFICATIONS

INPUT PORT: 2, VHF 75 ohm, UHF 300 ohm. OUTPUT CHANNEL: RF: CH 3/4 switch selectable in rear of converter, 67 ± 5 dB uv. Video: 1 ± 0.3v-pp @ 75 ohm. Audio: 1 ± 0.3v-pp @ 60 ohm. OUTPUT PORT: 1 RF 75 ohm, F connector 1 video, RCA jack, 1 audio, RCA jack. FINE TUNING: ± 2 MHz, 62.5 KHz per step. INPUT SIGNAL RANGE: -5 dBmV - 30 dBmV. NOISE FIGURE: 9.0 dB TYP. 11.0 dB MAX. V.S.W.R.: 5.0 TYP. 7.5 MAX. IMAGE REJECTION: 50 dB TYP. 40 dB MIN. SPURIOUS REJECTION: 45 dB MIN. 1% (-40 dB) Cross Modulation (CH. 82 - 2) 75 dB uv MIN. (measured 1% cross modulation with +1-CH. 2 undesired channel). Size: 10" W x 6-3/4" D x 2-1/2" H.

BP VIDEO DISTRIBUTION SYSTEM

MODEL V-4810 OUR PRICE **\$69.95** **SPECIAL!**



- Accepts one audio input (left and right channels).
- Accepts one video input.
- Accepts one RF input channel (2, 3, or 4).
- Allows for distribution of all the video director input sources to 3 outputs one VCR and two TV's.

DESCRIPTION

This unit accepts a VHF output, base band audio output, and a video output of most video sources such as: VCRs, Satellite receivers, Computers, Video games, Closed circuit TV cameras, and Cable converters. The RF sources must have a VHF output on channels 2, 3 or 4. Each VHF input can now be converted to a single UHF channels which can be adjusted to one of 6 channels (63 thru 68). Each base band video and audio source can be converted to a single channel which can be adjusted to one of 5 channels (14 thru 18).

HAND HELD REMOTES

FOR JERROLD 400 SERIES MODEL V-496

OUR PRICE **\$24.50**

FOR JERROLD 450 SERIES MODEL SRC-II

OUR PRICE **\$24.50**




PIONEER SMARTREMOTE™

Eliminates The Inconvenience Of Multiple Remote Control Use
MODEL BR-100 OUR PRICE **\$79.95**

NEW!

DESCRIPTION

Too many remotes controlling your home entertainment system? Uncomplicate it the Pioneer SmartRemote. Program the SmartRemote to operate 8 different features of your favorite audio/video components. Plus it will also run all the features of your Pioneer Cable Television Converter. As you change the components of your entertainment system, you can quickly reprogram the keys on your SmartRemote. It never locks you into using the same 8 features. It's simple to program and easy to operate.



HARWOOD PORTABLE VIDEO BATTERY/LIGHT SYSTEM

50 Watt DC Light and Battery Pack
MODEL V-170/100

OUR PRICE **\$89.95**

FEATURES

Battery Pack

- Lead acid battery with built-in LED charging indicator and separate input for in/outdoor use.
- Compact and Lightweight 4.5 lbs.
- Housed in high impact ABS case with a comfortable shoulder strap.
- Fully recharges in 12-18 hours.
- Self-resetting 12 amp safety circuit breaker. • AC charger included.
- Power lasts approx. 1/2 hr. of continuous use.
- Universal "cigarette lighter" type plug to power any 12 volt DC appliance or device.

50 Watt "Firefly" DC Halogen Lamp

- Hand grip camera shoe mount.
- Lightweight. • Bounce lighting.
- Heat resistant glass, supervented for cool operation.
- Coiled cord and cigarette lighter type plug for use with any 12 volt DC power pack.



AC/DC CAMCORDER LIGHT UNIT

MODEL V-170/150L OUR PRICE **\$99.95**

Comes with sealed lead acid battery pack outfit, 120 Volt 150 Watt Lamp. 12 Volt 50 Watt Lamp. All other specifications are the same as the V-170/100

HARWOOD "FIREFLY LIGHTWEIGHT"

MODEL V-100DC DC ONLY!

OUR PRICE **\$34.95**

DESCRIPTION

State of the art design...easy portability...ideal for the new lightweight camcorders. This light unit is engineered to provide the "Fill-in" lighting needed to bring out desired details indoors or outdoors when available light is not quite adequate. The Harwood reflector is especially designed for maximum lumen output, when used with the 100 watt DC halogen lamp.

FEATURES

- Hand grip shoe mount, and swivels from 0° to 90° for bounce lighting.
- Heat absorbing safety glass. • 100 watt 12 volt DC Halogen lamp.
- Coiled cord with cigarette lighter type plug for use with any 12V DC power pack.



MODEL V-150AC AC ONLY! OUR PRICE **\$39.95**

120 volt "Firefly lightweight" camcorder video light, 150 watt AC only.

MODEL V-150/100 AC/DC MODEL OUR PRICE **\$45.00**

AC/DC Camcorder light unit; 150 watt AC quartz lamp 100 watt, 12 volt DC quartz lamp; and AC/DC adaptor plug.

HARWOOD QUARTZ VIDEO LIGHT FAN COOLED

FULL POWER 600 WATTS • HALF POWER 300 WATTS

MODEL VF-650 AC ONLY!

OUR PRICE **\$69.95**

FEATURES

- Spot/Wide Beam Adjustment.
- Full Power 600 watts. Half power 300 watts. 120-volt - 600 watt DYH Lamp.
- Attached Barn Doors.
- Heat Resistant Protective Safety Glass Shield.
- Hand Grip. • Off the Camera Bracket.
- Shoe Mount. • AC only.
- Built-In Cooling Fan for Continuous Operation.
- Built-In Safety Fuse Protection: The unit is protected from over heat by automatic cut-off circuitry.



BP PORTABLE VCR CIGARETTE LIGHTER ADAPTORS

MODEL V-469 OUR PRICE **\$2.95** 8 Ft.
Cigarette lighter plug to coaxial connector 1.8 meter

MODEL V-470 OUR PRICE **\$2.95** 8 Ft.
Cigarette lighter plug to 4 pin din plug 1.8 meters

DC power cables designed to provide an alternate power supply for your portable VCR when away from home. You no longer have to worry about power supply problems while "on location". Each model contains a cigarette lighter plug on one end for easy use in your car or boat and on the other end, contains a connector for use with a particular VCR. Instructions and specific cross reference information are included. Display package.

General usage is as follows:

V-469 - Fits most RCA, Panasonic, Megnevox, Quasar, Philco, Hitachi, and Sylvania portable VCR's.
V-470 - Fits most Sony, JVC, Akai, and commercial Panasonic portable VCR's.



COOL-LUX MICRO-LUX CAMCORDER LIGHT

FITS ALL CAMCORDER CAMERA SHOES

This Fixture is Especially Designed For CAMCORDERs and All LOW LUX Cameras to Enhance the Electronic Sensors in the Camera thus Producing Sharper, More Detailed Pictures with Brilliant Colors.

MODEL C-4401 DC ONLY!

OUR PRICE **\$59.95**

This wonder of micro fixture is capable of delivering high volumes of halogen treated luminescence, from a near point tungsten source, encapsulated in an all-quartz envelope, and delivered through its efficiently engineered, interchangeable reflector system. Ingenious access to lamp, reflector and other optical accessories (many available). Per sq. inch, probably the most powerful light in the universe. Designed by Cool-Lux. We are still the first and only video light NASA uses in space on the astronaut's camera.

Use with PP-40 or PP20-N battery packs

SPECIFICATIONS

Watt: 35. Volts: 12. Size: 3-1/4 x 1-3/4 x 1-3/4". Weight: 3 oz. Material: High Grad. Alu. Finish: 25 Microns Anodize (High Temp.)

Low Lux Camcorders Need Light: Disadvantages of shooting with a without a video light. (Even with 3 lux Cameras). • Grainy Images. • Reduced Depth-of-Field. • Reduced Image Contrast. • Poor Skin Tones.

Also Available: FULL SIZE AC/DC MINI-COOL PACK

MODEL C-4460 OUR PRICE **\$119.95** THE WORLD'S BEST PHOTOLIGHT!

Includes: One MINI-COOL light. One 120V 250 watt lamp. One 12V 75 watt lamp. One DC 12V adaptor cord. One camera adaptor. One handle.




HOFRONICS 6.5AH 12V LEAD ACID PANASONIC RECHARGEABLE BATTERY PACK

MODEL PP-30

OUR PRICE **\$55.00**

FEATURES

- 6.5AH, 12V lead acid Panasonic battery.
- Up to 7.5 hours operation on a single charge.
- Foam padded all weather cordura nylon case.
- Adjustable/Removable strap for use over the shoulder or attached to belt.
- 110/220V charger.



HOFRONICS 10 AMP BELT POWER PACK RECHARGEABLE LEAD ACID BATTERY PACK

MODEL PP-40

OUR PRICE **\$69.95**

FEATURES

- AC charger included.
- 10 AH, 12v lead acid battery pack in foam-padded all-weather cushion cordura nylon case.
- Up to 10 hours operating time on a single charge. • Adjustable belt. • Weight: 8 lbs.



HOFRONICS NICKEL POWER PACK RECHARGEABLE NICKEL CADMIUM BATTERY PACK

MODEL PP20-N OUR PRICE **\$89.95**

FEATURES

- 4.4 AH, 12v nickel cadmium battery pack in foam-padded all-weather cushion cordura nylon case.
- Up to 6 hours operating time on a single charge.
- Long life span - can be charged and discharged up to 1500 times.
- AC charger and Shoulder Strap included. • Weight: 3 lbs.



VCR - POWER ADAPTOR CORDS: For connecting portable video recorder to any power supply, one end has standard cigarette type plug, other end custom fit for recorder.

MODEL


		OUR PRICE
SDV-9101	1 Pin: RCA 150, 170; Hitachi 6500, 8800; Minolta, Pentax.	\$9.95
SDV-9104	4 Pin: Quasar 5410, MAG 8377, PANA 8410, 8000, 4000; Sylvania VC4515, Philco W1715, Senyo 4800, GE 2020, Akai 7350, Sony 330, 340.	\$9.95
SDV-9107	8 Pin: JVC22004.	\$9.95
SDV-9111	13 Pin: Panasonic 5500, 8500; Nikon, GE, Quasar 5420, Magnavox 8383, Philco, Sylvania, Olympus.	\$9.95
SDV-9114	14 Pin: JVC28504.	\$9.95
SDV-9116	1 Pin: RCA 900, 950.	\$9.95
SDV-9119	Panasonic 8500 New Style with DC plug end elimier, Cords with "Dummy" batteries.	\$12.95
SDV-9118	Panasonic 5800, 8110, 8484, 8500, 9600; Megnevox 8474, 75; Penny 3110, 15; Canon, Sylvania, GE, Olympus, and Simlar.	\$12.95
SDV-9121	Panasonic AG-150 Camcorder, Quasar VM-10, Sanyo VRC-200, VRC-500; Panasonic PV-200, Olympus VM-402, and Simlar.	\$24.95
SDS-8VA	Sony 8mm Video, Senyo 8mm, Kyocera 8mm, Alwe 8mm, Goldstar 8mm end elimier.	\$39.95

VCR/CAMERA POWER SOURCE

MODEL VP-2002

OUR PRICE **\$29.95**
SPECIAL!

- A compact, lightweight power source for all portable VCR/camera combinations.
- Solid-State, fully regulated ultra clean power, with auto-reset over-voltage/short-circuit protection device.
- Designed specifically for use with VHS & Beta format portable video recorders.
- UL & CSA approved. • Push cigarette lighter type plug in and operate.



CHARGE IT—VISA • MASTERCARD • AMERICAN EXPRESS • Toll Free 800-645-9518 • NYS Toll Free 800-832-1446

VIDEO LIGHTS/TRIPODS/CARRYBAGS

VELBON VIDEO TRIPODS **NEW!**

MODEL
VICTORY-460
OUR PRICE
\$59.95

FEATURES

- "DPK" sealed leg design.
- 2-way spring counter balanced panhead.
- Friction adjustable geared center column.
- 3-section leg with quick lever locks and center leg braces for maximum stability.
- Steel ground epikes with retractable rubber feet.
- Matte black finish.
- Max. Op. Ht.: 59.30"
- Folded Length: 22.30"
- Weight: 3.80 lbs.



MODEL
STRATOS-460
OUR PRICE
\$79.95

FEATURES

- "DPK" sealed leg design.
- Friction adjustable geared center column.
- 3-section leg design with side lever locks and center leg braces for maximum stability.
- 2-way spring counter balance panhead.
- Max. Op. Ht.: 63.00"
- Rubber feet.
- Folded Length: 25.80"
- Weight: 5.20 lbs.

DELUXE UNIPOD
MODEL UP-5

OUR PRICE **\$35.00** **HOLDS CAMCORDER**

DESCRIPTION
The UP-5 is a deluxe compact 5 section tubular unipod. Closed: 16-1/4". Extended: 60". Wght: 16 oz

LIGHTWEIGHT DOLLY
MODEL DL-10

OUR PRICE **\$69.95**

The DL-10 is Velbon's newly developed lightweight dolly with wide wheel design for easy movement over flooring. DL-10 for V and DV-Series photo and video tripods.




UNOMAT AC/DC MINI QUARTZ VIDEO LIGHT SYSTEM

MODEL LX-800LP
OUR PRICE
\$59.95

FEATURES

- High-Tech Pro look.
- Stay cool air-flow design.
- Powerful quartz halogen lamp.
- Detachable extender with shoe lock.
- Convenient 18 ft. AC cord.
- Ultra compact and lightweight: weighs only 4 oz.
- Made In West Germany.
- AC/DC System include: 150W AC lamp, 100W 12V DC lamp, AC/DC conversion plug adaptor.
- Angle of coverage: 44° approx.
- Color Temp.: 3,300°K.



NEW!

COASTAR RED ACCENT®
PHOTO & VIDEO TRIPODS
HI-BOY PRO TRIPOD
MODEL VTR-90RA

OUR PRICE **\$119.95**

DESCRIPTION

32mm heavy duty tubular leg design with locking tri-brace. Fluid-action panhead provides smooth movements. Built-in quick release for photo or video work. Opens to 73". Closes to 24"

NEW!

FLUID ACTION TRIPOD
MODEL VTR-80RA

OUR PRICE **\$89.95**

DESCRIPTION

Photo/Video Model. Features new "trapezoid leg design" to ensure stability while retaining portability. Smooth, "fluid-action" head platform. Flip-over panhead feature for vertical shots. Dual channels accept light arm brackets. Open to 63". Closes to 24".

NEW!

TUBULAR/BRACED TRIPOD
MODEL VTR-40RA

OUR PRICE **\$39.95**

DESCRIPTION

Classic design featuring tubular aluminum legs with tri-brace for extra stability. 3-way geared center column with crank lift arm. Built-in camera quick release. Perfect for video cameras and camcorders as well as for all photo applications. Opens to 58". Closes to 20".

UNOMAT COMPUTERIZED VIDEO LIGHT AC ONLY


COMPUTER CONTROLLED VARIABLE LIGHT OUTPUT UP TO 500W

MODEL LX-801-AUTO
OUR PRICE

\$119.95

FEATURES

- Computer controls light output-varies with distance to subject.
- Computer may be switched off for full 500W light output.
- Whisper quiet turbo cooling fan.
- 500W quartz halogen lamp.
- Compete with 5600K dichroic daylight filter converts yellow 3200°K to 5600°K daylight.
- Click stop bounce 90°.
- Built-in shoe mounts directly onto video camera.
- Lightweight - weighs only 1 lb.
- High tech compact design.
- Built-in safety fuse.
- Hand grip included for off-camera lighting.
- Accepts barn door.



NEW!


COASTAR VIDEO BAGS

Compact Video Camcorder Carrybag
MODEL R-18

OUR PRICE **\$45.00**

FEATURES

- Custom design for the VHS-C and 8mm Camcorder use.
- Top loading...e single pull opens dual top zippers fully exposing roomy interior.
- Thick dense foam provides "SHOCK PROTECTION" while rich, silk-like interior lining ensures "No-Scratch-Protection."
- Velcro® adjustable interior dividers for customizing interior layout.
- Roomy front accessory storage pocket.
- Rugged hand and shoulder carry straps.
- 12-1/2" x 8" x 5"(l.d.)




NEW!

Compact Video Camera Carrybag
MODEL R-19

OUR PRICE **\$47.50**

FEATURES

- Holds all compact video cameras and accessories.
- Top loading...e single pull opens dual top zippers fully exposing roomy interior.
- Thick dense foam provides "SHOCK PROTECTION" while rich, silk-like interior lining ensures "No-Scratch-Protection."
- Velcro® adjustable interior dividers for customizing interior layout.
- Roomy front accessory storage pocket.
- Rugged hand and shoulder carry straps.
- 15" x 7" x 5-3/4"(l.d.)



NEW!

Total System Video Carryall

MODEL R-20C

OUR PRICE
\$55.00

FEATURES

- Custom design to hold all Camcorders (8mm or VHS), BETAMOVIE or VHS.
- Another top opening, dual zipper design product... providing easy access to extra large interior compartment.
- Equipped with three Velcro® adjustable dividers for flexible and custom interior compartment layout.
- Shock absorbing interior wall construction for maximum "SHOCK PROTECTION".
- Front accessory storage pocket.
- Hand hold or shoulder carry straps.
- 15" x 10" x 8-1/2"(l.d.)




NEW!

Custom Video-Pro Case
MODEL R-777

OUR PRICE **\$65.00**

FEATURES

- The perfect elized carryall for all camcorders...VCRs and companion video cameras with accessories... other complete video outfits and accessories.
- Super-tough nylon outer shell.
- Extra-thick polyfoam wall construction for SHOCK PROTECTION and silk-like interior lining for "No-Scratch-Protection."
- Shock padded interior wrap-around acts as equipment divider and extra shock cushion.
- Double-flap front accessory pocket with easy access quick release buckle.
- Hand or shoulder carry.
- 17" x 10-1/2" x 7-3/4"(l.d.)



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

VIDEO EQUIPMENT & ACCESSORIES

SIMA SOUND CATCHER Wireless Remote for Video Cameras

Catch the Sound
Where the Action Is!

MODEL SVM

OUR PRICE

\$79.95

DESCRIPTION

SoundCatcher catches the sound where the action is and adds a new dimension to your home video productions. Clip the SoundCatcher microphone to the subject being taped and pick up the sound at the source, not just at the camera. The lightweight receiver attaches easily to any video camera or camcorder and records without wires—up to 200 feet away—giving a realistic, professional touch to birthdays, sports events, weddings, lectures.

HARWOOD RECHARGEABLE NICKEL CADMIUM POWER PACK

Designed To Interchange
with Factory Slip
In Battery Pack
Lightweight & Powerful
Recharges Up To
1000 Times

Model No.	Description	Our Price
SNY-8222	NiCad for 8mm camcorders for All Aiwa, Chinon, Sony, Kyocare, NEC, Samsung, Goldstar, Sanyo	\$29.95
JV-LP-2	NiCad for C Camcorders for GE9710, 9712; JVC, Sharp C50UA, Sylvania VCC155, Toshiba SK57, SK60; Zenith VM6000, VM6100, VM6200, VM6150	\$36.95
RC-LP-2	NiCad for Hitachi VM2000, VM2100, VM5000, VM7000; RCA CLR200, CMR200, CMR300; Minolta CR1100, CR1200	\$52.50
PAN-LP2	NiCad for Canon, GE, Magnavox, Panasonic 5800, 5850, 8000, 8100, 8110, 8484, 8485, 8510, 8600, 9000, 9600, PV210, PV220, PV300; Philco, Quaser, Sears 5368, 5370; Sylvania	\$36.95
OL-LP2	Elmo ECR8, Olympus VX404	\$34.95

BP PLASTIC COVER FOR VIDEO MACHINES

MODEL V-6601 OUR PRICE **\$3.95**

FEATURES

- Fits almost all VCR's.
- With see thru front.

BP PLASTIC COVER FOR 2 PIECE PORTABLE VCR

MODEL V-6602

OUR PRICE **\$4.95**

FEATURES

- Fits almost all two piece portable VCR's.
- See thru front.

BP BETA CLEANER

MODEL V-6671

OUR PRICE **\$9.95**

Beta video cassette cleaner

VHS CLEANER

MODEL V-6672

OUR PRICE **\$9.95** VHS video cassette cleaner

BP VIDEO PLUG

MODEL V-5500 OUR PRICE **\$9.95**

10 pin video plug.

BP VIDEO/AUDIO PAUSE CONTROL

MODEL V-5055 OUR PRICE **\$7.95**

DESCRIPTION

Start-Stop Control at the push of a button. Provides smooth editing, dubbing, and recording. Permits you to eliminate unwanted commercials while video and audio taping. Can be used with most Video Cassette Recorders and Audio Recorders, Real-to-Real, Cassette, and 8-Track Cartridge Units. Has 12 ft. Cable to mate with Pause Control Jack of most recorders.

VIDICRAFT INTEGRATED VIDEO ENHANCER

MODEL IVE-200

OUR PRICE **\$179.95**

- Auto-Stabilizer: controls picture roll and jitter, tearing, flashing video seen with some videotapes and television sets. The stabilizer also overcomes playback problems associated with copyguarded tapes.
- Image Enhancer: Improves picture sharpness and detail using two separate controls.
- VNX: video noise reduction reduces possible side-effects of enhancement.
- RF Modulator: allows direct connection of the IVE-200 to a television set.
- Distribution Amplifier: sends video information to two devices without any signal loss.
- Stereo Audio: inputs and outputs for best sound.
- Quality Construction: includes an all-metal cabinet for durability and shielding from interference; industrial-grade, double-sided circuit board for high reliability, low noise, and improved performance; and anodized aluminum controls knobs.

VIDICRAFT THE PLAY-RIGHT - DIGITAL STABILIZER

MODEL PLAY-RIGHT

OUR PRICE **\$99.95**

- Eliminate color flashing, loss of color, picture rolls, streaking and jittering during playback of copy-protected movies.
- Assures VCR/videotape compatibility.
- Improve camcorder playback through your VCR!
- Playback home video movies on family or friends' VCRs.
- Warning: This device is not to be used for the unauthorized duplication of copyrighted material, which is prohibited by Federal Copyright Law.

VIDICRAFT DETAILER® III ADVANCED IMAGE ENHANCER

MODEL DET-III

OUR PRICE **\$179.95**

- 4-way input switcher.
- Split screen comparison so you can see the difference.
- Two enhancement systems: Sharpness for image outline and Detail for contrast and image.
- Power requirements: 115VAC, 50-60Hz, 4W, or 12V DC, .25A.
- Size: 15" W x 2-3/8" H x 8-1/8" D. • Weight: 5 lbs. 3 oz.

DESCRIPTION

Vidicraft's new Detailer III Image Enhancer offers: Two enhancement systems, one for sharpness and one for detail to adjust problems only. Two systems for enhancement noise (snow) reduction, one for dark areas of the picture, and one for the whole screen. Two systems for picture comparison allows either full-screen, before and after or side by side comparison. America's finest consumer video image enhancer. Sharpen your home videos. Maximize picture detail. Split screen capability for side by side comparison. Connect up to 4 VCRs for multiple copying. May also improve projection TV performance.

VIDICRAFT SPECIAL EFFECTS GENERATOR

NOW HAS: Gen Lock, Sync. Feed Thru, Auto Fade and Cut

MODEL SEG-200

OUR PRICE **\$399.95**

Vidicraft's advanced technology has created the most versatile Special Effects Generator for home video use. As with all Vidicraft products you get an extended warranty and full service.

FEATURES

- Finger-touch pattern menu for selection of effects.
- Automatic or manual control over all fades, wipes and cuts. Effect patterns can be retained on-screen for set-up prior to using the automatic mode.
- Fade/wipe to color backgrounds which are variable. Standard fade-to-black.
- Create "soft-edge" patterns and vary from a hard clean pattern edge to a soft, halo-like effect.
- Variable pattern shapes. Virtually an infinite variety of shapes and patterns are possible.
- Automatic transition time for fades and wipes is variable from one-half to as long as 5-sec.
- For the more technical user, video sources can be either synchronous or non synchronous...any video source can be used—VCR's and cameras.

SPECIFICATIONS

VIDEO Color System: NTSC. Input: Connectors: RCA phono jacks. Level: 1V nominal, 0.4V to 1.4V p-p. Input Impedance: 75 ohms. Output: Connectors: RCA phono jacks. Gain: Unity ± 1 dB (into 75 ohms). Frequency Response: ± 1 dB to 4.2 MHz. Distortion: Diff Phase (10-90% APL): less than 2 degrees. Diff Gain: (10-90% APL): less than 5%. Tilt: less than 2%. Channel Isolation: greater than -55 dB @ 3.58 MHz. AUDIO: Connectors: RCA phono jacks. Frequency Response: 20-20kHz ± 1 dB. Gain: Unity. Hum and Noise: -60 dB max. Crosstalk: -60 dB max. Output Level: 4V p-p max. GENERAL: Inputs: 2 video, 2 pair stereo audio. Outputs: 1 Effects video, 1 Preview video, 1 pair stereo audio. Power: 115 Vac 50-60 Hz, 100 W. Size: 18.79" W x 2.97" H x 9.88" D. Weight: 8.44 lbs.

BP VIDEO EXTENSION CABLE

MODEL V-5525 25 Ft. OUR PRICE **\$39.95**

MODEL V-5550 50 Ft. OUR PRICE **\$59.95**

25 ft. or 50 ft. cable. The video extension cable allows an additional 25 or 50 feet of mobility. 10 pin male to 10 pin female. Display package.

BP VIDEO CAMERA EXTENSIONS

MODEL V-5625 25 Ft.

OUR PRICE **\$44.95**

4 pin male to 14 pin female for Sony Betamax.

MODEL V-5650 50 Ft.

OUR PRICE **\$64.95**

14 pin male to 14 pin female for Sony Betamax. 50 ft.

CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

DISTRIBUTION AMPLIFIERS/VIDEO & AUDIO ACCESSORIES

BLONDER-TONGUE CATV INDOOR DISTRIBUTION AMPLIFIERS



DA-21



300-50



DA-33

CATV DISTRIBUTION AMPLIFIER

MODEL DA-21S OUR PRICE **\$82.50**

FEATURES

- Ideal CATV distribution amplifier in small apartment buildings.

DESCRIPTION

The latest in CATV distribution amplifiers. 50-300 mHz response. Includes many features found only in higher priced units.

SPECIFICATIONS

Band Pass (MHz): 50-300. Band Pass Flatness: ± 0.5 dB. Gain (Typical) Adjustable From: 23 dB fixed.

WIDEBAND AMPLIFIER

MODEL DA-33 OUR PRICE **\$419.95**

FEATURES

- Ultra-wide bandwidth 0.5 mHz 300 mHz.
- Push-pull hybrid IC amplifier.
- Exceptionally high output.

DESCRIPTION

The DA-33 features extremely wide bandwidths, 0.5 mHz to 300 mHz, wide range continuous gain control and surge protected amplifier and power supply sections. It is ideal for increasing the output level of sweep generator or signal generator to test very lossy devices under test, such as long lengths of coaxial cables, coaxial relay isolation, etc. The DA-33 is also used as a preamplifier for CATV signal level meter (SLM) used to make FCC required signal leakage measurements. It may also be employed as a sub-channel return amplifier. In this case external multiplexers such as Blonder-Tongue MSVM are required to bypass VHF in the forward direction.

The DA-33 is also used aboard ship where its coverage of the short wave end communications bands is desired.

SPECIFICATIONS

Band Pass (MHz): 50-300. Band Pass Flatness: ± 1.0 dB. Gain (Typical) Adjustable From: 18 dB to 36 dB.

WIDEBAND DISTRIBUTION AMPLIFIER

MODEL ACA-30/300 OUR PRICE **\$165.00**

FEATURES

- Flat response—50-300 mHz.
- 40 dBmV output per channel for 21 channels.
- Front panel gain and slope controls.
- Slim line design—easy to install.

DESCRIPTION

Designed specifically for apartment building and other multi-set installations served by CATV. Features flat response from 50 to 300 mHz for distribution of VHF, MID and SUPER band channels. Good output capability and wide gain and slope control ranges make it easy to adapt to any system. Front panel gain and slope controls.

SPECIFICATIONS

Band Pass (MHz): 50-300. Band Pass Flatness: ± 0.75 dB. Gain (Typical) Adjustable From: 17 dB to 32 dB.

BIDA BROADBAND INDOOR DISTRIBUTION AMPLIFIERS

MODEL 300-50 300MHz OUR PRICE **\$419.95**

MODEL 450-50 450MHz OUR PRICE **\$439.95**

FEATURES

- Hybrid IC circuitry for high output with low distortion.
- Field installable options for 2 way compatibility (Passive or Active).

DESCRIPTION

Complete self-contained. Designed for CATV and SMATV systems using a cable drop as a signal source. Two models available, 300-50 (300MHz) and 450-50 (450MHz) bandpass. Modules available for two-way compatibility with either passive or active sub-channel return path.

SPECIFICATIONS

Forward Gain (1 way): +51 dB. Flatness (1 way): ± 0.5 dB. Gain Control Range (1 way): 10 dB. Noise Figure (1 way): 6.0 dB

BP VIDEO SWITCHER MODEL V-4801

OUR PRICE **\$19.95**

DESCRIPTION


Now all you do is flip a switch to watch a program on any channel, while simultaneously recording a program on any cable or pay TV channel—or vice versa. Plus, you can use your recorder's programming feature to record cable or pay TV programs while you're away.

The Switcher also allows you to use your remote control device while recording. That's something you can't do on many video systems.

The Switcher is a completely pre-assembled unit that you simply "plug into" your system using special cables (not included). Anyone can do the job in less than 5 minutes—with no need for special tools or technical know-how. Best of all, the Switcher is small enough (5 x 7 x 1") and good looking enough to fit in beautifully with your video components.

With the sizable investment you have in your TV, VCR and Cable/Pay TV systems, the Switcher gives you an easy, inexpensive way to greatly increase the value and enjoyment of that investment.

• Cables Not Supplied Optional Cable Kit...\$3.75: Includes 3 F-3F cables at \$1.25 each.



BP VIDEO CONTROL CENTER MODEL V-4802

OUR PRICE **\$19.95**

The Video Control Center Model V-4802 provides remote control access of all your Video, TV or Cable inputs to your TV set or Big Screen TV from one convenient location by merely flipping a switch.

FEATURES

- One output, your TV set or Big Screen TV.
- No need to change cables to access your desired Video or TV input to your TV set.
- Four inputs can handle whatever you desire to send to your TV set.
- Completely passive, i.e. no AC power required to operate.
- Auxiliary input and output provides added flexibility to complete your control center.
- Small, compact lightweight. • Cables Not Supplied

Optional Cable Kit...\$3.75: Includes 3 F-3F cables at \$1.25 each.



EXTRA SPECIAL!

BP TV STEREO SOUND SIMULATOR PERFECT FOR MTV MODEL V-646

OUR PRICE **\$5.95** each 6 FOR **\$30.00**

DESCRIPTION

Stereo sound simulator. Simple connection to your TV and stereo. Now enjoy TV viewing while listening in stereo. Great for VCR's.

- Use to Record from Mono VCR to Stereo VCR.



PERFECT FOR MTV

BP TV TO STEREO AUDIO ADAPTOR/ENHANCER

MODEL V-2250

OUR PRICE **\$16.95**

The V-2250 easily connects to any TV and Stereo Amplifier — letting you enjoy simulated stereo sound from all your favorite TV shows. Makes taping TV Audio simple — TV can be located any distance from stereo. Delivers two channels of simulated stereo.

FEATURES

- The V-2250 gives you simulated stereo from all your favorite TV shows.
- With noise eliminator & special output level controls. • Frequency response: 50Hz - 15,000Hz.

SPECIFICATIONS

- Insertion Loss - 3dB max. • Volume Effect - 40dB min.
- Noise Elimination: 6dB min. • Dimensions: W 5 1/8" x H 2 1/2" x D 3 1/4".
- Use to Record from Mono VCR to Stereo VCR.



PERFECT FOR MTV

BP 46 CHANNEL UHF CABLE CONVERTER WITH FINE TUNING FOR CABLE TV MODEL V-5746

OUR PRICE **\$19.95**

FEATURES

- 46 Channels. • For Beta/VHS recording.
- High performance at an economy price.
- Record and use TV's remote control.
- Allows complete programming of VTR.
- Fully shielded oscillator eliminates herring bone distortion.
- Super color quality for watching or recording and selectable channels.
- Receives midband, superband and all VHF TV channels on UHF, for all kinds of TV sets.
- Trimmer allows frequency adjustment of 2 $\pm$ mHz.




GC ELECTRONICS CONTROLLER II

MODEL 30-8712

OUR PRICE **\$69.95**

DESCRIPTION

The GC Electronics CONTROLLER II is designed to provide independent control for up to 5 speaker pairs, while protecting your amplifier for overload damage. The exclusive amplifier protection circuit prevents dangerously low impedance conditions when multiple speaker sets are used. The CONTROLLER II also provides for switching between two sources, i.e. receivers, amplifiers, and stereo TV's. In addition, a front panel headphone jack is provided for private listening.



BP COAX AB SWITCH MODEL AB-27

OUR PRICE **\$2.95** each
10 FOR **\$20.00**


- Input: 75 ohm.
- Output: 75 ohm.
- Isolation: A & B 85 dB; A & TV 85 dB; B & TV 85 dB.
- Blister package.



BP COAX AB SWITCH MODEL AB-28

OUR PRICE **\$2.95** each
10 FOR **\$20.00**

- Input: 75 ohm.
- Output: 300 ohm.
- Isolation: A & B 70 dB; A & TV 75 dB; B & TV 75 dB.
- Blister package.



BP COAX AB SWITCH MODEL AB-29

OUR PRICE **\$2.95** each
10 FOR **\$20.00**

- Input: 75 & 300 ohm.
- Output: 300 ohm.
- Isolation: A & B 85 dB; A & TV 70 dB; B & TV 70 dB.
- Blister package.



BP COAXIAL SWITCHING FOR TV AND VIDEO CASSETTE RECORDERS MODEL AB-370

OUR PRICE **\$6.95** each
5 FOR **\$30.00**

3-position coaxial push-button switch.

DESCRIPTION

Heavily shielded switch box providing maximum isolation to avoid 'bleeding' of one strong channel into another during TV viewing. Four 'F' connectors except 75 coaxial cable with F59 fittings for switching to various selections of TV and antenna combinations. Pushbutton switches are located conveniently on top of the attractive, deep blue metal cabinet having keyhole cutouts for flush wall mounting. Three 75 ohm resistors properly terminate any unused position. Overall size: 3-9/16" x 2-3/4" x 2". Individually boxed.


MODEL AB-380

OUR PRICE **\$6.95** each
5 FOR **\$30.00**

3-position coaxial push-button switch.

FEATURES


- Three inputs: Two F connectors end one RCA jack. One output: F connector.
- All other features are the same as AB370.



BP ANTENNA/CABLE TV SWITCH MODEL AB-400

OUR PRICE **\$7.95** each
10 FOR **\$65.00**

- Switches from cable to antenna system instantly.
- Accepts 75 ohm or 300 ohm inputs.
- Outputs for 75 or 300 ohm (VHF/UHF splitter balun supplied.)



CABLE SWITCHING KIT MODEL V-488

OUR PRICE **\$9.95**




DESCRIPTION

Easy to install - Economical way to record any pay channel - while viewing any standard channel. Consists of 3— F-3F, 1— F-6F, 1— A/B Switch, 1— CA-2111

BP ANTENNA/CABLE TV SWITCH MODEL AB-410

OUR PRICE **\$6.95** each 10 FOR **\$60.00**

- Switches from cable to antenna system instantly.
- Accepts 75 or 300 ohm inputs.
- Outputs for 75 or 300 ohm switchable.



BP COAXIAL SWITCH MODEL AB-30

OUR PRICE **\$5.95** each
10 FOR **\$50.00**

DESCRIPTION

A versatile product, with a range of consumer and MATV applications. Highly reliable with only one moving part. Individually packed, less cable connectors. Twelve units per standard carton.

SPECIFICATIONS

- Impedance: 75 ohms, self-termination of unused input.
- Band Pass: 0 to 890 mHz.
- Isolation: 0 to 300 mHz, 90 dB, 300 to 90 mHz, 80 dB.
- Insertion Loss: Less than 0.2 dB.
- Connectors: Three F-61A chassis connectors 'A', 'B' and output.

APPLICATIONS

- Dual CATV and MATV A/B cable systems.
- Home TV antenna systems.
- With video cassette recording systems.
- The exceptionally high isolation between A & B of Model AB-30 permits its use in any A/B situation without concern about possible co-channel interference.



BP TV GAME SWITCH MODEL V-450

OUR PRICE **\$2.50** each 10 FOR **\$20.00**

DESCRIPTION

300 ohm in end out with RCA plug.

FEATURES

- Permanent hook-up of TV video game to set.
- Quick selection of video game or TV at the change of the switch.
- Easy to install.



BP TV GAME SWITCH MODEL V-451

OUR PRICE **\$2.95** each 10 FOR **\$25.00**

DESCRIPTION

75 and 300 ohm in and out with RCA plug.

FEATURES

- Permanent hook-up of TV video game to set.
- Quick selection of video game or TV at the change of a switch.
- Easy to install.



BP TWO GAME TV SWITCH MODEL V-452

OUR PRICE **\$2.75** each
10 FOR **\$25.00**

- Two RCA Jack.



BP DUAL INPUT/DUAL OUTPUT TV GAME SWITCHES MODEL V-453

OUR PRICE **\$3.50** each 10 FOR **\$30.00**

DESCRIPTION

Universal switch permits connection of TV game to TV with either 75 or 300 ohm input. May be used with 75 or 300 ohm antenna input.

MODEL V-454

OUR PRICE **\$3.75** each 10 FOR **\$32.50**

V-454 - Same as above but for two games.



BP 3-WAY COAXIAL A-B-C SWITCH FOR ANTENNA, CABLE, AND VCR MODEL AB-390

OUR PRICE **\$7.95**

FEATURES

- 3 Inputs: 1 Output.
- F Connectors.




VIDEO ACCESSORIES

BP QUICK CONNECT "F" PLUG & BALUN MODEL V-400

OUR PRICE **\$1.50** each 10 FOR **\$12.50**

DESCRIPTION

Adds mobility to your VCR & TV. Converts 300 ohm input to 75 ohm output. No wiring necessary. Peg packaged.




BP QUICK CONNECT "F" WALL JACK MODEL V-401

OUR PRICE **\$1.75** each 10 FOR **\$15.00**

DESCRIPTION

Adds mobility to your VCR & TV. Mates directly with "F" antenna plugs.




BP VCR-TV QUICK CONNECT "F" SET MODEL V-402

OUR PRICE **\$2.75** each

10 FOR **\$25.00**

DESCRIPTION

Adds mobility to your VCR-TV. Push on/pull off antenna connectors allow instant switching for multi-purpose installations. Instructions Included. Peg packaged.




BP QUICK CONNECT "F" PLUG MODEL V-403

OUR PRICE **75¢** each 10 FOR **\$6.00**

DESCRIPTION

Adds mobility to your VCR & TV. For 75 ohm cable. No wiring necessary. Instructions Included. Peg packaged.




BP QUICK CONNECT "F" PLUG & BALUN MODEL V-404

OUR PRICE **\$1.50** each 10 FOR **\$10.00**

DESCRIPTION

Adds mobility to your VCR & TV. Converts 300 ohm input to 75 ohm output. No wiring necessary. Peg packaged.



BP QUICK CONNECT "F" PLUG RG 59U MODEL V-4033 3 Ft.


OUR PRICE **\$1.95** each 10 FOR **\$17.50**

MODEL V-4036 6 Ft.

OUR PRICE **\$2.50** each 10 FOR **\$22.50**

DESCRIPTION

3 ft. or 6 ft. Push-on Quick Connect "F" plug on both ends. Bilster packaged.



BP COAXIAL JUMPER CABLE

MATV Application RG59/U Cable
F59 Connector—F59 Connector

Model	Length	Our Price Each	10 FOR
F-3F	3 Ft.	\$1.25	\$10.00
F-6F	6 Ft.	\$1.50	\$12.00
F-12F	12 Ft.	\$2.50	\$20.00
F-20F	20 Ft.	\$2.99	\$25.00
F-50F	50 Ft.	\$8.95	
F-100F	100 Ft.	\$12.95	




BP 75-OHM CABLE RG 59U MODEL V-3303

OUR PRICE **\$2.95** each 10 FOR **\$27.50**
3 ft., UHF plug to UHF plug. Bilster package.

75-OHM CABLE

MODEL V-3310

OUR PRICE **\$3.50** each 10 FOR **\$30.00**
10 ft., UHF plug to UHF plug. Bilster package.




BP 75-OHM CABLE RG 59U MODEL V-3403

OUR PRICE **\$3.50** each 10 FOR **\$30.00**
3 ft., BNC plug to BNC plug. Bilster package.

75-OHM CABLE

MODEL V-3410

OUR PRICE **\$3.95** each 10 FOR **\$35.00**
10 ft., BNC plug to BNC plug. Bilster package.




BP 75-OHM CABLE RG 59U MODEL V-3506

OUR PRICE **\$1.95** each 10 FOR **\$17.50**
6 ft., "F" connector both ends. Bilster package.

75-OHM CABLE

MODEL V-3512

OUR PRICE **\$2.95** each 10 FOR **\$27.50**
12 ft., "F" connector both ends. Bilster package.



BP 75-OHM CABLE RG 59U MODEL V-3606

OUR PRICE **\$1.75** each 10 FOR **\$15.00**
6 ft., RCA plug both ends. Bilster package.

75-OHM CABLE

MODEL V-3612

OUR PRICE **\$2.50** each 10 FOR **\$22.50**
12 ft., RCA plug both ends. Bilster package.




BP 75-OHM CABLE RG 59U MODEL V-3703

OUR PRICE **\$1.95** each 10 FOR **\$17.50**
3 ft., RCA plug to "F" connector. Bilster package.

75-OHM CABLE RG 59U

MODEL V-3710

OUR PRICE **\$2.50** each 10 FOR **\$22.50**
10 ft., RCA plug to "F" connector. Bilster package.



BP QUICK CONNECT RIGHT ANGLE PUSH ON CABLES MODEL V-3533 3 Ft.

OUR PRICE **\$2.75** each 10 FOR **\$25.00**

3 ft. RG-59 cable with right angle Push-on "F" plug on both ends.

MODEL V-3534 3 Ft. with GOLD CONNECTORS

OUR PRICE **\$3.75** each 10 FOR **\$35.00**
Same as above with Gold Connectors on Both Ends

MODEL V-3566 6 Ft.

OUR PRICE **\$2.95** each 10 FOR **\$27.50**
6 ft. RG-59 cable with right angle Push-on "F" plug on both ends.

MODEL V-3587 6 Ft. with GOLD CONNECTORS

OUR PRICE **\$3.95** each 10 FOR **\$37.50**
Same as above with Gold Connectors on Both Ends

MODEL V-3588 12 Ft.

OUR PRICE **\$3.50** each

10 FOR **\$30.00**

12 ft. RG-59 cable with right angle Push-on "F" plug on both ends.

MODEL V-3589 12 Ft.
with GOLD CONNECTORS

OUR PRICE **\$4.50** each

10 FOR **\$40.00**

Same as V-3588
with Gold Connectors on Both Ends



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

BLONDER-TONGUE STARFIRE SERIES

MODEL DA-475 U/V
Four Outputs
OUR PRICE **\$57.50**

MODEL DA-475 V
Four Outputs
OUR PRICE **\$47.50**

MODEL DA-4300 U/V
Four Output
OUR PRICE **\$52.00**

MODEL DA-4300 V
Four Output
OUR PRICE **\$42.00**



FEATURES

- High Input capability combined with low noise.
- Models available for all applications (VHF/FM, UHF/VHF/FM—75 ohm and 300 ohm).
- Patented ICEF circuit for extra wide VHF dynamic range.
- Amplifies four TV's/FM sets.

Model	Description	Input Capability (dBmV)	Noise Figure (dB)	Gain (dB)	Input Ohms	Output Ohms
DA-475u/v	For 75 ohm coax cable. All channels VHF/UHF thru CH 8 & FM	35 (VHF) 30 (UHF)	4.6 (VHF) 4.5 (UHF)	7 (VHF) 10 (UHF)	75	75
DA-4300u/v	All VHF/UHF (14-83) channels plus FM 300 ohm twinlead input & outputs	35 (VHF) 28 (UHF)	5.5 (VHF) 5.7 (UHF)	8 (VHF) 9 (UHF)	300	300
DA-475v	CH 2-13 & FM amp. with 75 ohm coax cable input and outputs	35 (VHF)	4.8 (VHF)	6 (VHF)	75	75
DA-4300v	300 ohm input & outputs. Amps VHF (2-13) & FM.	37 (VHF)	5.6 (VHF)	5 (VHF)	300	300

BLONDER-TONGUE UHF/VHF DISTRIBUTION AMPLIFIER MODEL MUVB-15

OUR PRICE **\$59.50**

SPECIFICATIONS

- Output Capability (dBmV): VHF = 50; UHF = 47.
- Gain: VHF = 15 dB; UHF = 18 dB.

DESCRIPTION

Our least expensive Masterline® UHF/VHF amplifier. Excellent for small home all-channel distribution systems. Full CH. 2-83 operation including CATV midband for premium channels. Adjustable built-in FM trap to attenuate strong local FM stations. A low-cost professional solution to residential TV systems for technically discriminating home owners.



BLONDER-TONGUE VHF DISTRIBUTION AMPLIFIER MODEL MVB-15

OUR PRICE **\$46.50**

SPECIFICATIONS

- Output Capability (dBmV): VHF = 50.
- Gain: VHF = 15 dB.

DESCRIPTION

Our least expensive Masterline® VHF-only amplifier. Ideal for small home TV distribution systems or for that little bit of extra power to solve end-of-the-line MATV situations. Full CH. 2-13 operation including CATV midband for premium channels. Adjustable built-in FM trap to attenuate strong local FM stations and minimize TV interference. A low-cost professional solution to residential TV systems for technically discriminating home owners.



BLONDER-TONGUE UHF/VHF DISTRIBUTION AMPLIFIER MODEL MUVB-25


OUR PRICE **\$69.95**

SPECIFICATIONS

- Output Capability (dBmV): VHF = 50; UHF = 48.
- Gain: VHF = 27 dB; UHF = 29 dB.

DESCRIPTION

A professional quality amplifier for large homes and small commercial VHF and UHF on-channel MATV systems. Excellent for TV showrooms when demonstrating UHF in addition to VHF channel performance. Provides low-cost CATV midband amplification for premium channel distribution. Full UHF range to 890 MHz—ideal for translator reception. Switchable FM band stop filter eliminates TV interference from strong local FM stations.



BLONDER-TONGUE VHF DISTRIBUTION AMPLIFIER MODEL MVB-25

OUR PRICE **\$59.95**

SPECIFICATIONS

- Output Capability (dBmV): VHF = 50.
- Gain: VHF = 27.

DESCRIPTION

A professional quality amplifier for large homes and small commercial MATV systems. Provides a larger end-of-the-line kick than the MVB-15. Excellent for TV showrooms in VHF-only areas. Provides low-cost CATV midband amplification for premium channel distribution. Switchable FM band stop filter eliminates TV interference from strong local FM stations.



BP CABLE TV DISTRIBUTION AMPLIFIER For Midband, Superband and Hyperband, Plus F.M.

High Gain Low Noise!

MODEL DA-443

OUR PRICE **\$29.95** **SPECIAL!**

SPECIFICATIONS

- Gain: 15 dB.
- Bandwidth: 50-500 MHz.
- Flatness: ± 0.5 dB.
- Noise Figure: 5 dB.
- Impedance: 75 ohm input, 75 ohm output.
- Max. Input: 28 dBmV (54 channel), 42 dBmV (7 channel).
- Power Supply: 117VAC 60 Hz.
- Dimensions: 4-3/4"H x 3-1/4"W x 1-1/2"D.



BP 75 OHM VHF/FM DISTRIBUTION AMPLIFIER MODEL DA-447

OUR PRICE **\$29.95** **SPECIAL!**

DESCRIPTION

This high input, high output 75 ohm distribution amplifier was designed for home systems or as a post amplifier following other equipment to obtain higher output levels. It is an excellent choice for commercial systems in garden apartments and townhouses. Easily connects antenna to input, TV to output.

SPECIFICATIONS

Output Capability: VHF 41 dBmV. Bandpass: 50-300 MHz. Gain: 11 dB. Power Source: 117 VAC 60 Hz 2.3 watts. Dimensions: 5-1/4"L x 3-1/4"W x 1-1/4"D.



BP 75 OHM MINI-AMP VHF/UHF DISTRIBUTION AMPLIFIER

MODEL DA-448 OUR PRICE **\$29.95**

DESCRIPTION


This is a high input, high output 75 ohm distribution amplifier designed for home systems or as a post amplifier following other equipment to obtain higher output levels.

This is a good choice for commercial systems in garden apartments or townhouses. Connects easily to antenna input TV to output.

SPECIFICATIONS

Output Capability: VHF 47dBmV, UHF 48dBmV. Gain: VHF 16dB, UHF 9dB. Bandpass: VHF 54 to 88 MHz, 108 to 300MHz, UHF 470 to 890MHz. Power Source: 117 VAC 60Hz 3.5 watts. Dimensions: 5-1/4"L x 3-1/4"W x 1-1/4"D.

SPECIAL!



BP UHF BOOSTER/DISTRIBUTION AMPLIFIER

MODEL DA-442

OUR PRICE **\$29.95** **SPECIAL!**

SPECIFICATIONS

- 1 Input, 2 Outputs.
- Gain: 15 dB per output total 30 dB.
- Impedance: 75 ohm input.
- Bandwidth 470 — 890 MHz.
- Noise Figure: 6 dB.
- Power Supply: 117VAC 60 Hz.
- Dimensions: 5-1/4"H x 3-1/4"W x 1-1/2"D.



BLONDER TONGUE GALAXY PREAMPLIFIERS ALL CHANNEL • UHF/VHF/FM • MAST MOUNTED

A complete NEW LOOK line of superior performance mast-mounted pre amplifiers for any home installation requirement. Galaxy units feature modern design; high-impact polypropylene case, simplified mounting and all-channel range (thru ch. 83 on UHF). A compact indoor power supply is included with all models.

FEATURES

- Lowest UHF noise figure on any preamp available plus lower VHF noise figure. (4.5 dB)
- Three way split-band amplifier sections (VHF 2-6, 7-13 and UHF) to eliminate low band signal interference with high band and to optimize dynamic range.
- Each Galaxy is protected from lightning and power line surges.
- Gain: VHF 15 dB, UHF, 20 dB



MODEL 5120 15-20 dB Gain OUR PRICE **\$59.95**
All channel amplifier. Accepts single 300-ohm UHF/VHF input. Single output.

MODEL 5123 15-20 dB Gain OUR PRICE **\$59.95**
Ultra high performance all-channel amplifier for lightning prone areas. Single UHF/VHF antenna input. 75-ohm output.

ANTENNA ACCESSORIES

BP DISTRIBUTION AMPLIFIER UHF/VHF/FM MODEL DA-412

OUR PRICE **\$37.95** each

2 Output


2 FOR **\$70.00**

DESCRIPTION

UHF/VHF/FM broadband distribution amplifier with high input capability. Features low noise, high overload capacity, lightning protection, heavy gauge metal case, on-off indicator light.

SPECIFICATIONS

Bandwidth (MHz): 54 to 216, 470 to 690. Gain (dB): 12 (VHF) (2 outputs), 10 (UHF) (2 outputs). Noise Figure (dB): 6 (VHF), 7.7 (UHF). Input Capability: 40 dBmV (100 mV) for VHF, 20 dBmV (10mV) for UHF. 3 CH in LB, 4 CH in HB, 3 CH in UHF. Present simultaneously with no perceptible distortion. Input: 75 ohm coaxial. Output: 75 ohm x 2 coaxial. Temperature Range: -40° to +140°F. Power Requirements: AC 117V, 60Hz. Dimensions: 6-5/8" x 3-3/32" x 1-7/16".



BP DISTRIBUTION AMPLIFIER VHF/UHF/FM With FM Trap MODEL DA-425

OUR PRICE **\$29.95** each 4 FOR **\$100.00**

FEATURES

- Designed for TV/VCR multiple-set installations.
- Provides high gain to improve TV reception on VHF/UHF channels 2-63.
- Integrated circuit. • Low noise.
- High overload capacity.
- Extra lightning protection at RF input.
- Heavy gauge metal housing.
- On/off indicator light. • Switchable FM trap.

SPECIFICATIONS

Band Width: VHF 54-900 MHz, UHF 470-890 MHz. Gain (dB): VHF 24 dB, UHF 22 dB. Maximum Input (at 7 VHF channels and 4 UHF channels) Simultaneous Operation: VHF 15 dBmV, UHF 17 dBmV. Maximum Output (at 7 VHF channels and 4 UHF channels) Simultaneous Operation: Croes Modulation at -46 dB: VHF 40 dBmV per channel, UHF 40 dBmV per channel. Noise Figure: VHF Low 5.4 dB, High 6.2 dB, UHF 14 dB. FM Trap: Attenuation Rejection Band: -20dB (switchable) 95-105 MHz. Temperature Range: -40°F to +140°F. Input: 75 ohm - 'F' type coaxial cable. Output: 75 ohm - 'F' type coaxial cable. Power Requirement: AC 117 V. 60 Hz. Housing Dimensions: 3-3/32" x 6-5/8" x 1-7/16". Length of Power Cord: 6 ft.




BP VHF/FM AMPLIFIER MODEL 7002

OUR PRICE **\$9.95** each

5 FOR **\$45.00**

SPECIFICATIONS

- All solid state signal amplifier boosts weak signals.
- Signal gain: 10 dB. • Bandwidth: 50-300 MHz.
- Volts: 110-120V AC. • Impedance: 75 ohm.
- Outputs: One. • Display package.




BP VHF/FM AMPLIFIER MODEL 7003

OUR PRICE **\$12.95**

FEATURES

- All solid state signal amplifier boosts signals.
- Signal Gain: 6 dB. • Bandwidth: 50-400 MHz.
- Volts: 110-120 VAC. • Impedance: 75 OHM.
- Outputs: Two. • Display Pkg.



BP VHF/FM AMPLIFIER MODEL 7004

OUR PRICE **\$12.95** each

5 FOR **\$60.00**

SPECIFICATIONS

- All solid state signal amplifier for up to 4 sets.
- Signal gain: 3 dB 50-300 MHz. • Impedance: 75 ohm
- Outputs: Four. • Display package.



BP GROUNDING BLOCK MODEL GB-1

OUR PRICE **49¢** each 10 FOR **\$3.90**



FINCO TUBE TYPE AMPLIFIER MODEL 65-1

OUR PRICE **\$29.95**

DESCRIPTION

Tube type VHF-FM distribution amplifier, single 300 ohm input, four 300 ohm outputs, Gain 6 dB to each output.



BP ANTENNA CLOTHES PIN MODEL CP-1

OUR PRICE 20 FOR **\$5.00**

100 FOR **\$20.00**



BP SUPER COLOR TV BOOSTER MODEL V-7300


OUR PRICE **\$24.95**

FEATURES

- High Gain.
- Low Noise.
- High Power.
- Full Lightning Protection.
- Environmental Stability.
- Easy To Mount.

SPECIFICATIONS

Band Width: 40-660 MHz. Gain: V:26 dB U:22 dB. Max. Output Level: 105 dBuV. Input Impedance: 75/300 ohms. Output Impedance: 75/300 ohms. Noise Figure: 4 dB/below AT500 MHz. Applicable Temp.: -20°C — +50°C. Dimensions: 143 x 62 x 66mm 330g.



CHANNEL MASTER UHF/VHF/FM RF ATTENUATORS MODEL 7270

OUR PRICE **\$6.95** SPECIAL!

DESCRIPTION

These highly stable, in-line, fixed and variable attenuators can be used anywhere needed, for adjusting or equalizing signal levels. Model 7270 is a variable unit providing 0 to 21 dB attenuation in convenient 3 dB steps.



CHANNEL MASTER BAND REJECTION FILTERS

MODEL 7203

OUR PRICE **\$9.95**

Sub-Band Filter

MODEL 7204

OUR PRICE **\$9.95**

FM Band Filter

MODEL 7205

OUR PRICE **\$9.95**

Mid-Band Filter

DESCRIPTION


The Channel Master models 7203, 7204 and 7205 are 75 ohm Band Rejection Filters with typical attenuation of 15-35 dB. They are designed to attenuate signals in the sub, FM and mid band frequencies while passing signals in the VHF/UHF TV band with minimum loss. These traps are designed for indoor surface mounting. Putting two traps in the same line for very strong interfering signals will provide attenuation of 25 to 50 dB.

BP GHOST ELIMINATOR 75-OHM VARIABLE ATTENUATOR

MODEL V-460 OUR PRICE **\$6.95** SPECIAL!

FEATURES

- Eliminates Ghosts in TV reception.
- Reduces interference in TV reception from a weaker TV station on the same frequency or multipath interference from a single station.
- The attenuator allows you to fine-tune each station for the best signal strength.
- Install this model at the 75-ohm terminal on back of TV, using a coaxial cable with "F" connectors. (Not included).
- If your TV has only a 300 ohm screw terminal, use a 300 to 75 ohm transformer. (Not included).




BP CABLE CLAMPS MODEL V-425

OUR PRICE **\$1.50** per pkg.

For 75 ohm coax cable.

DESCRIPTION

For securing cable to wood, cement, plaster, brick, almost any surface. Tough, non-corrosive plastic. Complete with corrosion resistant hardened steel nails. Pkg. of 25.



BP TWIN LEAD CONNECTORS MODEL V-265

OUR PRICE 2 FOR **\$1.00**

DESCRIPTION

Bulk packaged. Clear polystyrene twin lead connectors make joining 300 ohm twin lead a snap.



JERROLD GIBRALTAR VHF/FM DISTRIBUTION AMPLIFIER MODEL 3420

OUR PRICE **\$29.95** SPECIAL!

FEATURES


- High output capability.
- Low noise figure.
- Accepts a single, combined input.
- Dioda lightning protection.
- Tunable FM trap.

SPECIFICATIONS

- Frequency Range (MHz): 54-106, 174-216.
- Gain (dB): VHF: 15.5.
- Gain Control Range (dB): N/A.

DESCRIPTION

The 3420 is a high gain, broadband amplifier particularly to small TV signal distribution systems.



TDP MINI-STATE ANTENNAS

UHF & VHF 35 mile range antenna

MODEL 5MS-740

OUR PRICE \$99.95

A revolutionary new TV antenna system for home or apartment.

AC/DC MINI-STATE ANTENNA UHF & VHF

MODEL 5MS-750

OUR PRICE \$119.95

A revolutionary new Recreational antenna system for boat or camper.

DESCRIPTION


The New TDP Mini-State Antenna Systems are improved versions of the 5MS-440 and 5MS-550 Mini-State antennas. They have been engineered to bring in sharp, clear TV reception with a new VHF/UHF broadband amplifier. The new amplifier now amplifies the UHF band and has higher gain on VHF. These improvements have also greatly improved the signal to noise ratio of the antenna. The power supply for the new systems has been redesigned to allow easy hook up of additional outlets.

FEATURES for 5MS-740

- Ideal for home or apartment. • Compact (21" diameter and 7" high) and light (6 lbs.).
- Attaches to roof, chimney, window or balcony. • Full circle rotation for trouble-free operation.
- Can also be used indoors in attic or on closet shelf.
- Solid state circuitry for trouble-free operation.
- Everything weather protected in a rugged plastic radome.
- Hand held remote control has unique direction indicator light.
- Includes built-in rotating antenna, amplifier, power supply, remote control unit and hardware.
- Plus 60 feet lead in cable, housing, co-axial cable and rotator wire.

FEATURES for 5MS-750

- Recreational antenna that can be used for boat or camper. • Designed for outdoor use.
- Power: 120VAC, 12DC. • Enables you to operate from dockside, campsite or home.
- 30 Ft. cable. • All other features are the same as Model 5MS-740.



TDP PERMACOLOR™ PREMIERE


UHF/VHF/FM STEREO APPROVED ALL-CHANNEL ANTENNA

MODEL 48G18

OUR PRICE \$24.95

FEATURES

- No Assembly Required: Just snap out the elements and bolt it to your mast!
- 60° "Swept Element" Design: For ultimate reception and superior performance with less picture ghosting.
- Blue end Gold Polyester Finish: Resists corrosion and weathering to add years to the life of your antenna.
- Heavy Duty Steel Mast Clamp and Hardware: Zinc plated for durability and strong enough to withstand high winds and heavy ice loads.
- Range: 70 miles (dependent on terrain).
- UHF YAGI and Corner Reflector: Sharp-shooting UHF/VHF/FM combination delivers long-range reception on all channels with the picture quality today's TV demand.
- Snap-Out Elements: with matching high-impact insulators for easy assembly and long antenna life. Square boom for extra strength.



NEW!

BP AUTOMATIC ANTENNA ROTATOR

MODEL AR-200XL **OUR PRICE \$49.95**

DESCRIPTION

Improve your TV and radio reception by rotating your antenna to the perfect spot. Just turn the dial and your antenna will automatically rotate until you decide on its best position for your channel reception. This economical system allows you to utilize your antenna to its full potential by positioning it each time to pick up your maximum signal strength.

This system consists of two major components, the control box and the rotator. The full mount rotator accommodates flat and wedge-type TV/FM antennas, with 192 lbs./in motor torque.

SPECIFICATIONS

Input Voltage: 117VAC, 60Hz, 68W. Output: 18VAC $\pm 5\%$. Rotation: 360° $\pm 5^\circ/0^\circ$ with mechanical stop. Rotation Time: 70 seconds 50Hz, 65 seconds 60Hz. Rotation Torque: 220kg-cm (192 lb. in) minimums. Mast Size: 28-44mm (1-1/8" - 1-3/4") die. Vertical Load: 45kg (99 lbs.) maximum. Cable: 3 core. Weight: 4kg. (8.8 lbs.)

GEMINI ORBIT ANTENNA ROTATOR

MODEL OR-360

OUR PRICE \$59.95

FEATURES

- Automatic. No realignment or resynchronization ever required.
- Fast, simple installation.
- Rugged construction for longer life.
- Easy to operate.
- Accurate to within one degree. • More stations available. • Sharper pictures—better color.
- Reduces interference. • Stays on target in 70 MPH winds.



ANTENNACRAFT UHF/VHF/FM ANTENNAS

MODEL 5886

OUR PRICE \$49.95

Boom length 120"
32 Electronic elements
Fringe area

MODEL 5885


OUR PRICE \$39.95

Boom length 90"
28 Electronic elements
Medium fringe area

MODEL 5884

OUR PRICE \$29.95

Boom length 58"
20 Electronic elements
Suburban area



BP UHF/VHF/FM INDOOR ANTENNA AMPLIFIER

Improve Your TV and FM Stereo Performance

MODEL V-300

OUR PRICE \$14.90

DESCRIPTION

This indoor antenna amplifier was designed to solve indoor reception problems. Its high gain UHF/VHF/FM amplifier boosts the performance of "rabbit ears" or UHF loop antennas. It greatly improves reception of indoor FM antennas.

This unit can be mounted directly to the back of the television by using the attached selfadhesive surface. A 4-1/2" section of twinned with spade lugs is provided as a jumper between amplifier and TV terminals.

SPECIFICATIONS: • 300 ohm input and output. • Gain: 5 dB.



WIRING CABLES FOR Antennas, Speakers, and Microphones

Model	Cable and Wire	Description	Standard Pkg.	Our Price
RG-59U	Coax cable 59U	Solid, 22 gauge copperweld	500 ft. spool	\$35.00
CF-500	300 Twin Lead Foam 20	7 strand, 20 gauge bare copper	500 ft. spool	\$26.95
CF-100			100 ft. poly bag	6.95
CF-50			50 ft. poly bag	3.95
520 7/500	Rotor Cable 20-5/C	7 strand, 20 gauge bare copper, one outside conductor identified for polarity	500 ft. spool	\$39.50
520 7/100			100 ft. poly bag	9.95
520 7/50			50 ft. poly bag	5.95
420 7/500	Rotor Cable 20-4/C	7 strand, 20 gauge bare copper, one outside conductor identified for polarity	500 ft. spool	\$34.95
420 7/100			100 ft. poly bag	8.95
420 7/50			50 ft. poly bag	4.95
2055/M	Twin Lead Royalty 100	20 strand, 21 gauge bare copper	1000 ft. spool	\$37.95
2055/100			100 ft. poly bag	6.95
2055/50			50 ft. poly bag	3.95
1038/M	Speaker Wire JSW-24	7 strand, 24 gauge bare copper, one conductor identified for polarity	1000 ft. spool	\$20.00
1038/100			100 ft. spool	2.95
1038/50			50 ft. spool	1.75
18/SW1000	Speaker Wire JSW-18	18 strand, 18 gauge bare copper, one conductor identified for polarity	1000 ft. spool	\$39.95
18/SW100			100 ft. spool	7.95
18/SW50			50 ft. spool	4.95
JPA-222/500	Microphone Cable	18 strand T.C. 22 AWG 2 conductor, T.C. braid .025 PVC. For use with low impedance microphones. Suggested working voltage is 1000 V.	500 ft. spool	\$119.95
JPA-222/100			100 ft. henk	29.95
JPA-222/50			50 ft. hank	17.95
JPA-125/500	Microphone Cable	7 strand T.C. 25 AWG 1 conductor, T.C. braid .037 PVC. For use with low impedance microphones. Suggested working voltage is 1000 V.	500 ft. spool	\$59.95
JPA-125/100			100 ft. henk	14.95
JPA-125/50			50 ft. hank	9.95

ANTENNA ACCESSORIES

BP VHF/UHF SEPARATOR

MODEL SP-702BL

OUR PRICE **\$1.50** each 10 FOR **\$12.50**

Uses behind TV set to split the VHF/UHF signals to the TV set from a single 300 ohm down lead. Piercing washer terminals eliminate the need to strip wire ends.



BP VHF/UHF/FM SEPARATOR

MODEL SP-703BL

OUR PRICE **\$1.75** each 10 FOR **\$15.00**

Uses behind TV set to split the VHF/UHF/FM signals to the TV set or FM receiver from a single 300 ohm down lead. Piercing washer terminals eliminate the need to strip wire ends.



BP VHF/UHF SEPARATOR-TRANSFORMER

MODEL SP-802BL

OUR PRICE **\$1.75** each 10 FOR **\$15.00**

Used behind TV set to split the VHF/UHF signals to the set from a single 75 ohm coaxial cable input. One F-59 connector supplied.



BP VHF/UHF/FM SEPARATOR-TRANSFORMER

MODEL SP-803BL

OUR PRICE **\$1.95** each 10 FOR **\$17.50**

Used behind TV set to split the VHF/UHF/FM signals to the set or FM receiver from a single 75 ohm coaxial cable input. One F-59 connector supplied.



BP VCR/TV SEPARATOR VHF/UHF/FM SPLITTER & BALUN

MODEL SP-903

OUR PRICE **\$2.50** each 10 FOR **\$19.90**

• 75 ohm Input. W/F conn. • 75 ohm and 300 ohm output. • Bilster package.



BP VCR/TV SIGNAL MIXER

MODEL SP-904

OUR PRICE **\$2.50** each

10 FOR **\$19.90**

• 2 — 75 ohm inputs. • 1 — 75 ohm output.




BP VCR/TV SEPARATOR UHF/FM SPLITTER & BALUN

MODEL SP-905

OUR PRICE **\$1.95** each 10 FOR **\$17.50**

• 300 ohm Input. • 300 ohm TV and FM output. • 75 ohm output.



BP VCR/TV SIGNAL MIXER

MODEL SP-906

OUR PRICE **\$2.25** each 10 FOR **\$20.00**

• 300 ohm Input. • Dual 75 ohm output.



BP CP-2 TWO SET COUPLER

MODEL CP-202

OUR PRICE **\$1.75** each 10 FOR **\$12.50**

VHF/UHF/FM low loss two set coupler. 300 ohm Input. Two 300 ohm outputs. Power passive, excellent match. Features no strip piercing screws. Supplied with mounting screws.



BP CP-4 FOUR SET COUPLER

MODEL CP-404

OUR PRICE **\$2.75** each 10 FOR **\$22.50**

VHF/UHF/FM low loss four set coupler. 300 ohm Input. Four 300 ohm outputs. Power passive, excellent match. Features no strip piercing screws.



BP VHF/UHF MATCHING TRANSFORMER


MODEL MT-1

OUR PRICE

75¢ each 10 FOR **\$5.00** 100 FOR **\$39.00**

VHF/UHF 75-300 ohm matching unit. Miniature size completely shielded end balanced for reduction of direct pick-up. AC/DC blocking.

SPECIFICATIONS: • Frequency range: 0-900 MHz. • Circuit: 3 capacitors on PC board.



VHF/UHF MATCHING TRANSFORMER

MODEL MT-2 (outdoor)

OUR PRICE

\$1.00 each 10 FOR **\$9.00** 100 FOR **\$69.00**

Completely plastic molded construction for weather-proofing. Supplied with rubber boot.

SPECIFICATIONS: • Frequency range: 0-900 MHz. • Circuit: 2 capacitors on PC board.



VHF/UHF MATCHING TRANSFORMER


MODEL MT-3 (outdoor)

OUR PRICE

\$1.19 each 10 FOR **\$9.90** 100 FOR **\$79.00**

Completely plastic molded construction for weather-proofing.

SPECIFICATIONS: • Frequency range: 0-900 MHz.



BP COAXIAL CABLE OUTLET With F81C

MODEL MA-1010

OUR PRICE **79¢** each 10 FOR **\$6.90**

DESCRIPTION

Flush-mounted feed thru, 75 ohm cable output, 75 ohm input receptacle. Constant impedance. Incorporates crimp-on ferrule connection for lead-in. F59A female connection both ends. With use of F81C connector.

75 OHM COAX FEED THRU PLATE

MODEL MA-1080

OUR PRICE **30¢** each 10 FOR **\$2.50**

Flush-mounted feed-thru wall plate. Ivory color.



BP MATCHING TRANSFORMER

MODEL MA-1020

OUR PRICE **\$1.95** each 10 FOR **\$17.50**


Flush-mounted VHF/UHF/FM tap-off. Single 300 ohm output with no strip piercing screws from 75 ohm thru line. Dual isolation 12/17 dB or 17/23 dB. Lower isolation as supplied. Clip (2) wires for higher isolation. Supplied with mounting screws.

VHF/UHF MATCHING TRANSFORMER

MODEL MA-1070

OUR PRICE **\$1.95** each 10 FOR **\$17.50**

Flush-mounted VHF/UHF/FM matching. Excellent match. AC/DC blocking. Use no strip piercing screws. Mounting screws included.




BP MATCHING TRANSFORMER

MODEL MA-1030

OUR PRICE **\$1.95** each 10 FOR **\$17.50**

Flush-mounted VHF/UHF/FM tap-off. Single 75 ohm output from 75 ohm thru line. Dual isolations 12/17 dB or 17/23 dB. Lower isolation as supplied. Clip (1) wire for higher isolation. Supplied with mounting screws.



BP TV/FM WALLPLATE AND PLUG

MODEL MA-1040

OUR PRICE **99¢** each 5 FOR **\$4.50**

Single output, matches standard 300 ohm twin lead. Fits standard outlet box or can be mounted with brackets supplied. Individually packed with hardware and instructions. Ivory color.



BP TWIN OUTPUT WALLPLATE

MODEL MA-1050

OUR PRICE **\$1.25** each 5 FOR **\$5.00**

Complete with two polarized plugs for 300 ohm twin lead. Fits standard outlet box, or can be wall-mounted with brackets supplied. Hardware and instructions included. Ivory color.



BP ANTENNA ROTATOR & TWIN LEAD OUTLET

MODEL MA-1060

OUR PRICE **\$1.50** each 5 FOR **\$6.00**

Has outlet for 5-wire rotator leads plus two twin lead TV/FM outputs. Complete with 5-prong plug, two 3-prong plugs and all mounting hardware. Fits standard outlet box, or can be wall-mounted with brackets supplied.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

BP PLUG MODEL SP-275

OUR PRICE 10 FOR **\$5.00** 100 FOR **\$40.00**

DESCRIPTION

Standard Motorola type plug use for auto antenna and master TV antenna systems.



BP MALE CABLE CONNECTOR MODEL SP-276 (F 59)

OUR PRICE 10 FOR **\$2.00** 100 FOR **\$15.00**

For use with RG-59/U type cable. Mates with F-61A, F-81B, A-61. 75 ohm use. Use crimping tool CR-596 or CR-595A. 1051 ferrule supplied.



BP MALE CABLE CONNECTOR MODEL SP-277 (F 59A)

OUR PRICE 10 FOR **\$2.00** 100 FOR **\$15.00**


Similar to type F-59 except unit has a built-on ferrule.



BP UNIVERSAL FEMALE "F" TO "F" COUPLING MODEL SP-278 (F 81C)

OUR PRICE 10 FOR **\$4.90** 100 FOR **\$39.00**

Universal center clutch will adapt to all sizes of cable, RG-59 through RG-11. Accepts F-56 or F-56A, F-59 or F-59A, SF-59 or SF-56.



BP UNIVERSAL MALE "F" TO "F" COUPLING MODEL SP-279 (F 71B)

OUR PRICE **\$1.50** each

10 FOR **\$12.00**

Mates with F-61A or F-81C. Single pack.



BP MALE CABLE CONNECTOR MODEL SP-280 (F 56A)

OUR PRICE 10 FOR **\$2.50** 100 FOR **\$20.00**

Similar to type F-56 except unit has a built-on ferrule. Built-on CAC size ferrule.



BP ADAPTOR MODEL SP-281 (BNC-F)

OUR PRICE **\$3.50** each 10 FOR **\$25.00**


For use where units such as test equipment must be connected to "F" fittings. Single pack.



BP UNIVERSAL "F" CHASSIS CONNECTOR MODEL SP-282 (F-61A)

OUR PRICE 10 FOR **\$3.50** 100 FOR **\$28.00**

Accepts F-59, F-59A, F-56, F-56A, F-659, SF-56, SF-59, TR-75F and AF-101. Mounts in 3/8" diameter chassis hole. Uses clutch type collet. 75 ohm.



BP ALL CHANNEL TERMINATOR MODEL SP-283 (TR 75F)

OUR PRICE 10 FOR **\$2.50** 100 FOR **\$22.00**

This precision 75 ohm terminator for F-61A or F-81 connectors should be used for VHF, UHF and all channel systems.

Frequency range: 54 to 216 and 470 to 890 mHz. Maximum VSWR: 1.06:1 (30 dB minimum return loss) for VHF range. 1.2:1 (25 dB minimum return loss) for UHF range.



BP CONNECTOR PLUG MODEL SP-284

OUR PRICE **\$1.25** each 10 FOR **\$10.00**

Push on F connector plug to F jack.



BP CABLE CONNECTOR MODEL SP-285 (F 59-AH)

OUR PRICE 10 FOR **\$2.50** 100 FOR **\$22.00**

Similar to F 59 connector.



BP BNC MALE CONNECTOR MODEL BC-2501

OUR PRICE **\$1.95** each 10 FOR **\$17.50**

• Blister package



BP DOUBLE MALE ADAPTOR MODEL BC-2506

OUR PRICE **\$3.25** each 10 FOR **\$27.50**


• Blister package



BP DOUBLE FEMALE ADAPTOR MODEL BC-2516

OUR PRICE **\$2.95** each 10 FOR **\$27.50**

• Blister package



BP BNC MALE TO UHF FEMALE ADAPTOR MODEL BC-2520

OUR PRICE **\$2.75** each 10 FOR **\$25.00**

• Blister package



BP UHF MALE TO BNC FEMALE ADAPTOR MODEL BC-2521

OUR PRICE **\$2.25** each 10 FOR **\$20.00**

• Blister package



BP T-CONNECTOR 2 FEMALE BNC 1 MALE BNC MODEL BC-2522

OUR PRICE **\$3.50** each 10 FOR **\$25.00**

• Blister package



BP BNC PLUG TO BNC FEMALE RIGHT ANGLE ADAPTOR MODEL BC-2523

OUR PRICE **\$3.75** each 10 FOR **\$32.50**

• Blister package



BP BNC TO F CONNECTOR MODEL BC-2525


OUR PRICE **\$3.50** each 10 FOR **\$25.00**

• Blister package



BP RCA PLUG TO "F" JACK MODEL BC-2727

OUR PRICE **\$2.95** each 10 FOR **\$25.00**



BP BNC PLUG TO RCA JACK MODEL BNC-2529


OUR PRICE **\$2.50** each 10 FOR **\$20.00**



BP VIDEO ADAPTOR "F" PLUG TO RCA JACK MODEL BC-2732

OUR PRICE **\$2.95** each 10 FOR **\$25.00**

• Blister package.



ANTENNA ACCESSORIES

BP CATV SPLITTER

MODEL CA-2111

OUR PRICE **\$1.50** each 10 FOR **\$10.00**

- Bandwidth: 5-400 MHz. • Splitter Loss (max.): 3.5 dB.
- Isolation Port to Port (min.): 30 dB. • Number of Outputs: 2.
- Return Loss (match): 20 dB. • Impedance (ohms): 75. • Power Pass: No.



BP CATV SPLITTER

MODEL CA-2122

OUR PRICE **\$1.95** each 10 FOR **\$15.00**

- Bandwidth: 5-400 MHz. • Splitter Loss (max.): 3.5 dB.
- Isolation Port to Port (min.): 30 dB. • Return Loss (match): 20 dB.
- Impedance (ohms): 75. • Number of Outputs: 2. • Power Pass: No.



BP CATV SPLITTER

MODEL CA-2133

OUR PRICE **\$2.25** each 10 FOR **\$18.00**

- Bandwidth: 5-400 MHz. • Splitter Loss (max.): 1 Port 3.5 dB; 2 Port 7.0 dB.
- Isolation Port to Port (min.): 30 dB. • Return Loss (match): 20 dB.
- Impedance (ohms): 75. • Number of Outputs: 3. • Power Pass: No.



BP CATV SPLITTER

MODEL CA-2144

OUR PRICE **\$2.95** each 10 FOR **\$25.00**

- Bandwidth: 5-400 MHz. • Splitter Loss (max.): 7.0 dB.
- Isolation Port to Port (min.): 25 dB. • Return Loss (match): 20 dB.
- Impedance (ohms): 75. • Number of Outputs: 4. • Power Pass: No.



BP CATV SPLITTER

MODEL CA-2188

OUR PRICE **\$4.95** each 5 FOR **\$20.00**

- Bandwidth: 5-400 MHz. • Splitter Loss (max.): 10.5 dB.
- Isolation Port to Port (min.): 25 dB. • Return Loss (match): 20 dB.
- Impedance (ohms): 75. • Number of Outputs: 8. • Power Pass: No.



BLONDER-TONGUE UHF/VHF DISTRIBUTION AMPLIFIER

MODEL MUVB-45

OUR PRICE **\$419.95**

A channel expander amplifier; engineered for adding local origination UHF channels to buildings fed with a CATV drop.

Switchable antenna inputs permit selection of:
1) A combined UHF/VHF input, 2) Individual UHF and VHF inputs, or 3) Individual UHF, low band VHF, and high band VHF inputs. Has individual high band VHF, low band VHF, and UHF gain controls and a switchable FM band stop filter. Has full UHF range to 890 MHz and fits standard 19-inch rack.

SPECIFICATIONS

Output Capability (dBmV): VHF end flat = 53.8; 6 dB block tilt = 56; UHF = 51.5. Gain (typ.) Adjust. from (dB): LB/FM = 28-46; HB = 27-45; UHF = 27-45.

VHF DISTRIBUTION AMPLIFIER

MODEL MVB-45

OUR PRICE **\$239.90**

"The Workhorse" for medium to large size MATV systems. The successor to the CVB-45A, the all-time broadband MATV industry wide best seller. Features switchable, combined or split inputs for use with either a single antenna (low band, FM, high band) or for separate low and high band antennas. Has individual high and low band gain controls and a switchable FM band stop filter. Fits standard 19-inch rack.

SPECIFICATIONS

Output Capability (dBmV): VHF and flat = 54; 6 dB block tilt = 56. Gain (typ.) Adjust. from (dB): LB/FM = 28-46; HB = 18-46.

BLONDER-TONGUE MUVF U/V MULTIPLEXER

MODEL 4548

OUR PRICE **\$22.50**

- Mixes or separates VHF and UHF channels.
- VHF port passes DC and subchannels also. • Compact design.

DESCRIPTION

Mixes signals from separate VHF and UHF antennas or separates UHF and VHF channels on a common line for separate amplification.

SPECIFICATIONS

Isolation between UHF and VHF ports: UHF 36 dB; VHF 32 dB. Bandpass: VHF, DC to 216 MHz; UHF, 470 to 890 MHz. Match: VHF, 26 dB RL; UHF, 23 dB RL. Impedance: 75 ohm. VHF ports pass up to 1 amp or AC or DC current. Connector: Type-F (mating BTF-591 supplied). Size: 2" x 2-3/4" x 1"

BLONDER-TONGUE MLHF MULTIPLEXER

MODEL 4549

OUR PRICE **\$22.50**

- Mixes or separates high and low band VHF channels.
- Low band port also passes DC subchannels. • Compact design.

DESCRIPTION

Ideal for mixing signals from high and low band antennas or separating high and low band channels for separate amplification.

SPECIFICATIONS

Bandpass: Low band DC to 108 MHz; high band 174 to 300 MHz. Isolation between bands: 30 dB. Thru Loss: Low band 0.1 dB; high band 0.2 dB. Match: Low band, 26 dB RL; high band 23 dB typical. Connectors: Type-F (mating BTF-591 supplied). Low band port passes up to 1 amp of AC or DC power. Impedance: 75 ohms. Size: 2" x 2-3/4" x 1-1/4"




BP MATV HYBRID SPLITTER

MODEL CA-2411

OUR PRICE **\$1.50** each 10 FOR **\$10.00**

- Bandwidth: 5-900 MHz. • Power Pass: Yes.
- Splitter Loss (max.): VHF—3.5 dB; UHF—4.0 dB.
- Isolation Port to Port (min.): VHF—25 dB; UHF—20 dB.
- Return Loss (match): VHF—20 dB; UHF—16 dB.
- Impedance (ohms): 75. • Number of Outputs: 2.




BP MATV HYBRID SPLITTER

MODEL CA-2422

OUR PRICE **\$1.95** each 10 FOR **\$15.00**

- Bandwidth: 5-900 MHz. • Power Pass: Yes.
- Splitter Loss (max.): VHF—3.5 dB; UHF—4.0 dB.
- Isolation Port to Port (min.): VHF—25 dB; UHF—20 dB.
- Return Loss (match): VHF—20 dB; UHF—16 dB.
- Impedance (ohms): 75. • Number of Outputs: 2.




BP MATV HYBRID SPLITTER

MODEL CA-2433

OUR PRICE **\$2.25** each

10 FOR **\$18.00**

- Bandwidth: 5-900 MHz. • Power Pass: Yes.
- Splitter Loss (max.): VHF—3.5 dB; UHF—4.0 dB.
- Isolation Port to Port (min.): VHF—25 dB; UHF—20 dB.
- Return Loss (match): VHF—20 dB; UHF—16 dB.
- Impedance (ohms): 75. • Number of Outputs: 3.




BP MATV HYBRID SPLITTER

MODEL CA-2444

OUR PRICE **\$2.95** each

10 FOR **\$25.00**

- Bandwidth: 5-900 MHz. • Power Pass: Yes.
- Splitter Loss (max.): VHF—7.0 dB; UHF—8.0 dB.
- Impedance (ohms): 75. • Number of Outputs: 4.
- Isolation Port to Port (min.): VHF—25 dB; UHF—20 dB.
- Return Loss (match): VHF—20 dB; UHF—16 dB.



BLONDER-TONGUE UHF/VHF DISTRIBUTION AMPLIFIER

MODEL MUVB-35


OUR PRICE **\$189.95**

DESCRIPTION

For apartment buildings, condominiums, cluster housing or other medium size MATV installations that are specified for UHF on-channel distribution in addition to regular VHF. Split band construction with individual high band VHF, low band VHF and UHF gain controls permit band balancing on longer cable runs. Switchable FM band stop filter to eliminate strong local FM interference. Full UHF range to 890 MHz—ideal translator reception.

SPECIFICATIONS

Output Capability (dBmV): LB&HB = 49; UHF = 49. Gain (typ.) Adjust. from (dB): LB/FM = 23-35; HB = 22-34; UHF = 18.



BLONDER-TONGUE VHF DISTRIBUTION AMPLIFIER

MODEL MVB-35


OUR PRICE **\$119.95**

DESCRIPTION

For apartment buildings, condominiums, cluster housing or other medium size MATV installations. Split band construction with separate high and low band gain controls permits band balancing on longer cable runs. Switchable FM band stop filter to eliminate strong local FM interference.

SPECIFICATIONS

Output Capability (dBmV): VHF and flat = 49; 6 dB block tilt = 51.5. Gain (typ.) Adjust. from (dB): VHF = 23-35.



BLONDER-TONGUE MDX-75F GENERAL PURPOSE MULTIPLEXER

MODEL 4659

OUR PRICE **\$22.50**

FEATURES

- Multi-purpose multiplexer.
- Mixes or separates DC to 10 MHz and 54-890 MHz signals.
- Passes 3 amps of AC or DC current.

DESCRIPTION

The MDX-75F may be used to power a headend in a remote location, or originate AM audio programming in a TV distribution system or to mix high quality video signals in a TV distribution system.

SPECIFICATIONS

Bandpass: DC to 10 MHz and 54-890 MHz. Isolation: At 50 MHz 42 dB. Thru Loss: 54-216 MHz end 470-890 MHz, 0.2 dB; 10 MHz, 0.75 dB. Connections: Two type-F, one 75-ohm dual-ecrew terminal (for video & power). Passes 3 amp, AC or DC. Size: 1-7/16" x 2" x 2-3/4"



CAR RADIO CASSETTE SECURITY LOCK MODEL CLS-1

OUR PRICE **\$24.95**

This new radio cassette lock eases the worry of returning to your car and finding your cassette deck stolen. It's compact, and highly visible to discourage potential thieves. It slips easily into your cassette deck and once locked in place, it cannot be forcibly removed without destroying the cassette player. The individually-keyed tubular lock comes with 2 keys and a window warning sticker ("Don't Even Try It!").

AUDIOVOX REMOTE CONTROL SECURITY SYSTEM MODEL AA-9145 OUR PRICE **\$88.00**

FEATURES

- Keyring Radio Frequency Remote Transmitter.
- Siren Chirps Once When Armed.
- Siren Chirps Twice When Disarmed.
- Voltage Sensing Operation.
- High Wet/Dry Electronic Siren.
- Instant Activation For All Points Of Entry.
- Cooling Fan Sensing Lead.
- Automatic 60 Second Shutdown Timer.
- All Electronics Self-Contained.
- Fully Adjustable Detector.
- Built-In Headlight Flasher.
- System supplied with mounting hardware and wire.

PAGE ALERT RADIO FREQUENCY TRANSMITTER MODEL 4000

OUR PRICE **\$79.95**
SPECIAL!

DESCRIPTION

PAGE ALERT SYSTEM's new PAGE ALERT 4000 is an individually coded 4 WATT radio frequency Transmitter and Pocket Pager Receiver. It is designed to "personally alert" you when your vehicle is being stolen or vandalized. The PAGE ALERT 4000 will call you, within a transmission range of more than 8 miles (12672 m), depending upon terrain, antenna and atmospheric conditions.

Its new digital system allows you to set your own code, which can be changed in seconds. The Page Alert units are passively operated. This enables the vehicle to always be protected whenever the occupants leave, no forgetting to turn the alarm on. Also, the instructions are written in both English and Spanish. Passive operation may enable you to get a reduction in your insurance.

Optional Accessories

HORN DRIVER Model VP-9704 . . . \$24.95 European Siren Model VP-9005 . . . \$24.95

Attach the Horn Driver to the Page Alert and convert your silent alarm into a roaring burglar alarm. The Horn Driver sets off the car horn when your vehicle's door handle is opened. You can also attach a high-low European electronic siren with the Horn Driver which will surprise any would be burglar.

AUTO PAGE INC.® AUTO PAGE REMOTE ASSIST

For Vehicle Location
and Personal Security
MODEL RA-01

OUR PRICE **\$119.95**

Auto Page Remote Assist solves the problem of locating a parked vehicle at shopping malls, airports, public sites and large parking facilities.

Simply depressing the yellow LOCATE button within a 300 foot radius (under most circumstances) activates the system siren; a vehicle's parking light can also be optionally connected for both audible and visual location assistance. The system is activated only as long as the LOCATE button is held down, facilitating unobtrusive and controlled use. The RA-01 can also deter potential intruders or alert passersby of an emergency in progress. Activating the red Panic button on either the miniature remote transmitter or the vehicle-mounted receiver unit triggers the system for approximately one minute. It's compact, attractive and easy to install—simply plug it into the vehicle cigarette lighter with the provided adaptor. (It may be hardwired to a convenient point in the auto's electrical system).

SPECIFICATIONS

TRANSMITTER: Frequency: One frequency in the UHF radio band. Output Power: Per FCC Part 15. **Modulation Type:** Frequency Modulation (FM). **Size:** 1.5"W x 2.6"L x 0.7"D. **RECEIVER:** Power Supply: 13.6 VDC, negative ground. **Relay Contact:** Signal pole, normally open. **Locate Relay Closure Time:** Duration of transmitted 'Locate' signal. **Sensitivity:** Less than 0 db per microvolt. **Relay Contact Rating (men):** 10 Amps at 30 VDC/120 VAC. **Panic Relay Closure Time:** Pulsating, approx. one minute. **Size:** 3.5"W x 4.7"L x 1.4"D. **Comes complete with:** 1 Transmitter, 1 Mini-siren, 1 Receiver Antenna, 1 Receiver, wiring harness and installation hardware.

BP CB LOCK MOUNT BRACKET

MODEL CB-500 OUR PRICE **\$4.95**

DESCRIPTION

For CB stereo, radios, etc. Display package.

BP AUTO FM BOOSTER MODEL FM-375

OUR PRICE **\$14.95**

Get those extra miles from your FM stations. Dramatically improves reception of your FM auto radio in fringe areas.

BP SUPER TORCH MODEL CH-122

OUR PRICE **\$14.95**

DESCRIPTION

The CH-122 is a 6-in-1 portable safety lamp with nylon strap. Use it in emergencies, car repair, camping, fishing, etc. Six Settings: Searchlight, Fluorescent lamp, Yellow flashing, Red warning, combination yellow and fluorescent, and combination of yellow and red warning lamp. Can be powered by using car adaptor provided or by 6 "D" cell batteries (not included).

BP UNIVERSAL DC ADAPTOR MODEL CB-200C

OUR PRICE **\$4.95 each**

10 FOR **\$40.00**

DESCRIPTION

3 way switch gives instant selection of 12 volt to 6V., 7.5V., 9V. DC at 300 MA output. Use your own car or boat battery to power your portable tape player. CB set, portable radio, etc. Plugs in cigarette lighter receptacle. Comes with 4 way universal plug and battery enap. Contains slide switch and polarity reverse. Peg packaged.

MODEL CB-280 800 mA. OUR PRICE **\$6.95 each** 5 FOR **\$30.00**

AUDIOVOX SOUND EXPLODER 40 WATT STEREO POWER AMPLIFIER

MODEL AMP-500

OUR PRICE **\$19.95**

FEATURES

- Increases stereo system output to 40 watts.
- Slim-line design.
- Installs under dash.
- Push-button on-off switch with indicator light.
- Compatible with grounded output systems.
- 20-30,000 Hz response.

BP 7 BAND GRAPHIC EQUALIZER MODEL GE-7000

OUR PRICE **\$32.00**

FEATURES

- 60 Watts.
- 7 Bands.
- Deluxe model.
- Fader.
- Stereo.

AUDIOVOX MICRO-FM CONVERTER MODEL FMC-1C

OUR PRICE **\$16.95**

The most popular FM converter on the market today! Converts an AM car radio to an FM radio. The FMC-1C is so small it can be mounted under the dash, out of sight to avoid theft.

AUDIOVOX "LE CLOCK" QUARTZ AUTO DIGITAL CLOCK MODEL LED-80

OUR PRICE **\$12.95**

FEATURES

- Quartz regulated accuracy to one minute a year.
- Brilliant LED display panel.
- Convenient time-set pushbuttons.
- Beautifully gift packaged in woodgrain display carton.
- Includes in-dash mounting bezel.
- Micro-sized for in, on or underdash mounting.

STEREOSHUTTLE STEREO BOXES

With Battery Back-up For Clocks

MODEL 23.13L/B 2-Shaft,
190mm Long Housing with Memory

OUR PRICE **\$24.95**

MODEL 23.15L/B Shaftless Radios,
190mm Long Housing with Memory

OUR PRICE **\$24.95**

Stereoshuttle is a system that allows the car stereo to be quickly and easily removed from the auto by the owner whenever he wishes. It comes with docking base which is fixed and wired into the auto. Once the stereo is mounted and wired into the plastic housing module it can be removed and replaced freely when need be. This allows use of the stereo in two autos, or auto-house, or auto-boat, and anywhere else you may want to take your stereo.

OPTIONAL ACCESSORIES: Model 20.110 Shuttleman 9V rechargeable Ni-Cad battery -Special Heavy Duty- for over 25% more power...\$9.95
Model 51.110 AC/DC adaptor with Fly-A-Way lead provides a recharge power for battery and hold memory from a 110V/AC outlet...\$8.95

AUTO SPEAKERS & ACCESSORIES/POWER INVERTERS

AUDIOVOX

2-WAY SPEAKERS

MODEL CX-120 6" x 9" Speakers

OUR PRICE **\$39.95** per pair

FEATURES

- Deluxe Coaxial 8" x 9" Polypropylene Cone System.
- Standard 8" x 9" size fits factory opening in many rear decks.
- Vacuum-formed polypropylene woofer cone is resistant to environmental hazards yet reproduces sound with incredible accuracy.
- Powerful 20 oz. ceramic magnets.
- Foam-roll air-suspension edge.
- Post-mounted 3" wide-dispersion tweeter.
- Deluxe metal-mesh grilles.
- 100 watt maximum power capacity per speaker. • 70-18,000 Hz response. • 4-8 ohm.

DELUXE COAXIAL 8" POLYPROPYLENE CONE SYSTEM

MODEL CX-20

OUR PRICE **\$32.00** per pair

FEATURES

- Popular 8" size for in-door or in-deck mounting.
- 5-1/4" polypropylene woofer cone for highest sound quality and resistance to environmental effects.
- 20 oz. ceramic magnets. • Foam-roll air-suspension edge. • 2" cone tweeter.
- Deluxe molded grilles. • 100 watt maximum power capacity per speaker.
- 90-18,000 Hz response. • 4-8 ohm compatible.

AUDIOVOX 3-WAY SPEAKERS

100 WATT HI-PERFORMANCE 3-WAY 6" x 9"

MODEL TRY-100

OUR PRICE **\$69.00** per pair

FEATURES

- Powerful 27 oz. berium-ferrite magnets.
- Foam-roll woofer suspension.
- High temperature 1-1/2" aluminum voice coil.
- 2-1/2" cone mid-range and 2" solid-state Piezo tweeter on bridgeless design support.
- For in-deck use in factory 6" x 9" opening.
- Self-attuned metal-mesh grilles.
- 40-20,000 Hz response.
- 4-8 ohm compatible.

DELUXE 3-WAY 6" ROUND SPEAKER SYSTEM

MODEL TRY-25

OUR PRICE **\$39.00** per pair

FEATURES

- Bridgeless post-mount construction.
- 6" size for in-door or in-deck use.
- 5-1/4" woofer cone with foam-roll suspension and 20 oz. magnet.
- 1-1/2" mid-range driver with cross-over.
- 3/8" mylar dome tweeter in 1" horn.
- Snap-on grilles. • 40 watts max. power cap.
- 70-18,000 Hz response. • 4-8 ohm compatible.

DELUXE 3-WAY 6" x 9" SPEAKER SYSTEM

MODEL TRY-20

OUR PRICE **\$39.00** per pair

FEATURES

- Bridgeless post-mount construction.
- 8" x 9" size fits factory opening in rear deck.
- Foam-roll air-suspension woofer with powerful 20 oz. magnet.
- 3" mid-range driver with cross-over.
- 2" cone tweeter.
- Self-attuned metal-mesh grilles.
- 40 watts max. power capacity.
- 80-18,000 Hz response. • 4-8 ohm compatible.

ROYCE UNION HANDHELD QUARTZ HALOGEN SPOTLIGHT

MODEL A-94015

OUR PRICE **\$12.95** 2 FOR **\$25.00**

FEATURES

- Incredibly powerful! Much more intense than your car high beams to 100,000 candle power.
- Ideal for auto, marine, recreational, emergency aid, other off-the-road use.
- Plugs into any 12-volt cigarette lighter receptacle.
- Brilliant beam pierces rain, fog, and snow.
- Built-in metal hook provided for hanging. • Slim line design for easy storage.
- Includes 12 foot heavy duty coiled power cord.

TRIPP LITE POWER INVERTERS

Solid State Square Wave 12 VDC to 117 VAC

Quality solid state, efficient units deliver 117 VAC output from a 12 VDC input supply. Ideal for use in car, trailer, boat, truck, camper, for lighting, radios, phonos, TV, business machines, tools, shavers, tape recorders, etc. Selection of the model to serve your needs dependent upon appliances you wish to use. Inverters are not recommended for use with refrigerators, air conditioners, fry pans, toasters, coffee pots, irons, heater, heavy current devices and other reactive loads. Inverters are available in two series. STANDARD series for operating appliances and tools in which frequency drift is not critical. FREQUENCY CONTROLLED series for AC output voltage at 60 Hz $\pm$ 1 Hz.

STANDARD SERIES TRAVELER'S POWER INVERTER

MODEL PV-200

OUR PRICE **\$89.95**

200 watts continuous power or 220 watts intermittent. Equipped with single outlet receptacle. Fuse protected. Size: 3-1/2" x 6-1/2" x 5-1/2". Shpg. Wt: 7 lbs.

POWER INVERTER

MODEL PV-400

OUR PRICE **\$139.95**

400 watts continuous power or 450 watts intermittent. Equipped with on/off switch, single outlet receptacle and fuse protection. Size: 3-1/2" x 6-1/2" x 9". Shpg. Wt: 14 lbs.

POWERVERTER

MODEL PV-550

OUR PRICE **\$199.95**

550 watts continuous power or 600 watts intermittent. Provided with polarity protection on input circuit and pilot light to indicate overloads. Has on/off switch and two grounded type outlet receptacles. Size: 5" x 9-1/2" x 9". Shpg. Wt: 19 lbs.



FREQUENCY CONTROLLED SERIES

MODEL PV-250FC

OUR PRICE **\$199.95**

250 watts continuous power or 275 watts intermittent. Operates frequency sensitive devices. Single AC receptacle, fuse protected, on/off switch. Size: 3-1/2" x 6-1/2" x 9". Shpg. Wt: 18 lbs.

MODEL PV-500FC

OUR PRICE **\$299.95**

500 watts continuous power or 550 watts intermittent. Features — polarity protection on input circuit, pilot light "overload", fuse protection, 2 grounded type receptacles for AC output, on/off switch. Jack on front panel facilitates remote on/off operation. Size: 5" x 9-1/2" x 9". Shpg. Wt: 19 lbs.

MODEL PV-1000FC

OUR PRICE **\$449.95**

1000 watts continuous power or 1100 watts intermittent. Polarity protection provided on input circuit. Pilot light indicates overload. Has 2 grounded type AC outlet receptacles, circuit breaker protection, on/off switch. Jack on front panel facilitates remote on/off operation. Size: 5" x 9-1/2" x 17". Shpg. Wt: 45 lbs.

SNAP IT POSI CHARGE


Charge Your Battery Without Lifting Hood

MODEL POS-1

OUR PRICE **\$19.95**

DESCRIPTION

You don't even have to lift your car hood. Just plug one end into your car's lighter and run the cable across and into the running car's lighter. Wait a few minutes, then start right up!



AUDIOVOX ANTENNA BOOSTER

MODEL AB-50 OUR PRICE **\$14.95**

DESCRIPTIONS

FM antenna booster is expressly designed for cars with windshield antennas, or for problem reception areas. It improves reception range. FM stereo broadcasts are sharper and lock in solidly. Easily installs in or below dash. Illuminated on-off switch.



SYLVANIA DRIVING LIGHT KIT SEE FARTHER-DRIVE SAFER

MODEL DLK-2 OUR PRICE **\$49.95** per pair

Light up the night with Sylvania Quartz Halogen Driving Lights. Increase night driving vision and safety. They add invaluable reaction time between you and anything else barreling down the road. A few extra seconds on the road can be a lifetime. Double your light output of your halogen headlights.

Kit contains: 2 lights, 2 covers, 30 amp relay, illuminated switch, 20 ft. of wire and all necessary hardware. Easy installation. Above or below bumper mounting. Complete instructions included.

CLEAR FOG LIGHT KIT

MODEL CFK-2

OUR PRICE **\$49.95** per pair

Cuts Thru Fog, Rain, Snow and Haze. Kit has the same features as the DLK-2.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

CB ANTENNAS/AUTO ACCESSORIES

BP TRUNK LIP MOUNT MOBILE ANTENNA MODEL CB-206

OUR PRICE **\$14.95**

DESCRIPTION

For 27 MHz CB transceivers. Base-loaded, fully weather-proof, easy to install 'top of the line' antenna. Overall length: 43-1/2". Rod adjusts for lowest SWR heavy duty stainless steel whip end shock spring. Includes 18 ft. coax cable and PL-259 connector.

RAIN GUTTER MOUNT MOBILE ANTENNA MODEL CB-152

OUR PRICE **\$14.95**

DESCRIPTION

For 27 MHz CB transceivers. Get easy installation with this 26" antenna. Gutter mount manufactured from heavy gauge, corrosion free chrome-plated metal. Clamps securely to many rain gutters for no-hole installation. Includes adjustable 180° swivel ball for vertical position of the antenna. Ready for easy installation with 10 ft. top quality RG-58/U coax cable and PL-259 connector.

MAGNETIC MOUNT MOBILE ANTENNA

MODEL CB-108 OUR PRICE **\$14.95**

DESCRIPTION

For 27 MHz CB transceivers. Powerful magnet grips firmly to flat metal surface. Special coating on magnet base keeps scratching or marring of painted surface. Center coil-loaded end completely weather-proof, tunes to lowest SWR stainless steel whip chrome-plated support rod. Overall length 26". Includes 10 ft. RG-58/U coax cable and PL-259 connector.

HARADA UNIVERSAL AM/FM POWER ANTENNAS

MODEL XMQ-1 OUR PRICE **\$24.95**

Semi-automatic power antenna with flush mount, 5-section, 31" ext, 55" cable

MODEL XMX-1 OUR PRICE **\$36.95**

Semi-automatic front fender mount, chrome plated, 5-section, 31" mast, 55" cable

MODEL XMX-2 OUR PRICE **\$39.95**

Fully automatic front fender mount, chrome plated antenna, 4-section, 21" mast, detachable 55" cable.

EXTENSION CABLE
MODEL MCR-200 OUR PRICE **\$19.95**

For rear mount add extension cable.

UNIVERSAL AM/FM/CB POWER ANTENNAS

MODEL XMT-1 OUR PRICE **\$49.95**

Semi-automatic front fender mount, replaceable mast, flush mounting head, 5-section mast extends 42".

MODEL XMT-2 OUR PRICE **\$59.95**

Fully automatic front fender mount, replaceable mast, flush mounting head, 5-section mast extends 42".

EXTENSION CABLE
MODEL MCB-40 OUR PRICE **\$19.95**

For rear mount add extension cable.

COBRA LTD MOBILE ANTENNAS

Trunk/roof mount
MODEL AT-40C

OUR PRICE **\$19.90**

MAGNETIC MOUNT
MODEL AT-50



OUR PRICE **\$19.90**

BP RUBBER MAGNETIC ANTENNA MODEL CB-207

OUR PRICE **\$16.95**

DESCRIPTION

Magnetic mount. CB mobile rubber antenna for 27 MHz overall length: 8" cable: 12 ft. RG-58U-52 ohm with PL-259



HARADA AUTOMOBILE AM/FM/TV ANTENNA MODEL ACC-08

OUR PRICE **\$32.50**

FEATURES

- Detachable mount, four section stainless steel mast.
- Extends 42". • No wind noise.
- Cable—72", with VHF/UHF splitters.
- Available in skin package.



LONGHORN MOBILE TELEVISION ANTENNA FOR VIDEO

FEATURES

- Super Wing Design. • Only 6-1/4" tall.
- Ideal for autos, trucks, vans, boats, RV's, and limos.
- 3 mounts to choose from: trunk, permanent, magnetic.
- Range Extending Lineer loaded for maximum range.
- Minimizes picture roll and flutter.
- Low loss coaxial cable.
- 100 Mile Range (50 mile radius). • Used for TV, AM/FM radio.



AMPLIFIED MODELS (PB): Power boosted models have built-in amplifier. +12 dB gain, 50-800 MHz covers VHF-UHF TV and FM radio.

MODEL

720-PB Permanent mount with amplifier \$79.00
721-PB Trunk mount with amplifier \$89.00
722-PB Magnet mount with amplifier \$89.00

UNAMPLIFIED MODELS

MODEL

720-L "LONGHORN" permanent mount 9' cable end connector \$47.50
721 "LONGHORN" trunk mount 15' cable end connector \$47.50
722 "LONGHORN" magnet mount 15' cable end connector \$52.50
*Not for aluminum or fiberglass vehicles

AVANTI MOON FANTOM

MODEL AV-240 OUR PRICE **\$44.00**

DESCRIPTION

A deluxe, super range, glass mounted mobile antenna. Easy to install. Outstanding performance.

FEATURES

- 1/2-wave CB antenna design.
- Requires no ground plane, works on metal or fiberglass vehicles.
- Convenient on-glass design lets you mount AV-240 on any vehicle with a windshield, rear or side windows—even through fiberglass. Works great on vans, motor-cycles, even apartment windows.
- Easy to install. Mounts in minutes. No tools needed.



AVANTI ON-GLASS AM/FM AUTO ANTENNA

MODEL AFM-1 OUR PRICE **\$35.00**

DESCRIPTION

A revolutionary new technical advancement in the autosound communications field. Featuring Avanti's exclusive "on-glass" design, the AFM-1 offers superior gain performance, significant reduction of picket fence fading and improved AM performance. The AFM-1 can be mounted on any vehicle with a windshield, rear or side windows—even through fiberglass. There are no damaging holes to drill, and no water leaks to worry about. Comes equipped with a 48" solid stainless steel whip.

MODEL AFM-2 OUR PRICE **\$35.00**

DESCRIPTION

Includes all of the outstanding performance benefits of the Avanti AFM-1, except it is equipped with a high quality, automotive telescoping whip that is adjustable from 18" to 48".



MIDLAND TRUNK MOUNT MOBILE CB ANTENNA

MODEL 18-2901 black OUR PRICE **\$17.95**

DESCRIPTION


Distinctive style. Base loaded with adjustable stainless steel whip. Clamps on. Includes cable end connector.

MAGNET MOUNT MOBILE CB ANTENNA

MODEL 18-2981 black OUR PRICE **\$18.95**


DESCRIPTION

Distinctive style. Base loaded with stainless steel whip. Pre-wired, factory tuned. Includes cable, connector.



BP EXTENSION LEADS

Model	Size	Our Price
AE-12	12"	\$1.50
AE-24	24"	1.75
AE-48	48"	2.00
AE-144	144"	2.50



BP SCANNER CABLE MODEL AA-24 24"

OUR PRICE **\$1.75** each 10 FOR **\$15.00**

- Motorola type plug (both ends).



CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

CB ACCESSORIES

BP 4 AMP REGULATED DC POWER SUPPLY

MODEL SU-4A OUR PRICE **\$26.50**

SPECIFICATIONS

Binding Post Terminals.

- Short-Circuit Protection.
- Input: 115V AC 60 Hz.
- Output: 13.8V DC - 3 AMP constant - 5 AMP surge.
- Size: 7-3/4"D x 4-1/4"W x 2-1/2"H.




BP 20 AMP PRECISION REGULATED DC POWER SUPPLY

MODEL SU-20A OUR PRICE **\$96.00**

SPECIFICATIONS

- Output: 13.8V DC - 20 AMP fully regulated low ripple.
- Input: 117V AC 60 Hz - Fuse Protected.
- Size: 11-1/2"D x 4-3/4"H x 7-3/4"W.
- Electronic overload protection with instant automatic reset.




BP INDOOR/OUTDOOR WEATHER RESISTANT 5" HORN

MODEL BP 5000 OUR PRICE **\$9.00 each** 10 FOR **\$80.00**

FEATURES

- 12 watts peak power.
- 10 ft. cord.
- 3.5mm plug.
- Used for C.B. and stereo systems.




BP AUTO HOT LINE FILTER

MODEL AS-181

OUR PRICE **\$2.75 each**
10 FOR **\$25.00**

FEATURES

- For CB radios and tape players.
- Eliminates or reduces ignition noise thru 'hot' wire or positive lead to battery.
- Complete with capacitor.
- For transistorized units only.



BP AUTO ANTENNA 'Y' CONNECTOR

MODEL AS-150

OUR PRICE **\$2.95 each** 10 FOR **\$25.00**
DESCRIPTION
2 Motorola type lugs to 1 Motorola type jack. Flexible 'Y' connector.



BP CIGARETTE PLUG

MODEL CB-252

OUR PRICE **99¢ each**
10 FOR **\$9.00** With wire lead.



UNIVERSAL POWER CABLE

MODEL PC-100

OUR PRICE **99¢ each**
10 FOR **\$9.00**

DESCRIPTION

Universal power cable with interchangeable pin locations to fit any stereo tape player.



BP QUICK DISCONNECT AUTO POWER CABLE

MODEL PC-7

OUR PRICE **\$1.75 each**
10 FOR **\$15.00**

May be spliced into any of the 4-pin cables below to allow quick removal of tape player.



POLARIZED CONNECTORS

MODEL PC-8

OUR PRICE **\$1.50 each** 10 FOR **\$12.50** any assortment
DESCRIPTION
Fully insulated, available with 2 contacts. Supplied with 18" color coded wire loop.



POLARIZED CONNECTORS

MODEL PC-9

OUR PRICE **\$1.50 each** 10 FOR **\$12.50** any assortment
DESCRIPTION
Fully insulated, available with 4 contacts. Supplied with 18" color coded wire loop.




BP POWER CABLES

MODELS PC-1 thru PC-6

OUR PRICE **\$1.25 each**
10 FOR **\$10.00** any assortment

DESCRIPTION


Six different power cable assemblies fit practically all auto stereo tape players. Each is equipped with a fuse holder.



BP SWR/ANT. FIELD STRENGTH INDICATOR/ RF POWER METER

MODEL CB-195 OUR PRICE **\$19.95**

SWR: 1:1 to 1:3. RF Power: 0.5-10W and 0.5-100W
Switchable. Accuracy: $\pm 5\%$. Power: $\pm 10\%$. Impedance: 52 ohm. Meter Sensitivity: 300uA. Frequency Range: 1.7 to 150MHz. Antenna: 1 section stainless steel bar.



BP OMNI-DIRECTIONAL POWER DYNAMIC MICROPHONE

WITHOUT PLUG

ROTARY POWER CONTROL
PUSH-TO-TALK SWITCH

MODEL CB-433 OUR PRICE **\$12.95**

SPECIFICATIONS

Frequency: 300-6,000 Hz. Impedance: 1,000 ohm to 10 kohm. Sensitivity: -45 dB.



COBRA 4 PIN MOBILE POWER MIC

MODEL CA-50

OUR PRICE **\$17.95**

5 PIN MOBILE POWER MIC

MODEL CA-51 OUR PRICE **\$17.95**



COBRA BASE POWER MIC

MODEL CA-61

OUR PRICE **\$42.00**

BP REPLACEMENT MIKE CABLE

MODEL MC-80 OUR PRICE **\$2.50**

DESCRIPTION

Five conductors and one shield. 10 foot long coiled cord when extended. Both ends are stripped and tinned for easy replacement. *Display package.



BP COAXIAL CABLE

MODEL RG8U 500 ft. roll. Loss foam

OUR PRICE **\$99.95**

MODEL RG58U 500 ft. rolls. Low loss foam

OUR PRICE **\$40.00**



BP COAX JUMPER CABLES

MODEL CB-535

OUR PRICE **\$1.95 each** 10 FOR **\$17.50**

1-1/2 ft. coax jumper cable. RG-58U coaxial cable with low-loss, preassembles antenna connectors on each end.

36" COAX JUMPER CABLES

With Connectors

MODEL CB-536 OUR PRICE **\$2.25 each** 10 FOR **\$20.00**



BP MAGNETIC MIKE HOLDER


MODEL MH-450

OUR PRICE **69¢ each** 10 FOR **\$6.00**

Display package.

SELF ADHESIVE MIKE HOLDER

MODEL MH-440 OUR PRICE **49¢ each**



BP LIGHTING ARRESTOR

MODEL CB-566

OUR PRICE **\$3.50**

* Net weight: 65 gr. * Display package.



BP 2 PIN FEMALE POWER CORD With Fuse

MODEL CB-2

OUR PRICE **\$1.25 each** 10 FOR **\$10.00**



BP 3 PIN FEMALE POWER CORD With Fuse

MODEL CB-3

OUR PRICE **\$1.25 each** 10 FOR **\$10.00**



BP DUAL INPUT AUTO ACCESSORY ADAPTOR

MODEL CB-497

OUR PRICE **\$4.95**

DESCRIPTION

Three conductors and one shield. 6 foot long when extended. Both ends are stripped and tinned for easy replacement.



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

SIGNAL INJECTOR MODEL 1002

OUR PRICE \$7.95

DESCRIPTION

The 1002 Signal Injector is an important and fundamental piece of test equipment. Thus, it belongs on any serious technician's test bench. The circuit is basically an astable multivibrator or free-running oscillator, and as such it is one of the more popular types of oscillators in use today. The signal injector puts out a 1,500 Hz signal that can be used as an aid in the troubleshooting of audio equipment such as radios, stereos, and tape players.

WHAT YOU WILL LEARN:

- R/C timing circuits. • Transistor switching circuits.
- Astable multivibrators.

LOGIC PROBE MODEL 1005

OUR PRICE \$14.95

DESCRIPTION

The PPG Logic Probe is a compact and reliable piece of test equipment to be used with all digital logic families. It gives a clear indication of HIGH OR LOW condition, indicates when a pulse is present at the point of test, and obtains power from the circuit under test. Furthermore, it is portable, easy to use, and inexpensive. It's a must for any serious electronics hobbyist or technician. Operating range: D/C to 100 Hz.

WHAT YOU WILL LEARN:

- 555 timer. • TTL and CMOS ICs.
- Logic gates. • LED indicators.

SIREN OSCILLATOR MODEL 1012

OUR PRICE \$14.90

DESCRIPTION

The 1012 Siren/Code Oscillator is really two projects in one. With switch S3 open, the device functions as an excellent code practice oscillator. Pressing S2 produces a tone of unvarying pitch. S2, in turn, could be replaced with a regular code key for serious practice. The project is also a siren. With S3 closed, pressing S2 results in a steadily rising tone from the 8-ohm speaker. When S2 is released, the tone descends in pitch. Thus you control the overall rising and falling pitch of the siren with the closing and opening of S2.

WHAT YOU WILL LEARN:

- Voltage dividers. • R/C timing circuits.
- VCDs (voltage controlled oscillators). • Amplifiers.

ROBOT BLINKER MODEL 1014

OUR PRICE \$9.90

DESCRIPTION

The LED Robot Blinker alternately flashes a pair of LEDs at a rate of about two "blinks" per second. Even though the project is a toy, there is a great deal of electronic knowledge to be gained by understanding how it works. The circuit is basically an astable multivibrator or free-running oscillator, and as such it is one of the more popular types of oscillators in use today. You'll have fun building, displaying, and learning about the LED Robot Blinker.

WHAT YOU WILL LEARN:

- Free-running oscillators. • R/C timing circuits.
- Switching transistors. • LEDs.

12-VOLT COLOR ORGAN MODEL 1042-PPG

OUR PRICE \$22.50

DESCRIPTION

The 12-Volt Color Organ is ideal for use with 12-volt battery systems; the kind found in automobiles and vans. The display is dramatic and exciting. Each channel responds to a particular range of audio frequencies, designated low, mild, and high. The light for each channel can be painted different colors with the type of paint used for stained glass windows. It is readily available commercially.

WHAT YOU WILL LEARN:

- Audio transformers. • Filter Networks.
- Switching transistors. • Voltage dividers.

FULL-WAVE MOTOR SPEED CONTROL MODEL 1062

OUR PRICE \$12.95

DESCRIPTION

The Full-Wave Motor Speed Control can be used to vary the speed of a hand drill or other small "brush" type motor. It also makes an excellent lamp dimmer. Since it uses a full-wave circuit, the power variation will be from 0% to 98%, that is the motor or light may be regulated from a completely off condition, to 98% of its maximum speed or brightness. The load limit is 200 watts.

WHAT YOU WILL LEARN:

- SCRs (silicon controlled rectifiers). • Rectification.
- Neon bulbs. • R/C timing circuits. • Power curves.

DIGITAL DICE MODEL 1068

OUR PRICE \$19.95

DESCRIPTION

The Digital Dice is a fun game to play at home or in your car on a long trip. When the player pushes S1 the LEDs display one of the six combinations of the dice. To make an interesting display increase C1 to 100mfd. and short switch S1. It will attract attention and force a good conversation piece. Also, this project looks good if you put a piece of red plastic over the LEDs. The Digital Dice can be operated by four 1-1/2 volt batteries or by the EKI model 830 (1030) power supply.

WHAT YOU WILL LEARN:

- Logic gates. • Binary numbers. • Clock circuitry.
- Presentable binary counters. • Decoder circuitry.

DIGITAL BIRD MODEL 1078-PPG

OUR PRICE \$17.90

DESCRIPTION

There are all kinds of birds in this world, singing all kinds of songs. But neither you nor they have probably heard anything quite like this. The 1078 Digital Bird produces sounds from a "tweeting" canary to a silly chicken, all with the turn of a few pots. It's fun unusual and entertaining. Moreover, the 1078 is a good introduction to sound synthesis; and a knowledge of that could lead you in many exciting directions.

WHAT YOU WILL LEARN:

- Oscillators. • Logic circuits.
- Transistor amplifiers. • Voltage dividers.

ONE CHANNEL COLOR ORGAN MODEL 1022

OUR PRICE \$12.95

DESCRIPTION

The One Channel Color Organ gives a dramatic effect by flashing a light, or string of lights, to the sound of music. Any FM radio, stereo, phonograph or tape player can be used as a signal source; one just connects the output (speaker leads) directly to the color organ. Up to 150 watts of light, usually in the form of a string of Christmas bulbs, may be employed. That means over 20 bulbs may be placed in a simple enclosure for a truly exciting display.

WHAT YOU WILL LEARN:

- SCRs (silicon controlled rectifiers). • Audio transformers.
- Voltage dividers. • Neon bulbs.

5-24 VOLT REGULATED POWER SUPPLY MODEL 1060

OUR PRICE \$29.95

DESCRIPTION

The 5-24 Volt Regulated Power Supply is just what you need to meet the wide range of power requirements necessary for experimenting, project building, and electronics repair. It provides a fully-regulated voltage at up to 1 ampere over the complete range, 5-24 volts. The 1060 is also "short-out" proof and thermal protected. It is an ideal variable power supply that no electronic hobbyist or repair person should be without.

WHAT YOU WILL LEARN:

- Power transformers. • Rectification.
- Voltage regulation. • Voltage dividers. • Filtering.

0-15 VOLT POWER SUPPLY MODEL 1030

OUR PRICE \$24.95

DESCRIPTION

The 1030 is one of the most useful, low cost, transistor regulated power supplies an experimenter can build. It will supply voltages with the necessary current to run transistor radios, portable tape recorders, electronic games, and a host of PPG projects. The 1030 is a very reliable variable power supply that will give you many years of good service. (300 ma max. output)

WHAT YOU WILL LEARN:

- Rectification. • Transformer action.
- Filtering. • Voltage regulation.

9-VOLT POWER SUPPLY MODEL 1028

OUR PRICE \$16.95

DESCRIPTION

This handy little power supply is designed to supply 9-volts DC to a host of projects from portable radios to burglar alarms and LED electronic games. Output current is limited to approximately 25mA. The 1028 can also be used to charge 9-volt batteries.

WHAT YOU WILL LEARN:

- Rectification. • Filtering. • Capacitance.

SPACE WAR GUN MODEL 1003

OUR PRICE \$14.95

DESCRIPTION

The Space War Gun gives you those realistic sight and sound effects you expect from such a "weapon" at a super low cost. The "gun" can be placed in a rapid-fire or stun (one-shot) mode. In either position two LEDs give a visual indication of impulse frequency while a 8-ohm speaker transmits the audio tone. In both modes a potentiometer allows for quick and easy adjustment of output pitch, or firing rate. In the rapid-fire mode switch S2 remains closed while the pressing of S1 generates the "rapid fire". In the "stun" condition, S2 is left open and the pressing of S1 produces the output tone.

WHAT YOU WILL LEARN:

- Clock circuitry. • 555 and 556 timer circuits.
- R/C timing circuits. • VCOs (voltage controlled oscillators).

NERVE TESTER MODEL 1070

OUR PRICE \$12.95

DESCRIPTION

The Nerve Tester is actually two projects in one, both designed to test your ability to remain calm or your "steady-hand" state. One circuit will indicate failure by turning on an LED, the other by giving forth a mild shock. Switch S2 allows you to choose either circuit.

To use, switch S2 to the "A" position. Next, while holding the double-switch circuit board in your hand, try to insert the probe into holes in the metal plate without touching the plate itself. If you touch the metal plate with the probe, the LED will come on and stay on until reset by S1. To use as a shocker or nerve tester, switch S2 to the "B" position and hold the circuit board such that at least one finger is firmly against each copper surface.

This time, instead of the LED going on, the user will receive a shock. The magnitude of the shock may be adjusted by turning R3 up or down.

DIGITAL ROULETTE MODEL 1058-PPG

OUR PRICE \$34.95

DESCRIPTION

The Digital Roulette will be a sure winner with you, your friends and your relatives. Thirty-two LEDs are arranged in a five-inch circle. When switch S2 is pressed, the LEDs light in sequence—one after another. When S2 is released, the LEDs continue to "rotate" until, a few seconds later, one "stops". The LED in the center comes on every other revolution, adding a bit of excitement to the game. Great for in the home, school, or car. Runs on four 1-1/2 volt "0" cells, or model 830 (1030) power supply.

WHAT YOU WILL LEARN:

- Clock circuitry. • Binary numbers.
- Logic gates. • Flip-flops. • Data distributions.

6-DIGIT DIGITAL CLOCK MODEL 1076

OUR PRICE \$39.95

DESCRIPTION

Digital clocks have come along way in the past few years. The first ones had dozens of transistors, two or three ICs and were very expensive. Today, things are a bit different. The PPG Six Digit Digital Clock uses the popular and readily available 5314 chip. Within this large-scale IC is the equivalent of over 450 transistors. It is a true wonder of modern solid-state technology.

The 1076 has many special features such as: 50Hz or 60Hz timebase operation, 12 or 24 hour mode, slow/fast/hold buttons for easy setting, seconds display, color LEDs to separate hours and minutes, and finally bright seven-segment LED displays. This is a clock you will be proud to build and own.

WHAT YOU WILL LEARN:

- Switching transistors • Power transformers • Rectification
- 7-segment displays. • LSI (large scale integration) ICs

BIG SOUND PORTABLE ORGAN MODEL 1061

OUR PRICE \$24.95

DESCRIPTION

The 1061, far more than a sound generator, is truly a music maker. With four octaves and 29 precisely determined notes the 1061 belongs anywhere music is needed; from your parlor or "sitting room" to sporting events and student rallies. And it's accurate loud, and loads of fun. It is definitely a project you will be proud to build and own.

Operation of the 1061 is straight forward; just attach a 0C power source ranging from 6 to 12 volts. It should be a well-filtered supply and that is why batteries are recommended. If you wish a really loud sound remove R1 from the circuit and install a 5 to 15 watt speaker horn in place of Spk. 1. Now everyone will hear what you want to play.

BURGLAR ALARM MODEL 1006

OUR PRICE \$9.90

DESCRIPTION

The 1006 Dual Burglar Alarm is designed to be used with normally open (S3) and normally closed (S2) switches. If, after the alarm is set, (closing S1) the normally closed switch is opened or the normally open switch is closed, the alarm device will sound. It will remain on even if switches S2 and S3 are reset. The only way to turn off the alarm is to open S1. S1 could be a key switch if you prefer. Many types of connections could be used for the N/O and N/C switches. Thumb latches, reed switches, magnetic switches, or security foil are just a few suggestions. And by placing N/C switches in series and N/O switches in parallel, an almost infinite number of areas can be protected. Comes complete with a large 9-volt buzzer.

WHAT YOU WILL LEARN:

- SCR (silicon controlled rectifier).
- Diode operation. • Alarm devices.

DIGITAL SLOT MACHINE MODEL 1066

OUR PRICE \$44.90

DESCRIPTION

The slot machine consists of three seven-segment LED readouts that are made to display a "C" for cherry, an "L" for lemon, an "O" for orange and an "A" for apple. When all three readouts come up with the same letter, four "win" LEDs flash at a 4Hz rate. Pressing the roll button causes all three readouts to cycle very rapidly. When the button is released the left most readout stops first, then the center one, and finally the readout on the right. This creates an added suspense. The odds of getting all readouts to display the same letter, and thus win the jackpot, are one in 64.

WHAT YOU WILL LEARN:

- Binary numbers. • Logic gates. • Flip-flops.
- Clock circuitry. • 7-segment display circuitry.

3 CHANNEL, 4 CONTROL COLOR ORGAN MODEL 1036

OUR PRICE \$19.95

DESCRIPTION

The 3-Channel Color Organ gives a dramatic effect by flashing three strings of light (each one a different color) to the sound of music. Each string responds to its own frequency range; one for the low or bass, another for the mid-range, and a third for the high or treble frequencies. Any FM radio, stereo, phonograph, or tape player can be used as a signal source; one just connects the output (speaker leads) directly to the color organ. Up to 150 watts of light per channel may be used. That is over 20 Christmas lights for each channel, or 60 bulbs in all. When enclosed behind a light diffusing piece of plastic, the display can be very impressive.

WHAT YOU WILL LEARN:

- SCRs (silicon controlled rectifiers). • Audio transformers.
- Voltage dividers. • Neon bulbs. • Filter networks.

AUTOMATIC SIREN (or code practice oscillator)

MODEL 1024

OUR PRICE \$14.95

DESCRIPTION

Here it is at last—an automatic siren that definitely sounds like the real thing. When switch S1 is closed the siren continuously cycles through the complete high-low oscillation pattern. There is no need to open a switch at the "critical" moment to cause the sound to decay. In addition there are no components to adjust or alter. Put the circuit together, connect a 9-volt battery, turn it on, and you're in business. The output is surprisingly loud and piercing. Use it with a burglar alarm, as an attention getter, or for just plain fun. In any event, the 1024 will give you hours of excitement and satisfaction. Can also be used as a code practice oscillator by removing one jumper wire.

VARIABLE STROBE LIGHT MODEL 1040

OUR PRICE \$19.95

DESCRIPTION

The 1040 is an excellent strobe light that produces a very high intensity, white light for short durations. The speed or flash rate can be varied from one to two per minute to twelve or more per second. It comes with a 5-watt flash-tube which can be used for many hours, even with continuous use. The project can also be converted into a manual strobe for use with camera equipment, etc. The 1040 has many safety and special effects applications. Use it for "stop motion effect" like old-time movies, etc. Great for parties and special effects photography.

WHAT YOU WILL LEARN:

- Voltage doubler circuits. • Trigger transformers.
- Neon bulbs. • SCRs (silicon controlled rectifiers).


NEW! TECHNICAL PUBLICATIONS

IC OP-AMP COOKBOOK, THIRD EDITION WALTER G. JUNG MODEL 22453

OUR PRICE **\$21.95**

Earlier editions of *IC Op-Amp Cookbook* have been considered a "classic" in the industry. Topics covered include:

- Op-Amp Basics.
- IC Op-Amps: The Evolution of General-Purpose and Specialized Types.
- General Operating Procedures and Precautions in Using IC Op-Amps Voltage Regulators, References, and Power Supplies Using Op-Amps.
- Signal-Processing Circuits. • Amplifier Techniques.
- Logarithmic and Multiplying Circuit Techniques.
- Comparators. • Signal-Generation Circuits.
- The Integrator and the Differentiator.
- 588 Pages, 5-1/2 x 8-1/2, Softbound.




HANDBOOK OF ELECTRONICS TABLES AND FORMULAS, SIXTH EDITION STAFF OF HOWARD W. SAMS MODEL 22469

OUR PRICE **\$19.95**

This useful reference contains all the formulas and laws, constants and standards, symbols and codes, service an installation data, design data, and mathematical tables and formulas necessary to keep pace the rapidly changing electronics industry. Added to this new edition are computer programs written for Commodore 64[®], with conversion information for Apple[®], Radio Shack, and IBM[®].

• 350 Pages, 7-1/2 x 9-3/4, Softbound.



TTL COOKBOOK DON LANCASTER MODEL 21035

OUR PRICE **\$14.95**

An early Lancaster effort that is still a tech classic. This is a complete look at TTL, including what it is, how it works, how it's interconnected, how it's powered, and how it's used in many practical applications. No technician's library is complete without it.

• 336 Pages, 5-1/2 x 8-1/2, Softbound



TRANSISTOR FUNDAMENTALS, VOLUME 2 BRITE AND PIKE, TRAINING & RETRAINING, INC. MODEL 20642

OUR PRICE **\$8.95**

This introductory text explains transistor principles, voltage, current resistance, inductance, capacitance, and circuitry. It provides all the information you'll need to develop a firm understanding of solid-state electronics and troubleshooting techniques.

• 208 Pages, 5-1/2 x 8-1/2, Softbound.



HOW TO READ SCHEMATICS, FOURTH EDITION DONALD E. HERRINGTON MODEL 22457

OUR PRICE **\$14.95**

This update of a standard reference features expanded coverage of logic diagrams and a chapter on flowcharts. Beginning with a general discussion of electronic diagrams, the book systematically covers the various components that comprise a circuit. It explains logic symbols and their use in digital circuits, interprets sample schematics, analyzes the operation of a radio receiver, and explains the various kinds of logic gates.

• 272 Pages, 5-1/2 x 8-1/2, Softbound




VIDEO CAMERA: THEORY AND SERVICING GERALD P. MCGINTY MODEL 22382

OUR PRICE **\$14.95**

This entry-level technical primer provides a clear, well-illustrated presentation of video camera theory and servicing. Learn about beam focus and deflection, the characteristics of a Vidicon tube and other tubes, camera alignment, and much more.

• 263 Pages, 8-1/2 x 11, Softbound.




IBM[®] PC TROUBLESHOOTING & REPAIR GUIDE ROBERT C. BRENNER MODEL 22358

OUR PRICE **\$19.95**

Repair your IBM PC yourself, simply and inexpensively. Troubleshooting flowcharts help you diagnose and remedy the probable cause of failure. A final chapter on advanced troubleshooting shows the more adventurous how to perform complex repairs. Some knowledge of electronics required.

• 192 Pages, 8-1/2 x 11, • Softbound



TROUBLESHOOTING WITH THE OSCILLOSCOPE, FIFTH EDITION ROBERT G. MIDDLETON MODEL 22473

OUR PRICE **\$16.95**

One of the quickest and least costly ways of troubleshooting most electronic equipment is to use an oscilloscope — properly. In this book, now in its fourth edition, the author not only provides correct step-by-step procedures on the use of an oscilloscope but combines these with specific facts of television receiver troubleshooting.

• 256 Pages, 5-1/2 x 8-1/2, Softbound.




SEMICONDUCTOR GENERAL-PURPOSE REPLACEMENTS, SIXTH EDITION MODEL 22540

OUR PRICE **\$12.95**

Assembled by Howard W. Sams engineers, this hand guide gives over 281,000 general-purpose replacements by registered type numbers, part numbers, and other ID numbers for servicing electronic equipment.

All major types of semiconductors are covered including bipolar transistors, field-effect transistors, diodes, rectifiers, integrated circuits, and miscellaneous devices. Also provided is a comprehensive index to identification numbers.

• 432 Pages, 8-1/2 x 11, Softbound




JOHN D. LENK'S TROUBLESHOOTING & REPAIR OF MICROPROCESSOR-BASED EQUIPMENT JOHN D. LENK MODEL 22476

OUR PRICE **\$21.95**

This text provides a simplified practical system of troubleshooting for the many types of microprocessor-based electronic devices. Concentrating on the basic approach to troubleshooting, the book includes numerous procedures and "tricks" that can be effective in diagnosing, isolating, and locating faults in microprocessor circuits.

Written primarily for working technicians and field service engineers, it is also an excellent guide for students and hobbyists.

• 200 Pages, 8-1/2 x 11, Softbound.




THE SAMS HOOKUP BOOK: Do-It-Yourself Connections For Your VCR HOWARD W. SAMS ENGINEERING STAFF MODEL 22248

OUR PRICE **\$4.95**

This step-by-step guide provides all the information needed for both simple and complex hookups of home entertainment equipment. It offers instructions to hook up a video cassette recorder to a TV, cable converter, satellite receiver, remote control, block converter, or video disc player.

• 104 Pages, 5-1/2 x 8-1/2, • Softbound



REFERENCE DATA FOR ENGINEERS: Radio, Electronics, Computer, and Communications, Seventh Edition EDWARD C. JORDAN, Editor-in-Chief MODEL 21563

OUR PRICE **\$69.95**

Written by professionals, this book was originally published as a limited private edition used by engineers, mathematicians, and physicists at ITT.

This completely updated edition reflects an expanded range of disciplines. It is a respected, reliable, and indispensable reference tool for technical professionals. Topics include:

- Units, Constants, & Conversion Factors.
- Filters, Simple Band-Pass.
- Rectifiers, Filters, and Power Supplies.
- Computer Communications Networks.
- Satellite & Space Communications. • And Many More!

• 1,368 Pages, 7-1/2 x 9-3/4, Hardbound.



A.W. SPERRY POCKET-SIZE MULTIMETER MODEL SP-5


OUR PRICE **\$7.95 SPECIAL!**

FEATURES

- Diode Protected Meter Movement.
- High Impact Thermoplastic Case.
- Easy-to-Read Mirror Scale.

SPECIFICATIONS

RANGES DC Voltage: 0-10/50/250/500 Vdc AC Voltage: 0-10/50/250/500 Vac DC Current: 0-0.5/50/250 mAdc Resistance: 0-1Mohm (5Kohm mid-scale) Decibels: -20 to +56 dB (on ACV range) Sensitivity: 2Kohm/V AC/DC Accuracy: ±4% F.S (DCV, DCA) ±4% Arc Length (ohm) 5% F.S. (ACV) Power Source: One (1) 1.5V AA size battery AWS Part No. B-1 Size: 3.5" L x 2.4" W x 1.3" D Weight: 3.7 oz. (including battery)



BP 20,000 OHM/VOLTS MULTITESTER MODEL VM-520 REG. \$29.95


OUR PRICE **\$14.95 SPECIAL!**

DESCRIPTION

Ideal for use where measurements must not appreciably disturb the circuit being tested, the BP model VM-520 features high 20,000 ohms/volt DC and 10,000 ohms/volt AC sensitivities on all ranges. Special circuitry has been included to protect the meter movement against accidental overload. DC voltage can be measured on any one of eight ranges while AC voltage measurements can be made on five practical ranges. Also included are one dB range, five DC current ranges and four resistance ranges. A mirror arc has been included to help eliminate parallax errors from readings. A convenient carrying handle built onto the case can also be used to position the meter for easy reading. Built in a modern high-impact case, the BP model VM-520 is a quality product in both performance and appearance.

SPECIFICATIONS

- DC Volts: 0-0.25, 1, 2.5, 10, 25, 100, 250, 1000 volts, 20,000 ohms/volt.
- AC Volts: 0-10, 25, 100, 250, 1000 volts, 10,000 ohms/volt.
- Decibel: -20 to +22dB.
- DC Current: 0-50, 500 uA; 0-5, 50, 500 mA.
- Ohmmeter: 0-6 Megohm in 4 ranges, 30 ohm center scale.
- Power Supply: One 1.5 V size "AA" battery (incl.).
- Size: 5-1/4" x 3-1/2" x 1-1/2". • Weight: 1 lb. (incl. battery).
- Optional Case Model CC-10.....\$4.95



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

SPECIALTY TOOLS

PANAVISE THE PANAVISE WORK CENTER

MODEL 324 REG. \$59.95 OUR PRICE **\$45.00**

Hold circuit board holder on standard base Model 300. Tilts, turns and rotates to any position, then locks firmly in place. Fits on Model 312 Tray Base Mount.


Hold standard base, parts and tools on Model 312 Tray Base Mount, a wide 8-1/2" with 6 slip resisting feet which also holds the All New Model 371 Solder Station.

Hold spools of wire and solder on the solder holder with self centering slot. Keeps the rolls handy and secure without Rollaround.

Hold PC boards, electronic parts in the Circuit Board Holder Model 315.

Hold 25 watt solder irons in the iron holder. Proper angle maintains constant heat. Safe and handy. Use left or right handed.

Hold nib sponge right in one of the convenient trays. Self purging slits permit single stroke cleaning action.



PANAVISE RAPID ASSEMBLY CIRCUIT BOARD HOLDER

MODEL 333-P OUR PRICE **\$39.95**

DESCRIPTION

This circuit board holder features eight position rotating adjustment and six positive lock positions in the vertical plane. Cross bars are available up to 30 inches in length to hold circuit boards up to 26 inches in width. Extra arms can be added for dual or multiple board holding. Spring loaded, the 333-P features tilt angle and height adjustments, and quick board rotations for easy component insertion and soldering.



PANAVISE MULTI PURPOSE WORK CENTER MODEL 350

OUR PRICE **\$45.00**

DESCRIPTION

Self Centering Extra Wide Opening Head. Double action jaws provide fast opening and closing and support of heavy loads. Opens to a full 9 inches. Ribbed on one side end "V" grooved on the other, the 376's reversible jaw pads firmly hold cylindrical or odd.



GC ELECTRONICS NIBBLING TOOL

MODEL 805 OUR PRICE **\$9.95**

This unique hand operated nibbling tool cuts sheet metal very similar to a chassiss punch. Simply start with a 3/8" hole and nibble to shape end size desired. Easy to use, yet it cuts up to 18 Ga. (.048 mex.) steel, 1/16" copper aluminum end plastic.



GC ELECTRONICS TWEEZER KIT

MODEL 7950 OUR PRICE **\$9.95**

DESCRIPTION

For the shop or laboratory, to pick up small parts, start screws, to get into hard-to-reach places, strapping dial cord, fastening springs—numerous uses. Kit contains one of each of 7943, 7947, 7948.



GC ELECTRONICS ELECTRONIC ASSEMBLY TWEEZERS

PRECISION QUALITY

For electronic and fine assembly work where non-contamination is essential.

Stainless steel—non-magnetic.

7992—5-1/2" long—beveled points.....\$6.95

7993—4-1/8" long—fine points.....7.95

7994—4-1/4" long—extra fine points...9.95

7995—4-1/2" long—curved points.....6.95


SUPERIOR QUALITY

Nickel plated forged steel.

7946—6-1/2" long, self closing, blunt points (serreted).....\$2.95

7947—6-1/2" long, slide lock, smooth points.....2.95

7948—4-1/2" long, fine points.....2.95



COOOL-IT MINI FAN

MODEL 4154 OUR PRICE **\$24.95**

DESCRIPTION

It's a breeze At 3100 RPM, COOOL-IT moves a big 50 cubic feet of air every minute. And does it with about one fifth the electricity used by a 60 watt lamp. COOOL-IT is UL approved, so powerful yet so compact. COOOL-IT stands 4 1/2 inches high, 3 1/2 inches wide and 4 inches deep.



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

WEN ELECTRIC PENCIL ENGRAVER

MODEL 21 OUR PRICE **\$14.95**

DESCRIPTION

Use like a pencil! Write, draw, engrave on woods, metals, plastics, glass, etc. Super hard tungsten carbide tip; 7200 SPM.

Variable stroke adjustment for heavy, wide, fine line engraving. 120V A, 6-units to master ctn. 5-1/4 lbs. Boxed or cased. Two warning stickers included with each unit to tie in with nationwide program of reducing burglaries by helping home owner code-mark all valuables for positive identification if stolen.



WEN 3/8" CORDLESS-REVERSIBLE 2 SPEED DRILL AND SCREWDRIVER

MODEL 2222 OUR PRICE **\$59.95**

DESCRIPTION

Add the Wen cordless drill and screwdriver to the workbench of your favorite handyman. He'll just love the portability of this tool; never having to be tied to an electrical outlet again! One hour rapid charge with automatic constant trickle feature; drill is always ready for use. This tool features: two speed—reversing drill, locking trigger switch with quick release, multi belt thrust bearing, powerful hi torque motor, double reduction steel gearing, geared Jacobs chuck, hi impact housings. The drill base can be mounted to bench or wall and has a provision for drill and screwdriver bits storage. Drill plugs into base charger. You'll receive a drill, charger, drill base and chuck key. (Drill bits not included.)




BIOTECH BIONAIRE 500 AIR/PURIFIER/IONIZER

MODEL 500-B

OUR PRICE **\$99.95**

DESCRIPTION

The Bionaire 500 AIR/PURIFIER/IONIZER is a technologically advanced filtration and ionization system. It's helpful to asthma, allergy and hayfever sufferers or anyone who finds it important to breathe particulate free air. Up to 95% effective on particles as minute as 0.01 micron and up to 99% effective on all other particulate pollutants. The patented, electrically charged filter and independent controlled ionizer work together to rid the air of particulate irritants such as tobacco smoke, pollen, dust, dirt, ragweed, mold spores, fungi and more. Cleans the average room (10' x 10') 3-1/2 times an hour. Lightweight and portable, only 4.4 lbs. Energy efficient, uses less electricity than a 45 watt light bulb. Quiet enough for bedroom use, while offering maximum control for working environments. Will not interfere with radio or TV reception. Tax deductible with a doctor's prescription. Size: 11"W x 6-1/8"D x 5-1/16"H




BIOTECH BIONAIRE 1000

MODEL 1000 OUR PRICE **\$249.95**

DESCRIPTION

Bionaire 1000 is the air purifier which removes virtually all air pollution particles. It uses a technologically advanced filtration system with the latest solid state engineering to clean and freshen the air. It removes such particles such as: dirt, dust, soot, ragweed, pollen, mold spores, tobacco smoke and fungi. It cleans the air of an average size room over five times an hour. Quiet enough to use in a bedroom. Uses no more electricity than a 60 watt bulb. It's portable and weighs only 12 lbs. It will not interfere with radio or TV reception and is tax deductible with a doctor's prescription. Allergy, asthma and hay fever sufferers can breathe easier. It is indispensable for anyone who finds it important to breathe particle-free air.



BP ECONOMY LAMP

MODEL XL-334

OUR PRICE **\$14.95**

DESCRIPTION

Popular, low-priced bench lamp made with the same attention to quality as well as all BP lamps. Tubular steel, spring balanced arm; vented shade; tension control knobs and 2-conductor cord.

Colors: baked enamel finishes—red, yellow, blue, black, oyster white.

UL listed for 60 watt. Shipping weight with bracket: 3-1/2" lbs. (33" reach).



BP ADJUSTABLE COMBINATION LAMP

Ideal For Commercial, Industrial, Institutional and Residential Use.

MODEL LM-130

OUR PRICE **\$79.95**

FEATURES

- 22 watt Fluorescent Lamp and a 75 watt Incandescent bulb.
- Use lamps simultaneously or separately.
- Clamp style for table or bench mounting.
- 33" Arm reach. • Color: Almond. • UL listed.
- Double insulated shade. • 3-conductor cord.



WAHL ISO-TIP® "60" CORDLESS SOLDERING IRON MODEL 7800

OUR PRICE **\$47.95**

DESCRIPTION

Fastest recharging cordless soldering iron on the market. Solders up to 125 electronic joints* per charge. Recharges fully in one hour — or enough for reuse in a few minutes. Allows "20% continuous use" when kept in charger between uses. Iron switches automatically to energy-saving trickle-charging rate when battery becomes full. LED Indicator shows when battery is charged. Cannot overcharge. Kit contains cordless soldering iron, recharging stand. #7577 tip, #7545 tip and instructions.

WAHL "QUICK CHARGE" ISO-TIP® CORDLESS SOLDERING IRON MODEL 7700

OUR PRICE **\$39.95**

DESCRIPTION

Recharges completely in 3 to 4-1/2 hours. A partially discharged battery returns to full capacity in an hour or two. Long lasting, premium quality nickel cadmium battery withstands high-rate charging without damage. Fully charged unit can make up to 125 electronic joints* per charge. Cannot overcharge. Kit contains cordless soldering iron, recharging stand. #7545 tip, #7546 tip and instructions.

WAHL THERMAL-SPOT CIRCUIT TESTER Finds Faulty Components Quickly and Easily

MODEL 5800

OUR PRICE **\$49.95**

DESCRIPTION

The tester approaches the problem of thermally caused intermittents logically—no heating and then artificially cooling the component with sprays. The tester directs heat to the suspected capacitor or transistor, one component at a time and heats them as in normal operation.

WAHL ISO-TIP® FOLD 'N STORE MODEL 7290

OUR PRICE **\$14.95**

DESCRIPTION

Designed to serve as bench stand, traveling case and storage, box, all in one. In the open position, the stand provides a convenient holder for a hot iron — with a tip-cleaning sponge in an internal well. Closed, the stand locks the iron in place for neat, easy storage or travel while the iron is still hot. Metal case is a compact 1-3/4" x 2" x 4-3/4" to fit tool box or caddy. #7290.

WAHL ISOTIP HIGH SPEED ELECTRONIC TECHNICIAN DRILL MODEL 6275

OUR PRICE **\$44.95**

DESCRIPTION

Operating at approximately 16,000 RPM, the drill is ideal for prototype development; revising/redesigning circuit boards; removing solder from printed circuits and printed circuit boards; and leaning lead holes. With an overall length of less than 6 inches (minus drill bit), the drill can be used in confined areas, eliminating the need to remove circuit boards, chassis etc., from cabinets when making a repair. Drill includes 3-jaw chuck and 110V transformer packed in convenient plastic storage bag.

Also Available Model 6550 Drill Bit #56 . . . Our Price \$1.75

UNGAR 700° MICRO-SOLDERING KIT MODEL 9375

OUR PRICE **\$44.95**

DESCRIPTION

Specifically designed for micro electronic soldering, fully grounded tips. Includes Model 9370 Soldering Iron, 3 Interchangeable long-life tips, Model 9010 Model 9011 and 9012, Model 9800 non-ellip iron holder with cool ceramic mouthpiece, tip cleaning sponge and tray.

WAHL ISO-TIP® PC DRILL

Attachment To Convert Your Iron To a Portable Drill
MODEL 6500

OUR PRICE **\$19.95**


DESCRIPTION

Interchangeable with Wahl snap-in tips, providing a .046 (No. 56) drill with 10,000-12,000 operating rpm. Ideal for cleaning solder from circuit boards when replacing components or providing new holes for PC board repair. Often eliminates need to remove board to make a repair.

WAHL TIPS FOR CORDLESS IRON

OUR PRICE **\$3.95 each 4 FOR \$14.00**

MODEL 7566



Micro Soldering Tip 1/64" (.4mm).

MODEL 7545




Fine Tip 1/16" (1.6mm).

MODEL 7535



Regular Tip 5/32" (.4mm).

MODEL 7546




Heavy Duty Tip high wattage 3/16" (.46mm).

SPECIALTY TIP TUNER EXTENSION TIP

MODEL 7556

Diameter 1/16"

OUR PRICE **\$5.95**



CIRCUIT BREAKER TIP

MODEL 7541

OUR PRICE **\$3.95**



PALADIN SOLDER SCOOTER MODEL PA-1707

OUR PRICE **\$27.95**

DESCRIPTION

Paladin's new Solder Scooter Model PA-1707 is the lowest cost electric desoldering tool in the world.

The one tool that replaces two...it heats and desolders.

The Solder Scooter makes desoldering single or two sided PC boards a snap. Its compact design and unique features makes it an ideal tool for field repair, and re-work jobs. The ceramic substrate heater quickly melts the solder joint, this end the integral vacuum pump pulls solder from the board quickly, quietly and thoroughly.




UNGAR SOLDERING SYSTEM MODEL UTC-10

OUR PRICE **\$59.95 SPECIAL!**

FEATURES

- Military specification caliber based on specifications.
- Fully operator-adjustable variable temperature range.
- Thick film/ceramic heaters (not nicrome coils) for extended life.
- Replaceable heaters. • Closed loop electronic temperature control.
- Fully calibrated by operator/user by two conveniently located "calibration port" holes on bottom of unit. User/operator need never open unit for calibration.
- Internally fused (replaceable) for overload protection.
- Power on/off indicator light. • U.L. Listed.
- Rugged high impact flame retardant plastic power base casing with 1/8" thick walls.
- Anti-abrasive and burn resistant 5 ft. long handle cord.
- Durable plated iron holder with ceramic mouthpiece.
- Large, quality, synthetic sponge designed and processed to provide safe, uncontaminated soldering.
- Size: 6.75"H x 4"W x 6.5"D. • Weight: 16 oz.
- Cool operating handle temperature. • Made in U.S.A.
- Tip to ground resistance less than 0.15ohms.
- Macro iron with PL-100 tip.
- Variable temp. 400°F to 800°F.
- 3-Wire grounded, 120V-AC-60Hz.
- Less than 2mV transients on tip.
- Temp. stability at idle - less than ±10°F variation.
- One year limited warranty thru Ungar.



PALADIN SOLDER CLEANER MODEL PA-1715

OUR PRICE **\$99.95**

DESCRIPTION

A high-tech desoldering tool at a low-tech price. Paladin's new PA-1715 has the breakthroughs you need to increase productivity and improve efficiency ... at an amazingly low price!

A unique process that ends with a better tip. The core is pure copper dipped in iron repeatedly for strength. Then it's Chromed to insure it'll outlast conventional tips. When the time comes, the tip is easily replaced.


An advanced Ceramic substrate heating element. It heats quickly, maintains a consistent tip temperature with just 35 watts. Recovery time is nil. Thanks to advanced technology, heating element life is incredibly long.

A collector cartridge that doesn't inhibit vacuum power. The large Lexan® collector is transparent ... you can see when it's full; when the filter needs replacing. A unique spring loaded impact plate prevents solder from reaching the pump or internal parts. The collector empties quickly.

A straight solder path from tip to collector. There are no angles or bends to trap solder. Clogging is virtually eliminated.

An integral, short stroke vacuum pump that needs no external power. The pump is housed in the handle. A single trigger squeeze creates a powerful vacuum that pulls solder into the collector effortlessly. The pump is engineered for a long, maintenance-free life.

BREAKTHROUGH. Powerful performance from a light-weight tool. The PA-1715 weighs just 14 ounces. It's designed to fit an operator's hand comfortably. It's fully self-contained so external air lines or power hoses are eliminated. The PA-1715 operates from any standard AC outlet.



SOLDERING EQUIPMENT/ACCESSORIES

WELLER PENCIL THIN SOLDERING STATION MODEL WM-120

OUR PRICE **\$24.95**
DESCRIPTION

The Waller WM-120—12 watt miniature pecks quality features standard from Waller into a lightweight, pencil thin soldering iron with a break-resistant stay-cool handle. Designed for soldering miniature heat and voltage sensitive components where precision touch is essential, the WM-120 weighs .7 ounces and measures 7" less tip. It develops a tip temperature of 800°F and accommodates the Waller MP series of automatic slide-in tips.

WELLER SOLDERING TOOL STAND MODEL PHM-120

For WM-120 Iron

MODEL PHM-120

OUR PRICE **\$12.95**

DESCRIPTION

Soldering tool stand with base, sponge and receptacle.

WELLER DE-SOLDERING ADAPTOR MODEL DSTCP

OUR PRICE **\$22.95**

DESCRIPTION

Versatile attachment for Models WTCPR, WTCPZ and WTCPL permits operator to desolder and re-solder with same tool.

WELLER DE-SOLDERING BULB MODEL AC-303P

OUR PRICE **\$7.95**

WELLER SOLDERING TOOL STANDS

DESCRIPTION

Specifically designed to extend life of Waller tools. PH stands have heavy non-sliding cast bases with sponge receptacle and "non-heat-sinking" spring attend end funnel. SF stands comprised of spring and funnel only, for bench, wall, end side rail mounting.

Bench Stand

Model	Description	Our Price
PH-25	Versatile bench stand can be either free standing or mounted. Sturdy aluminum construction. Prevents accidental burns on bench or work surface. Keeps iron handy and ready for soldering. For WP-25 and WP-40 irons.	\$10.95
PH-80	Soldering Tool Stand, with base and sponge. For W-80, WP-25, WP-40, WPS and irons with barrel diameter up to 15/32".	\$13.95
PH-100	Soldering Tool Stand, with sponge. For W-100 and irons with barrel diameter up to 19/32".	\$14.95

WELLER PROFESSIONAL SOLDERING IRONS (Series WP)

For Industrial Applications, Tradesmen, Hobbyists

DESCRIPTION

Top quality, industrial grade. Rugged stainless steel barrel. Long life double coated tips. Popular pencil styling. Light blue handle with black heat shield, cool comfortable grip. Only 7-7/8" long; 1-3/4 oz. Blister pack. UL listed.

MODEL WP-25

OUR PRICE **\$19.95**

20 watt, 1/18" screwdriver tip. 2-wire cord. 120V. One per card.

MODEL WP-40

OUR PRICE **\$24.95**

35 watt. Screwdriver tip. 2-wire cord. 120V. One per card.

WELLER HEAVY DUTY SOLDERING GUN KIT

200/260 watts

MODEL D-550PK

OUR PRICE **\$34.95**

DESCRIPTION

8-piece Heavy Duty Soldering Kit featuring the versatile Waller® Model D-550PK Heavy Duty Dual heat soldering gun. Packed in sturdy, plastic carrying case. Kit includes heavy copper soldering tip, one each smoothing and cutting tips for thermoplastic, tile, etc., tip changing wrench and a coil of 60/40 rosin core solder. Also included is a comprehensive, illustrated "Soldering Tips" booklet of practical soldering procedures, flux selection and solderability chart.

WELLER COPPER SOLDERING TIP MODEL 7135

OUR PRICE **\$1.95** per card 10 CARDS **\$17.50**

Most popular tip. 2 per display card. For Models WS-100, WD-135, S-400, D-440, 8100, 8200, 8100B.

COPPER SOLDERING TIP WITH TIP NUTS MODEL 7135N

OUR PRICE **\$2.50** per card

10 CARDS **\$22.50** One per display card.

WELLER CLEAN-O-POINT

Improved Soldering Tip

Cleaning by Waller

MODEL WCP-1

OUR PRICE **\$45.00**

Use the Waller Clean-O-Point for fast more efficient solder tip cleaning.

FEATURES

- Rotating dampened sponge rollers clean the solder tip without turning or twisting.

- Clean-O-Point takes only seconds to clean the soldering tip.

- Removed solder is collected and can be recycled.

WELLER CONTROLLED OUTPUT INDUSTRIAL SOLDERING IRONS (Series W)

DESCRIPTION

High quality tools with controlled temperature. Selection (800°, 700°, or 800°F) by changing tips. New blue color. 120V 50/60 Hz. Use only with Waller PH end SF series soldering tool stands to effect a complete soldering station. These are automatically controlled tools and should be used with "non-heat-sinking" Waller stands. Use of improper metallic stands will affect life of tool and tip. Boxed.

MODEL W-80P

OUR PRICE **\$39.95**

DESCRIPTION

Versatile 80-watt iron, a compact 7-1/4" long and lightweight at 2-1/2 oz. Furnished with 700°F, 1/18" screwdriver tip No. CT5A7 and 2-wire cord.

MODEL W-100

OUR PRICE **\$47.95**

DESCRIPTION

For heavier-duty use, this 100-watt iron is 8-1/4" long and weighs 3-1/2 oz. Furnished with 700°F, 3/8" screwdriver tip No. CT6F7 and 2-wire cord.

WELLER ALL-PURPOSE SOLDERING GUN KIT

100/140 watts

MODEL 8200PK kit

OUR PRICE **\$19.95**

DESCRIPTION

8-piece kit includes Waller® Model 8200 dual heat soldering gun. Three copper soldering tips, tips changing wrench, flux brush, soldering aid tool, coil of 60/40 rosin core solder — all contained in a sturdy, plastic carrying case. Also included is a comprehensive, illustrated "Soldering Tips" manual of practical soldering procedures.

WELLER PROFESSIONAL DESOLDERING/REPAIR TOOL MODEL DS-40

OUR PRICE **\$44.50**

DESCRIPTION

Invaluable repair tool. A must for servicing modern printed circuit boards and solid state electronics. Remove and replace components quickly with less chance of heat damage. Complete tool includes handle, vacuum bulb, desoldering assembly and tip with .063 in. opening. 40W. 120V. 2 wire cord.

WELLER STANDARD LIGHTWEIGHT SOLDERING GUN (75W) MODEL 7200-W

OUR PRICE **\$16.95**

DESCRIPTION

Economy model, small, lightweight for fast soldering jobs. Fingertip trigger for instant heat. The gun has been designed so it can be placed on its back when not in use. Available with soldering tip (7235) only. 2 wire cord. UL-listed. Boxed in polystyrene tray.

CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

MASTER APPLIANCE MASTER HEAT GUN HEAVY-DUTY FLAMELESS TORCHES

DESCRIPTION

The Master Heat Gun delivers up to 2250 f.p.m. at temperature up to 1000°F. without the dangers of open flame! Its many features include an adjustable air intake for controlling the air base temperature; a double jacketed heater housing; a sturdy die-cast aluminum housing and an 8 ft. neoprene jacketed 3-wire cord and plug that is oil and grease resistant. Turbo type fan blade is efficient and quiet in operation. Ideal for shrinking sleeving, for soldering, and for drying cements and potting compounds.

SPECIFICATIONS

Overall height, 8". Nozzle air opening, 1-5/32" diameter. Base plate, triangular, 5-3/4 per side. Delivers 15-1/2 c.f.m. air volume at 2250 f.p.m. velocity. For 115V, 50/60 cycles AC or DC. 10B107 has a NEMA 6-20P plug.

Model	Temperature	Amps	Our Price
HG-301	300/500°F.	12	\$79.95
HG-501	500/700°F.	14	84.95
HG-751	750/1000°F.	20	96.95

Attachments & Accessories for HG & VT Series

MODEL	DESCRIPTION	OUR PRICE
51309	1/4" Pinpoint attachment	\$ 9.95
A-180-HG	For shrink tubing up to 3/4" O.D.	9.95
A-170-HG	For shrink tubing from 3/4" up to 2" O.D.	9.95
A-203-HG	Extra-wide (6") for shrink tubing up to 3/4" O.D.	21.95
A-205-HG	For shrink boots up to 1-3/4" O.D.	21.95
51024	Shrink wrap packaging attachment 6" wide	21.95
51013	Molded carrying case	21.95
30202	Solder preform attachment	16.95

MASTER APPLIANCE MASTER-MITE HEAT GUN MODEL 10008

OUR PRICE

\$69.95

APPLICATIONS

The compact, light but rugged "Master-Mite" is designed for electronic and electrical benchwork such as shrink tubing, melting solder preforms, activating and curing adhesives and epoxies, preheating flux, etc. Air velocity is just right for benchtop use; it won't blow connectors and small components around the work area.

CONSTRUCTION FEATURES

High Impact GE "Noryl" housing withstands hard knocks. Brushless shaded pole continuous duty motor. 7-ft. 3-wire grounded cord-set. Draws only 4.5 amperes. Slip-on heat-shrink attachment and 650°F element standard.

Model	Description	Voltage 50/60Hz	Amps	Ship Wt.
10008	Heat gun with 650°F element & deflector attachment	120	4.5	3 lbs

UNGAR HEAT GUN MODEL 6966C

OUR PRICE \$69.95

DESCRIPTION

Hot air tool offers a unique combination of features and benefits to users of heat shrinkable products, as well as many other lab and industry uses. Lightweight of only 13 oz. Insures positive control wherever precise hot air direction is required. Reduces operator fatigue. Air stream width at nozzle is 3/8". Reducing baffle, included with gun, reduces air stream width to .200"; 4 baffle reflectors are included for preforms and shrink tubing applications. Reflectors are designed to decrease shrinking time by directing hot air flow around all tubing surfaces simultaneously. Delivers an air flow temperature at the nozzle of approx. 750°F to 800°F in seconds. Designed for hand-held use, or may be placed on table or workbench without need for holder. On-off-cold switch at trigger position allows for cooling or drying, as well as heat applications; for solder preforms and all polyvinyl, olefins, silicone rubber and TFE heat shrink materials; also ideal for shrink film packaging, epoxy curing and encapsulation. UL listed. Rated 250 watts, 120 VAC only.

DREMEL VARIABLE SPEED MOTO-TOOL KIT MODEL 3950

OUR PRICE **\$79.95**

DESCRIPTION

The variable speed Moto-Tool (5,000-30,000 RPM) allows user to select the right speed for every job. Kit comes with 1 model 395 Variable Speed Moto-Tool, 1 Deluxe Storage/Carrying Case.

KIT CONTAINS:

6—Cut-off Wheels	1—Dressing Stone	3—Silicon Carbide
7—Sanding Discs	1—Keyless Chuck	Grinding Stones
2—Mandrels	2—Engraving	3—Aluminum Oxide
1—Collet(3/32")	Cutters	Grinding Stones
1—1/8" Drill	2—Felt Polishing	3—Sanding Bands
1—Cup Brush	Wheels	1—Drum Sander
1—Paste Brush	1—Polishing Wheel	3—High Speed
1—Wrench		Cutters

DREMEL ELECTRIC ENGRAVER MODEL 290

OUR PRICE **\$19.95**

DESCRIPTION

Writes like a pencil on material from hardened steel to glass. Calibrated stroke adjustment regulates depth of engraving from fine lines to deep marks. 115V., 0.2 AMP, 60 Hz, AC only.

DREMEL® DRILL PRESS STAND MODEL 212

OUR PRICE **\$34.95**

The 212 converts the Moto-Tool into a precision drill press. Holds Moto-Tool models 275, 265, and 395 only. It's perfect for drilling, sanding, routing, grinding and polishing. The press is only 13 1/2" high.

FEATURES

- Calibrated depth shaft with 2 1/2" spindle travel adjusts for predetermined stop and can be locked down.
- Tough glass-filled nylon gear.
- Rack and pinion feed handle.
- Return spring.
- Sturdy steel column.
- Special clamp design for quick and easy installation and removal of moto-tool.
- Slotted base to secure workpiece.
- Die cast aluminum base 6" x 6". • Moto-Tool not included.

WEN POWER TOOL MODEL 2336

OUR PRICE **\$99.95**

An elite group of precision power tools. Unique new tools - portable, powerful, compact - to drill, solder and saw. To shape, sand, polish, engrave. Easy to hold and handy to use. Will operate from Transformer Power Pack, 12V DC car, boat battery, 9-12V dry cell battery or flashlight battery pack. Will handle a wide range of work around home, farm; in cars, vans, trailers; on boats and remote out of doors; ideal for model making and hobby and craftwork.

FEATURES

- Precision power tool, 14,500 RPM.
- Precision jig saw, 4000 SPM; angle cuts 0 to 45°.
- Precision 1/4" capacity drill; removable grip handle; 1200 RPM.
- "Hot Shot" solder gun; melts solder in 3 to 5 seconds.
- 12V power supply transformer. • Cigarette lighter power adaptor
- Accessories kit; carry/storage chest.

BP HEAT SHRINK TUBING MODEL H3-462

OUR PRICE

\$1.75 per pkg

10 pkgs for

\$15.00

- Heat shrinkable tubing.
- 10 assorted diameters per pack.
- Shrinks 50% in diameter. • Shrinks 5% in length at 120° C.

DESCRIPTION

Shrinks to half its original size when heated. Use it for insulating terminals, connectors, tool handles, wire splices. Use heat gun, oven, barrel of soldering iron or just a match. Assorted sizes and colors.

VARITEMP® HEAT GUN

Electronic temperature control may be dialed to any setting ambient to maximum. May be locked in place for continuous production line use.

MODEL VT-750B

OUR PRICE **\$109.95**

APPLICATIONS

The Ultimate flameless electric heat tool for hundreds of electronic/industrial uses:

- Shrink tubing. • De-solder. • Melt solder preforms.
- Heat shrink packaging. • Activate adhesives.
- Soften floor covering. • Strip paint and varnish.
- Defrost freezer coils. • Repair and install vinyl.

Wherever a fast, portable flameless heat is the need.

DESCRIPTION

Temperatures from ambient to 1000°F/538°C may be dialed in. Setting may be locked in place for continuous production line use. Reinforced ceramic heating element with double jacketed heater housing for protection. Rugged, die-cast aluminum housing with externally replaceable carbon brushes. 3-wire oil resistant cordset. Power 120 Volts, 14.5 amps. UL Listed.

VARITEMP® HEAT GUN MODEL 1500

OUR PRICE **\$99.95**

FEATURES

- 1080 watt element.
- Lightweight 2.2 lbs.
- Dialing any temperature from ambient to 650°.

DESCRIPTION

The Varitemp heat gun features an exclusive electronic non-stepping temperature control which permits the user to dial-in just the right temperature for any heating job. Five special use attachments make this model just the right tool for many applications. Unit draws a maximum of 9 amps up to 50% less than their competitive models. Can pay for itself in one year in electricity saving.

Now you can shrink tubing, weld plastics, repair vinyl, shrink & terminate insulated solder preforms, terminate heat shrinkable environmental splices, weld roofing materials and apply heat to small areas.

Attachments, Dial Settings & Temperature Chart For Model 1500

Model	Attachment Description	Max Dial Setting	Avg. Temp at Attachment F	C	Our Price
51102	Shrinking tubing heat shrink tubing	650	650	343	\$ 7.00
50875	Pin point-weld plastic & repair vinyl	150	800	427	14.95
30273	Solder - preform w/reducer-terminate & encapsulate preforms	400	700	371	19.95
30302	Roofing w/reducer-1-1/16" wide slot 45° angle, weld roofing	350	650	454	29.95
50874	Reducer only-5/8" dia. apply heat to small areas.	400	650	343	9.95

COL-FLEX HEAT SHRINKABLE TUBING

DESCRIPTION

Polyvinylchloride (PVC) tough, flexible and snug fitting over splices, terminals and components. Shrinks 50% of I.D. size. Use heat blower, solder iron or match. Available in 10 ft. coil.

Model	Inside Diameter	Our Price
HS-1	1/8"	\$3.00
HS-2	3/16"	3.25
HS-3	1/4"	3.50
HS-4	5/16"	3.95

TOOLS

VACO 5-IN-1 MAGNETIC SCREWDRIVER MODEL 70425 OUR PRICE \$9.95



DESCRIPTION

TORX® T15 bit is featured in these all magnetic 5 bit screwdrivers, included in each are two Phillips bits, two slotted bits, and the TORX® T15 bit.

VACO CONTINUITY TESTER Handle Lights Up When Circuit Is Complete! MODEL 70008 OUR PRICE \$9.95



DESCRIPTION


- Extra long 36" lead wire.
- Fully insulated alligator clip.
- Deluxe comfort dome ambly handle.
- Complete with bulb & battery.
- Quickly reveals shorts or broken circuits in all types of electrical devices: lamp cords, fuses, motors, electrical appliances, switches, receptacles, etc.

EDSYN BURNISHING TOOL MODEL BT-028

OUR PRICE
\$6.95

DESCRIPTION

A combination tool with a fine abrasive blade at one end, a high-quality magnifying lens at other end. Weight: 76 oz. (22 g)



wt. 78 oz. (22g)

VACO SPRING TOOL MODEL ST-49 OUR PRICE \$4.95



DESCRIPTION

Use to install or remove springs on motors, brake shoes, head lights, relays, solenoids and hundreds of other applications using small diameter coil springs. Unique "C" tip prevents slipping while pulling or pushing spring. Overall Length: 7-1/2" Wgt. Per Std. Pkg.: 1-1/2 Lbs.

VACO RATCHET BOX WRENCHES MODEL RB-5

OUR PRICE **\$39.95**

DESCRIPTION

Set of five ratchet box wrenches. Packed in blue vinyl pouch for roll-up or hang-up storage. Individual pockets for each wrench. Shpg. Wt. 2-1/2 lbs. Includes sizes 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 5/8" x 3/4".



VACO TWIN LEAD CIRCUIT TESTER MODEL 70219/70308

OUR PRICE **\$2.95**

DESCRIPTION

Economy twin lead tester, for checking circuits from 50 to 300 volts. AC or DC. Ideal for testing outlets, switches, fuses, spark plugs and other electrical devices, can also be used to check DC polarity, frequency and polyphase circuits. Dependable 25,000 hour neon glow lamp. Individually carded. Shpg. Wt. Std. Pkg. 1 lb.

VACO CIRCUIT TESTERS MODEL TK-500

OUR PRICE **\$3.50**

DESCRIPTION

Hendy, pocket clip testers for checking line circuits. Can be used on 100-500 volt circuits, AC or DC. Neon glow lamp indicates hot side of line. Screwdriver-shaped probe easily fits into receptacles. Probe length — 1-5/8". Overall length — 4-1/2". Wt. 1/2 lb.



VACO SLOTTED SCREW HOLDING DRIVERS MODEL K-34 OUR PRICE \$6.95



DESCRIPTION

Split-blade screw holding driver wedges into screw slot. Positive gripping power holds, starts and drives slotted screws in awkward, hard-to-reach places...even drive stubborn, self-tapping types. Handle size (dia. & length) 7/8" x 3-1/2". Blade size (dia. & length) 3/16" x 4". Overall length 7-1/2".

VACO CONVERTIBLE SNAP RING PLIERS MODEL 70195

OUR PRICE **\$14.50**



DESCRIPTION

Multi-purpose pliers adjusts for internal or external snap rings. Individually carded. Shpg. Wt. Std. Pkg. 1-1/2 lbs. Fits internal rings Nos. 3000-X37 to 3000-X100 (0.375" to 1.00"), end external rings Nos. 3100-25 to 3100-67 (0.250" to 0.675").

VACO AUTOMATIC WIRE STRIPPER MODEL 70334/34028

OUR PRICE
\$19.95



DESCRIPTION

Stripper handles 22 to 6 gauge solid or stranded wire with ease. Spring-loaded design keeps dies open ready for use. Single-squeeze action removes insulation up to 7/8". Holding jaw grip wire until handles are released. Removeable strip length guide adjusts for repeated equal length stripping. Cushion grip handles.

VACO SELF-ADJUSTING WIRE STRIPPER MODEL 70358C

OUR PRICE
\$19.95



DESCRIPTION

A wire stripper so simple to use it automatically adjusts itself to the diameter of the wire. The cutting blades never touch the conductors, damage to the wire is impossible. Spring action returns stripper to the ready-to-use position. Strips all wire automatically from No. 16 to No. 10 AWG sizes.

VACO WIRING TOOL MODEL 1963

OUR PRICE
\$12.95




DESCRIPTION

Patented, all purpose wiring tool cuts wire, strips wire, crimps insulated end non-insulated terminals and slices 6 sizes of bolts (4-40, 5-40, 6-32, 8-32, 10-32 and 10-24). Special features include end positioned wire cutter for reaching into hard-to-get-at places, and new bolt slicing principle that permits less hand pressure for slicing bolts with no burrs to file. Plastic comfort grip handles.

VACO POPULAR SIZE HEX WRENCH SET MODEL 70148/70583C

OUR PRICE
\$12.95



DESCRIPTION

Contains .050", 1/18", 5/64", 3/32", 1/8", 5/32" and 3/16" folding hex blades. 8 sets per std. pkg. Shpg. Wt. 1-1/2 lbs. Individually carded.

VACO OFFSET SCREWDRIVERS MODEL VO-2 OUR PRICE \$3.95 **NEW!** 10 FOR \$35.00

DESCRIPTION

Offset drivers provide the exact screwdriver needed for working in confined areas. For Screw No. 6 to 10. Overall length 4".

ARROW LOW VOLTAGE WIRE STAPLE GUN TACKER MODEL T-18

OUR PRICE **\$26.95**


Fits wires up to 3/16"

in diameter.

MODEL T-25

OUR PRICE

\$26.95 Fits wires up to 1/4" in diameter.



Model	Description 5000 staples per box	Our Price
ST-18-38	Staples 3/8"	\$8.50
ST-18-716	Staples 7/16"	8.50
ST-25-932	Staples 9/32"	8.50
ST-25-38	Staples 3/8"	8.50
ST-25-718	Staples 7/16"	8.50
ST-25-916	Staples 9/16"	8.50

BP 3 PIECE PLIER SET MODEL TS-603

OUR PRICE **\$7.95**

FEATURES

- 7" Linesman Plier.
- 6" Long Nose Plier.
- 6" Diagonal Plier.

**NEW!
SPECIAL!**



BP PRECISION SCREWDRIVERS MODEL TS-600

OUR PRICE **\$3.95** each

10 FOR **\$35.00**

DESCRIPTION

High quality precision jeweler and hobbyist screwdriver set. Six sizes fit any need. 6-piece set.



BP MINIATURE TOOL KIT

MODEL


TS-625

OUR PRICE

\$14.95

CONTENTS 25 pcs. Tempered Steel

- Nutdrivers: 5.0, 4.5, 4.0, 3.5 (m/m).
- Screwdrivers: 3.0, 2.3, 1.6, 1.4 (m/m).
- Crosspoint screwdrivers: No. 1, No. 0, No. 00.
- Hex key wrenches: 2.5, 2.0, 1.5, (m/m).
- Tweezers. • AWI
- Hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 (m/m).



BP TWO TOOLS IN ONE

MODEL

WS-778

OUR PRICE

\$7.95

DESCRIPTION

Has the functional characteristics of two separate tools: the operations of cutting and stripping are here perfectly executed by one single device.

This new tool functions as both a cutter and a stripper for electrical wire of section 0.5 to 8 mm², without adjustment. It can also be employed for multiple wire as the outside main insulation and the internal single wire can be stripped without readjusting the tool.



Please
Place
Stamp
Here

Name _____
Address _____
City _____
State _____ Zip _____

Fordham

F02188 F-0200

260 MOTOR PARKWAY
HAUPPAUGE, N.Y. 11788

ER:

Ham Order Form (see reverse side) OR
Own Order Form...or Your Letterhead

DL CASE

MODEL FTK-28

\$169⁹⁵

52 PIECE SOCKET SET



ne or wherever you need them. It has two
g case keeps your tools in order for easy

" diagonal mini plier; 7—piece screwdriver
); 1—10" water pump plier; 1—2M/12FT
3/8"); 1—tire gauge, 1—Crimping tool 8";
ic terpedo level; 1—long nose plier 6";
et (3/8", 7/16", 1/2", 9/16", 5/8", 11/16"); 1
—10" hand saw; 1—10" pry bar; 52 piece

DESCRIPTION

An ideal device for cleaning oxide as well as corrosion from contacts in compact relays, switches, and other miniature components. The No. 9337 burnishing tool is extremely useful. Thin, only .120" wide, this tool efforde easy excees.

BP SOLDER WICK

For desoldering component leads from e pc board or removing solder from virtuelly any joint. Solder wick removes the solder by capillary ec-
tion. Simple to use. Place solder wick on defective connection, apply
soldering iron to wick for e second. Remove wick and eoldering iron
simulteneously. 'Pull-out' wick supplied in e special covered reel.



Model	Application	Description	Our Price
AA (yellow)	Electronic: PC boards; thin wires	1/16" wide.	\$1.75 10 for \$12.00
AB (green)	General purpose	3/32" wide.	\$1.75 10 for \$12.00
BB (blue)	Electricel: large wires	1/8" wide.	\$1.75 10 for \$12.00

MODEL DS-1

OUR PRICE **79¢** each
5 FOR **\$3.50**

60/40 rosin core type. Diameter: 0.050". The best for all electronic soldering.



BP ROSIN CORE SOLDER

Model	Alloy	Wt.	Dia.	Our Price
31	60/40	1 lb.	.031	\$13.50

Flux Properties

The 'Instant action' behavior of BP Rosin is a most outetending property and even more im-
portant end more significant is the fact that the flux is completely non-corrosive and elec-
trically non-conductive. Throughout its long years of wide useage in the electric end electronic
Industry, involving countless billions of soldered connections, there has never been a known
case of corrosion by the flux residue.



CHARGE IT—VISA • MASTERCARD • AMERICAN EXPRESS • Toll Free 800-645-9518 • NYS Toll Free 800-832-1446

TOOLS

VACO 5-IN-1 MAGNETIC SCREWDRIVER MODEL 70425

OUR PRICE **\$9.95**



DESCRIPTION

TORX® T15 bit is featured in these all magnetic 5 bit screwdrivers. Included in each are two Phillips bits, two slotted bits, and the TORX® T15 bit.

VACO CONTINUITY TESTER

Handle Lights Up When Circuit Is Complete!

MODEL 70008

OUR PRICE **\$9.95**



DESCRIPTION

- Extra long 38" lead wire. • Fully insulated alligator clip.
- Deluxe comfort dome embossed handle.
- Complete with bulb & battery.
- Quickly reveals shorts or broken circuits in all types of electrical devices: lamp cords, fuses, motors, electrical appliances, switches, receptacles, etc.

EDSYN BURNISHING TOOL MODEL BT-028

OUR PRICE

\$6.95



wt. 78 oz. (22g)

DESCRIPTION

A combination tool with a fine abrasive blade at one end, and a high-quality magnifying lens at other end. Weight: 78 oz. (22 g)

VACO SPRING TOOL MODEL ST-49

OUR PRICE **\$4.95**



DESCRIPTION

Use to install or remove springs on motors, brake shoes, head lights, relays, solenoids and hundreds of other applications using small diameter coil springs. Unique "C" tip prevents slipping while pulling or pushing spring. Overall Length: 7-1/2" Wgt. Per Std. Pkg.: 1-1/2 Lbs.

VACO RATCHET BOX WRENCHES MODEL RB-5

OUR PRICE **\$39.95**

DESCRIPTION

Set of all five ratchet box wrenches. Packed in blue vinyl pouch for roll-up or hang-up storage. Individual pockets for each wrench. Shpg. Wt. 2-1/2 lbs. Includes sizes 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 5/8" x 3/4".



VACO TWIN LEAD CIRCUIT TESTER MODEL 70219/70308

OUR PRICE **\$2.95**



DESCRIPTION

Economy twin lead tester, for checking circuits from 50 to 300 volts. AC or DC. Ideal for testing outlets, switches, fuses, spark plugs and other electrical devices, can also be used to check DC polarity, frequency and polyphase circuits. Dependable 25,000 hour neon glow lamp. Individually cased. Shpg. Wt. Std. Pkg. 1 lb.

VACO CIRCUIT TESTERS MODEL TK-500

OUR PRICE **\$3.50**



DESCRIPTION

Handy, pocket clip testers for checking line circuits. Can be used on 100-500 volt circuits, AC or DC. Neon glow lamp indicates hot side of line. Screwdriver-shaped probe easily fits into receptacles. Probe length — 1-5/8". Overall length — 4-1/2". Wt. 1/2 lb.

VA
SCR
MOD



DESC
Split-Point
Screwdriver
born,
3-1/2",
7-1/2"

VA
SNA
MOD
OUR

DESC
Multi-
rings.
Intern
end e

VA
MOD
OUR
\$1

DESC
Stripp
eese.
Single
jaws
length
Cush

VA
WIR
MOD
OUR
\$1

DESC
A wire
itself
touch
ing ac
Strips
sizes.


VA
MOD
OUR
\$1

DESC
Patent
crimp
sizes
feet

VACO POPULAR SIZE HEX WRENCH SET MODEL 70148/70583C

OUR PRICE

\$12.95



DESCRIPTION

Contains .050", 1/16", 5/84", 3/32", 1/8", 5/32" and 3/16" folding hex blades. 8 sets per std. pkg. Shpg. Wt. 1-1/2 lbs. Individually cased.

Fordham

Dear Customer:

Thank you for making 1987 one of our most successful years. We have added many new products to our line to help answer the needs of; Electronic Technicians, Engineers, Maintenance Repair Organizations, and the Hobbies.

We take pride in providing you with convenient courteous service with fast reliable deliveries from coast to coast. Our shipping charges are the same no matter where your location is.

Give us a call, take advantage of our toll free lines or send in the order form provided.

Your continuous patronage is deeply appreciated.

Sincerely yours,

B. Powell

B. Powell
Fordham Radio Supply Co.

• To Place An Order Use The Orderform Provided or Call Us: Mon. thru Fri. 8:00 AM to 6:30 PM E.T. Sat. 9:00 AM to 3:00 PM E.T.

- We Accept Visa, MasterCard and American Express.
- C.O.D.'s REQUIRE 25% Deposit.
- All Orders Shipped and insured as per shipping schedule.
- \$25 minimum order.
- SATISFACTION is guaranteed by Fordham.
- All prices subject to change without notice.
- Not responsible for typographical errors.

We will accept the return of any merchandise, in new condition, within 30 days of your receipt. (Kits excluded)

To return merchandise please fill out return form provided and enclose it with the original invoice and packing material. Please ship prepaid and insured to:

Fordham Return Dept.
260 Motor Parkway
Hauppauge, NY 11788

Sorry we cannot accept C.O.D. packages.

For Customer Service Inquiries: Please call our customer service department Mon. thru Fri. 10:00 AM to 3:00 PM E.T. at (800) 344-6325

FAX 516-435-8079

TELEX # 640-859 FORDHAM-FDLE

©1988 Catalog — Fordham Radio Supply Co. Inc. All Rights Reserved. Not responsible for typographical errors. Certain products in this catalog are covered by U.S. patents and patent applications.

• Hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 (mm).

BP TWO TOOLS IN ONE

MODEL
WS-778

OUR PRICE

\$7.95

DESCRIPTION

Has the functional characteristics of two separate tools: the operation of cutting and stripping are here perfectly executed by one single device.

This new tool functions as both a cutter and a stripper for electrical wire of section 0.5 to 8 mm², without adjustment. It can also be employed for multiple wire as the outside main insulation and the internal single wire can be stripped without readjusting the tool.



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

Fordham

TO ORDER:

Use Fordham Order Form (see reverse side) OR

Use Your Own Order Form...or Your Letterhead

ALL PURPOSE TOOL CASE

MODEL FTK-28

\$169⁹⁵

52 PIECE SOCKET SET



DESCRIPTION

This 92 piece all purpose tool case has a full range of assorted tools for use in the home or wherever you need them. It has two tool pallets with compartments behind each for storage. The handsome rugged carrying case keeps your tools in order for easy and fast use.

This Kit contains: 1—5-1/4" long nose mini plier; 1—4-3/4" flat point mini plier; 1—4-1/2" diagonal mini plier; 7—piece screwdriver set (1-1/2"x6mm ±2, 1-1/2"x6mm, 6"x6mm ±2, 6"x6mm, 3"x5mm +, 3"x5mm-, 3"x3mm); 1—10" water pump plier; 1—2M/12FT measuring tape; 1—Utility knife; 1-(6 pc/set) hex key wrench; 3—nut drivers (1/2", 7/16", 3/8"); 1—tire gauge; 1—Crimping tool 8"; 1—7" lineman cutting plier; 1—6" long nose plier; 1—6" diagonal cutting plier; 1—plastic torpedo level; 1—long nose plier 6"; 1—6" angle wrench; 1—6" slip joint plier; 1—auto tester; 6 piece combination wrench set (3/8", 7/16", 1/2", 9/16", 5/8", 11/16"); 1 bag (300cs) terminals; 1—3/8" Dr. Universal joint; 1—7" plier; 1—16oz. claw hammer; 1—10" hand saw; 1—10" pry bar; 52 piece socket set. Dimensions: 18 1/2"W x 6"H x 13"D

DESCRIPTION

An ideal device for cleaning oxide as well as corrosion from contacts in compact relays, switches, and other miniature components. The No. 9337 burnishing tool is extremely useful. Thin, only .120" wide, this tool affords easy access.

BP SOLDER WICK

For desoldering component leads from a pc board or removing solder from virtually any joint. Solder wick removes the solder by capillary action. Simple to use. Place solder wick on defective connection, apply soldering iron to wick for a second. Remove wick and soldering iron simultaneously. 'Pull-out' wick supplied in a special covered reel.



Model	Application	Description	Our Price
AA (yellow)	Electronic: PC boards; thin wires	1/16" wide.	\$1.75 10 for \$12.00
AB (green)	General purpose	3/32" wide.	\$1.75 10 for \$12.00
BB (blue)	Electrical: large wires	1/8" wide.	\$1.75 10 for \$12.00

MODEL DS-1

OUR PRICE **79¢** each

5 FOR **\$3.50**

60/40 rosin core type. Diameter: 0.050". The best for all electronic soldering.



BP ROSIN CORE SOLDER

Model	Alloy	Wt.	Dia.	Our Price
31	60/40	1 lb.	.031	\$13.50

Flux Properties

The 'instant action' behavior of BP Rosin is a most outstanding property and even more important and more significant is the fact that the flux is completely non-corrosive and electrically non-conductive. Throughout its long years of wide usage in the electric and electronic industry, involving countless billions of soldered connections, there has never been a known case of corrosion by the flux residue.



CHARGE IT—VISA • MASTERCARD • AMERICAN EXPRESS • Toll Free 800-645-9518 • NYS Toll Free 800-832-1446

800-832-1446

42

OK INDUSTRIES

DIP IC INSERTION TOOLS

With PIN Straightener

14-16 PIN DIP/IC INSERTER

MODEL INS-1416

OUR PRICE **\$5.95**

DESCRIPTION

Narrow profile permits tool to work on densely spaced patterns, while unique insertion mechanism assures accuracy as well as excellent 'feel'. Finally, the tool includes a remarkable pin straightener built into the handle. Simply insert the IC, rock it on the straightening eedle, and push down on the tool. An automatic ejector delivers the IC ready to be placed in the insertion end for installation in your board or socket.

14-16 PIN, MOS CMOS SAFE INSERTER—MOS-1416.....\$11.45
24-28 PIN, MOS CMOS SAFE INSERTER—MOS-2428.....11.45
36-40 PIN, MOS CMOS SAFE INSERTER—MOS-40.....12.95

OK INDUSTRIES DIP IC EXTRACTOR TOOL

MODEL EX-1

OUR PRICE **\$3.95**

DESCRIPTION

Extracts all LSI, MSI and SSI devices from 6 to 24 pins.

OK INDUSTRIES 24-40 CMOS-SAFE EXTRACTOR TOOL

MODEL EX-2

OUR PRICE **\$13.95**

DESCRIPTION

Removes 24-40 pin IC's, .600" centers. CMOS safe. Includes terminal lug for attachment of ground strap.

OK INDUSTRIES THE BATTERY JUST WRAP TOOL

MODEL BJW-3

OUR PRICE **\$69.95**

DESCRIPTION

This revolutionary new battery powered tool will wrap insulated wire around .025" (0.63mm) square terminal posts without the need for pre-cutting and pre-stripping. Allows daisy chain, one-level wire-wrapping etings. Tool has built-in cut-off mechanism to end string at any time. Supplied complete with bit and 100 ft. (30.4m) 30 AWG (0.25mm) wire.

FEATURES

- Fast and simple operation.
- Daisy chain or point-to-point wiring.
- Complete with bit and sleeve.
- Automatic feed mechanism.
- Cuts off wire at end of string.
- Convenient wire refill spools.

REPLACEMENT WIRE ROLLS

R-JWB-100 100 ft. (30.4m) Blue. R-JW-W-100 100 ft. (30.4m) White. R-JW-Y-100 100 ft. (30.4m) Yellow. R-JW-R-100 100 ft. (30.4m) Red. \$7.95 per roll.

OK INDUSTRIES COMPONENT LEAD BENDER

MODEL LB-100

OUR PRICE **\$18.95**

DESCRIPTION

The new LB-100 component lead bender is totally unique in that it also contains a remarkable and handy lead crimper. The LB-100 handles all common axial components including resistors, diodes and capacitors, and can be used on many radial and 'TO' packages as well. The lead bending action enables simple right-angle layover of leads of any centers from 0.375 to 1.500" (9.5-38.1mm) while an additional feature enables 'vertical' bends.

GC ELECTRONICS FINE LINE BURNISHING TOOL

MODEL 9337 OUR PRICE **\$1.95**

MODEL 9338 OUR PRICE **\$1.95**

DESCRIPTION

An ideal device for cleaning oxide as well as corrosion from contacts in compact relays, switches, and other miniature components. The No. 9337 burnishing tool is extremely useful. Thin, only .120" wide, this tool affords easy access.

BP SOLDER WICK

For desoldering component leads from a pc board or removing solder from virtually any joint. Solder wick removes the solder by capillary action. Simple to use. Place solder wick on defective connection, apply soldering iron to wick for a second. Remove wick and soldering iron simultaneously. 'Pull-out' wick supplied in a special covered reel.

Model	Application	Description	Our Price
AA (yellow)	Electronic: PC boards; thin wires	1/16" wide.	\$1.75 10 for \$12.00
AB (green)	General purpose	3/32" wide.	\$1.75 10 for \$12.00
BB (blue)	Electrical: large wires	1/8" wide.	\$1.75 10 for \$12.00



EDSYN SOLDAPULLT Deluxe Desoldering Tool

MODEL DS-017

OUR PRICE **\$19.95**

DESCRIPTION

Extremely rugged for volume desoldering. Heavy duty plastic barrel and trigger housing for long, dependable operation. Simple twist-lock separation for fast cleaning. Oversize plunger fully enclosed for safety. Heavy mainpring creates high vacuum pulse. Dynamic damping reduces kickback.



EDSYN SOLDAPULLT Universal Desoldering Tool

MODEL US-140

OUR PRICE **\$9.95**

DESCRIPTION

Compact tool for convenient tool box storage. Precision molded plastic barrel and low mass plunger creates rapid vacuum impulse with negligible coil. Three position plunger adjusts loading open to fit large or small hands. Ample vacuum for most circuit board desoldering requirements.



EDSYN SOLDAPULLT Low Static Potential Desoldering Tool

MODEL AS-196

OUR PRICE **\$24.95**

DESCRIPTION

Designed for low static work stations to protect components from effects of static electricity. Low static electrical characteristics providing ground path via operator, reducing discharge to susceptible components. Special material protects operator from a direct electrical short or shock.




EDSYN SOLDAPULLT III Portable Desoldering Tool

MODEL PT-109

OUR PRICE **\$14.95**

DESCRIPTION

Sturdy tool for routine desoldering. Slim profile without sacrifice in performance has Deluxe Model features; fully enclosed plunger shaft; dynamic damping for very low recoil. Preferred by many technicians. Quickly desolders average size components and wiring.



EDSYN STANDARD SOLDAVAC

MODEL SV-026

OUR PRICE **\$10.95**

DESCRIPTION

The standard Soldavac is the hobbyist and handyman's tool, featuring one hand loading, swift vacuum, and low recoil action.




EDSYN MICRO TIPPED SOLDAPULLT III

MODEL PT-209

OUR PRICE **\$17.95**

DESCRIPTION

The Micro tipped version is identical in size and performance to the smooth acting PT109 Soldapull III, however, the smaller 3/32" I.D. tip orifice (vs 1/8" I.D. standard) is better suited for high density circuit boards. The smaller tip orifice provides higher vacuum velocity which helps pull solder from difficult to reach circuit pads. The more slender profile of the tip is ideal for close-in work of TO-92 size transistors, DIP and round pattern IC's, multipin connectors, etc. Replacement tip: MRT-16. Replacement 'O' ring: OSB32.



EDSYN MICRO TIPPED UNIVERSAL SOLDAPULLT

MODEL US-240

OUR PRICE **\$14.95**

DESCRIPTION

Has all the same features as the US140 Universal Soldapull except equipped with a smaller 3/32" I.D. tip for micro desoldering of round pattern and DIP IC's, TO-92 transistors, miniature connectors, and high density PCB's with .062 Dia. and smaller pads. The micro tip allows higher vacuum velocity for better solder removal where it is difficult to get close to the connection. Replacement tip: MRT-16. Replacement 'O' ring: OS143.




EDSYN REPLACEMENT TIP

MODEL SRT-12

OUR PRICE **\$3.50**

Fits DS-017, DS-101, PT-109, US-140, SV-026.



BP DISPENSER PACK SOLDER

MODEL DS-1

OUR PRICE **79¢ each**

5 FOR **\$3.50**

60/40 rosin core type. Diameter: 0.050". The best for all electronic soldering.



BP ROSIN CORE SOLDER

Model	Alloy	Wt.	Dia.	Our Price
31	60/40	1 lb.	.031	\$13.50

Flux Properties

The 'instant action' behavior of BP Rosin is a most outstanding property and even more important and more significant is the fact that the flux is completely non-corrosive and electrically non-conductive. Throughout its long years of wide usage in the electric and electronic industry, involving countless billions of soldered connections, there has never been a known case of corrosion by the flux residue.



TOOLS

XCELITE MAGNETIC NUTDRIVERS

REGULAR MAGNETIC
(6-1/8" OVERALL LENGTH)

NUMBER	HANDLE COLOR	HEX OPENING	OUR PRICE
8M	Red	1/4"	\$4.95
10M	Amber	5/16"	4.95

EXTRA LONG—MAGNETIC
(10-1/4" OVERALL LENGTH)

NUMBER	HANDLE COLOR	HEX OPENING	OUR PRICE
L6M	Red	1/4"	\$6.95
L10M	Amber	5/16"	6.95



SUPER LONG—MAGNETIC
(20-7/8" OVERALL LENGTH)

NUMBER	HANDLE COLOR	HEX OPENING	OUR PRICE
LL6M	Red	1/4"	\$13.95
LL10M	Amber	5/16"	13.95

XCELITE MIDGET RATCHET OFFSET KIT MODEL XL-75

OUR PRICE **\$14.95**

DESCRIPTION

Five piece Midget Ratchet Offset Kit set in see-thru plastic pouch. All driver bits. 1/4" hex shank.




XCELITE MULTI-PURPOSE TOOL KIT

MODEL TKX-11 OUR PRICE **\$55.95**

The versatile kit contains 11 quality tools, perfect for all types of routine repair and simple do-it-yourself projects. Everything comes neatly packaged in an attractive, easy to store case.

CONTENTS: • R144 1/4" x 4" round blade screwdriver. • R184 1/8" x 4" round blade screwdriver. • X101 #1 Phillips x 3" screwdriver. • 8 1/4" hex nutdriver. • P12S #10 Phillips x 2" screwdriver. • 51CG 6" long nose plier w/sliding cutter. • 46CG 6" adjustable wrench. • S-141 1/4" x 1-1/4" stubby square blade screwdriver. • 100-X wire stripper and cutter adjustable screw stop. • TM120 1/2" x 10" metric/english tape rule. • 76C-6" combination plier, chrome plated.



XCELITE 4-WAY POCKET TOOL MODEL 600

OUR PRICE **\$7.50**

CONTENTS

- 1/4" Nutdriver.
- 7/16" Nutdriver.
- No. 1 Phillips type screwdriver.
- 3/16" Slotted screwdriver.



XCELITE PLASTIC POUCH SET

MODEL 157 OUR PRICE **\$22.95**

DESCRIPTION

Contains 7 drivers, with 1-1/8" to 1-7/8" depth shaft holes. Catalog No. 6, 8, 10, 11, 12, 14 and 16.

MODEL 177 OUR PRICE **\$26.95**

DESCRIPTION

Contains 7 drivers, all with full hollow shaft. Catalog Nos. HS6, HS8, HS10, HS11, HS12, HS14 and HS16.



XCELITE ELECTRICIAN'S KNIFE MODEL K-22

OUR PRICE **\$12.95**

DESCRIPTION

Combination knife and screwdriver blades.



WELLER SPECIALIZED SOLDERING KIT

Electronic Tool Kit

MODEL 250-K

OUR PRICE **\$59.95**

DESCRIPTION

12 pieces. For the kit-buider, hobbyist, budding technician, handyman, or general use in dozens of electronic jobs. Contains Weller WP25 Soldering Iron with 1/16" screwdriver tip, 1/32" conical end 3/32" screwdriver extra tip, soldering aid tool, and rosin-core solder, plus Xcelite 1/4" nutdriver, 1/8" slotted-screw driver, No. 1 Phillips-type driver, 4" short chain-nose pliers, 4" diagonal cutting pliers, wire stripper/cutter, and plastic carrying case. UL listed. Packed individually, 6/carton.



WELLER SPECIALIZED SOLDERING KIT

Soldering Hobby Kit

MODEL 230-K

OUR PRICE **\$19.95**

DESCRIPTION

12-piece kit for soldering, isother tooling, wood burning, plastic sculpturing, model-making, etc. Includes SP23 Iron; hot knife tip, smoothing tip, and four other tips; sponge; hot-iron rest; soldering aid tool; rosin-core solder; instruction booklet; and plastic carrying case. UL listed. Packed individually, 6/carton.



XCELITE SCREWDRIVER SETS

MODEL SDX-22

OUR PRICE **\$17.95**

DESCRIPTION

Contains 5 pieces, all Phillips. Catalog Nos. X-100, X-101, X-102, X-103, SX-102.

MODEL SD-3V

OUR PRICE **\$4.95**

DESCRIPTION

Contains 3 pocket-clip screwdrivers — R-161, end R-3322 for slotted screws, P-12S for Phillips head screws.

MODEL SRX-33

OUR PRICE **\$19.95**

DESCRIPTION

Screwdriver Set No. SRX-33 contains 6 pieces — X-101 end X-102 for Phillips head screws, R164, R3166, R5166, R144 for slotted screws.



XCELITE SUPER-TRU

TIP (PHILLIPS TYPE)

SCREWDRIVER SET

MODEL XST-3

OUR PRICE **\$12.95**

DESCRIPTION

Contains 3 pieces — all Phillips. Catalog Nos. XST-100, XST-101, XST-102.



XCELITE SUPER-TRU

TIP (PHILLIPS TYPE)

SCREWDRIVER SET

MODEL XST-5

OUR PRICE **\$21.95**

DESCRIPTION


Contains 5 pieces — all Phillips. Catalog Nos. XST-100, XST-101, XST-102, XST-1010, XST-1020.



XCELITE SUPER-TRU TIP (PHILLIPS TYPE)

DESCRIPTION

The bright, nickel chrome blades have tips which have been specially treated and finished with black oxide for the ultimate in control. The advantage lies in the closer fit of the super-tru tips for much longer wear life and the reduction of damage to screw head recesses, especially in the smaller size fasteners.



SPECIFICATIONS


Model No.	Point Size	Blade Diam. (Inches)	Blade Length (Inches)	Overall Length (Inches)	Our Price
XST-100	0	1/8	2	4-4/8	\$2.90
XST-101	1	3/16	3	6-5/8	3.90
XST-102	2	1/4	4	8-1/8	4.90
XST-1010	1	3/16	10	13-5/8	5.90
XST-1020	2	1/4	10	14-1/8	8.50

LUFKIN SPECIALTY TAPES EXECUTIVE® THINLINE

MODEL W-606 OUR PRICE **\$9.95**

DESCRIPTION

Yellow clad. Polished chrome case. Spring action returns blade to case. Convenient for office, briefcase and pocket. Easy to read bold black end red print on yellow background. 1/4" x 6 Ft.



LUFKIN ECONOMY TAPE MEASURE

DESCRIPTION

Yellow clad. Lightweight—6 1/2m model is 2 oz. High strength matt-black finished case.

Model	Dimension	Our Price
Y-626 (W626)	1/2" x 6'	\$4.95
Y-6210 (W6210)	1/2" x 10'	5.95
Y-6212 (W6212)	1/2" x 12'	6.95



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.


XCELITE HANDLES AND SCREWDRIVERS

DESCRIPTION

Series "99" handles will accept more than 60 nutdriver, screwdriver and special purposes shafts and blades. Plastic handles have a unique spring device that holds blades firmly yet permits quick, easy insertion and removal.

HANDLES


MODEL	DESCRIPTION	PRICE
99-1	Regular (1-1/8"x4-1/8")	\$ 2.95
99-2	Junior (1"x3-1/8")	2.95
99-3	Stubby (1-1/16"x2")	2.95
99-4	Tee (1"x3-3/8")	3.50
99-1R	Reversible ratchet	17.95
99-4R	Reversible Tee ratchet	17.95



99-4R Tee ratchet



99-1R Reversible ratchet



NUTDRIVERS

(Stubby working length 1-3/8")

Regular end magnetic working length 3-5/8" or 92.08mm, except where otherwise noted

99-6	3/16"	\$2.50
99-7	7/32"	2.50
99-8	1/4"	2.50
99-S8	1 1/4" Stubby	2.50
99-9	9-32"	2.50
99-10	5/16"	2.50
99-S10	5/16" Stubby	2.50
99-11	11/32"	2.50
99-12	3/8"	2.50
99-S12	3/8" Stubby	2.50
99-14	7/16"	3.50
99-16	1/2"	3.50
99-8M	1/4" Magnetic	3.50
99-10M	5/16" Magnetic	3.50
99-4MM	4mm	3.50
99-4.6MM	4.5mm	3.50
99-6MM	5mm	3.50
99-6.5MM	5.5mm	3.50
99-6MM	6mm	3.50
99-7MM	7mm	3.50
99-8MM	8mm	3.50
99-9MM	9mm	3.50
99-10MM	10mm*	3.50
99-11MM	11mm*	3.50


*Working length 4" (101.60mm)



ALLEN HEX SOCKET TYPE SCREWDRIVERS

(Working length 4" or 101.60mm)

99-20	.050"	\$2.75
99-21	1/16"	2.75
99-22	5/64"	2.75
99-23	3/32"	2.75
99-764	7/64"	2.75
99-24	1/8"	2.75
99-964	9/64"	2.75
99-25	5/32"	2.75
99-26	3/16"	2.75
99-71MM	1.27mm	3.50
99-72MM	1.5mm	3.50
99-73MM	2mm	3.50
99-74MM	2.5mm	3.50
99-75MM	3mm	3.50
99-76MM	4mm	3.50
99-77MM	5mm	3.50



BRISTOL 8-FLUTE MULTIPLE-SPLINE SCREWDRIVERS

(Working length 4")

MODEL	DESCRIPTION	PRICE
99-81	.048"	\$2.75
99-82	.060"	2.75
99-83	.069"	2.75
99-84	.072"	2.75
99-85	.076"	2.75
99-86	.096"	2.75
99-87	.111"	2.75
99-88	.145"	2.75
99-89	.183"	2.75


*4-flute



SLOTTED SCREWDRIVERS

(Working length 3-7/8")


99-125	1/8"	\$2.75
99-811	3/16"	2.75
99-250	1/4"	2.75
99-312	5/16"	2.75



PHILLIPS SCREWDRIVERS

(Working length 3-7/8")


99-820	#0	\$2.75
99-821	#1	2.75
99-822	#2	2.75



POZIDRIV® SCREWDRIVERS

(Working length 3-7/8")


99-83-1	#1	\$4.95
99-83-2	#2	4.95
99-83-3	#3	4.95



BALL POINT ALLEN HEX SOCKET TYPE SCREWDRIVERS

(Working length 4" or 101.60mm)


99-20BP	.050"	\$3.95
99-21BP	1/16"	3.95
99-22BP	5/64"	3.95
99-23BP	3/32"	3.95
99-764BP	7/64"	3.95
99-24BP	1/8"	3.95
99-964BP	9/64"	3.95
99-25BP	5/32"	3.95
99-26BP	3/16"	3.95
99-71MMBP	1.27mm	3.95
99-72MMBP	1.5mm	3.95
99-73MMBP	2mm	3.95
99-74MMBP	2.5mm	3.95
99-75MMBP	3mm	3.95
99-76MMBP	4mm	3.95
99-77MMBP	5mm	3.95



SCRULOX® SCREWDRIVERS

(Working length 4")

99-SL0	#0	\$2.95
99-SL1	#1	2.95
99-SL2	#2	2.95
99-SL3	#3	2.95



CLUTCH HEAD SCREWDRIVERS

(Working length 3-7/8")


99-G532	5/32"	\$3.50
99-G316	3/16"	3.50



REAMER

(Working length 4-1/8")

99-38	1/8" to 3/8"	\$8.95
-------	--------------	--------



EXTENSIONS

99-X5	4"	\$3.95
99-X10	7"	3.95

XCELITE

FREARSON

(REED & PRINCE) TYPE



Model No.	Blade Diam.	Blade Length	Overall Length	Our Price
RP101	3/16"	3"	6-5/8"	\$3.50
RP102	1/4"	4"	8-1/8"	4.50

Round blade, fixed handle screwdrivers can be furnished (optionally at extra cost) with blades which have been insulated by plastic dip-coating.





Model No.	Blade Diam.	Blade Length	Overall Length	Our Price
-----------	-------------	--------------	----------------	-----------

POCKET CLIP STYLE

R3322		2"	4-1/4"	\$1.50
R3323	3/32"	3"	5-1/4"	1.75
R3324		4"	6-1/4"	1.95
R181	1/8"	2"	4-1/4"	1.95
R183		3"	5-1/4"	1.95

REGULAR

R182		2"	4-5/8"	\$1.80
R184		4"	6-5/8"	2.50
R188	1/8"	8"	8-5/8"	2.75
R188		8"	10-5/8"	2.95
R1810		10"	12-5/8"	2.95
R5323		3"	5-5/8"	2.25
R5324	5/32"	4"	6-5/8"	2.25
R5325		5"	7-5/8"	3.50
R5328		8"	10-5/8"	3.50
R3183		3"	6-5/8"	3.50
R3164		4"	7-5/8"	3.75
R3188	3/16"	6"	9-5/8"	3.95
R3188		8"	11-5/8"	3.95
R31810		10"	13-5/8"	4.95
R144		4"	8-1/8"	3.95
R148	1/4"	6"	10-1/8"	4.50
R148		8"	12-1/8"	4.50
R1410		10"	14-1/8"	4.75
R5184	5-16"	4"	8-1/2"	4.95
R5188		6"	10-1/2"	4.95
R5188	3/8"	8"	12-1/2"	5.50
R388		8"	12-1/2"	8.50



PHILLIPS

Model No.	Point Size	Blade Diam.	Blade Length	Overall Length	Our Price
-----------	------------	-------------	--------------	----------------	-----------

POCKET CLIP STYLE

P12S	0	1/3"	2"	4-1/4"	\$2.50
------	---	------	----	--------	--------

STUBBY

SX101	1	3/16"	1-7/16"	3-7/16"	\$3.25
SX102	2	1/4"	1-5/16"	3-3/8"	3.95


REGULAR

X100	0	1/8"	2"	4-5/8"	\$2.25
X101	1	3/16"	3"	6-5/8"	2.95
X108	1	3/16"	8"	9-5/8"	3.95
X102	2	1/4"	4"	8-1/8"	4.50
X103	3	5/16"	6"	10-1/2"	5.95
X104	4	3/8"	8"	12-1/2"	7.95

EXTRA LONG

X1010	1	3/16"	10"	13-5/8"	\$5.60
X1020	2	1/4"	10"	14-1/8"	8.50

NUTDRIVERS



INCH SIZES (Color-Coded Handles)

DRILLED SHAFT Midget Pocket Clip Style (3-1/2" Overall Length)

Number	Handle Color	Hex Opening	Price
P3	Blue	2/32"	\$2.50
P4	Red	1/8"	2.50
P5	Amber	5/32"	2.50
P8	Black	3/16"	2.50
P7	Brown	7/32"	2.50
P8	Red	1/4"	2.50
P9	Orange	9/32"	2.50
P10	Amber	5/16"	2.50
P11	Green	11/32"	2.50
P12	Blue	3/8"	2.50

REGULAR (6-1/8" Overall Length)

8	Black	3/16"	\$3.80
7	Brown	7/32"	3.80
8	Red	1/4"	3.80
9	Orange	9/32"	3.80
10	Amber	5/16"	3.80
11	Green	11/32"	3.80
12	Blue	3/8"	3.80

(7" Overall Length)

14	Brown	7/16"	\$4.50
18	Red	1/2"	4.50

FULL HOLLOW SHAFT REGULAR (6-1/4" Overall Length)

Number	Handle Color	Hex Opening	Price
HS8	Black	3/16"	\$3.95
HS7	Brown	7/32"	3.95

(7-1/4" Overall Length)

HS8	Red	1/4"	\$3.95
HS9	Orange	9/32"	3.95
HS10	Amber	5/16"	3.95
HS11	Green	11/32"	3.95
HS12	Blue	3/8"	3.95
HS14	Brown	7/16"	4.95
HS18	Red	1/2"	4.95
HS18	Orange	9/16"	4.95

EXTRA LONG (9-1/8" Overall Length)

L8	Black	3/16"	\$4.95
----	-------	-------	--------

(10-1/8" Overall Length)

L8	Red	1/4"	\$4.95
L10	Amber	5/16"	4.95
L11	Green	11/32"	4.95
L12	Blue	3/8"	4.95

SPECIALTY TOOLS

XCELITE COAXIAL WIRE STRIPPER



FEATURES

- Fast, precise and easy to operate.
- Lightweight—weighs only 1 ounce.

DESCRIPTION

The coaxial wire stripper is fast, precise and easy to operate. Will do RG 58, RG 59, RG 122, RG 174 and RG 8281. This tool will strip every coax wire with an O.D. between .14 and .30 inches. Its small, 3.5" long, compact body allows the operator to use it in many areas which previously prevented post-stripping coax wires. Can be easily carried in a tool pouch or pocket and utilized in the field or in the plant. The removable cassette blades are rated for up to 10,000 strips and give clean, crisp cuts. Cassette number 2C-B (blue) will cut exposed braid to a length of .24 (6mm), number 2C-Y (yellow) will cut exposed braid to a length of .48 (12mm). Tool body is constructed of fiberglass reinforced nylon.

2CS5962-B Coax tool w/blue cassette, for BNC, TNC conn., & F conn. RG59U.....\$34.95

2CS5962-Y Coax tool w/yellow cassette, for UHF conn.....\$34.95

2C-B Replacement blue cassette.....\$13.75

2C-Y Replacement yellow cassette.....\$13.75

CABLEMATIC



COAX CABLE STRIPPER MODEL UT-5800

OUR PRICE **\$19.95**

Prepares cable for installation of PL-259 with UG-175/U on RG-58 cable.

MODEL UT-5900

OUR PRICE **\$19.95**

Prepares cable for installation of "F" connectors on RG-59 size cable.

MODEL UT-5901

OUR PRICE **\$19.95**

Prepares cable for installation of PL-259 with UG-176/U adapter or TV wall plate on RG-59 cable.

UT SERIES COAX CABLE STRIPPERS

Precise—Machined to precision tolerances.

Simple—Two step operation. Even the unskilled make perfect strips every time.

Uniform—Strips cable to same dimensions every time, no matter who uses it, without nicks or scratches.

Prevents trouble calls—Can't nick center conductor or leave loose strands to cause shorts.

Saves time—Prepares cable for connector in less than 15 seconds.

Lifetime use—Replaceable blades designed for long life.

CABLEMATIC CABLE CRIMP TOOL MODEL CR-595A

OUR PRICE **\$14.95**

Standard cable crimp tool.



PALADIN AUTOMATIC HAND WIRE STRIPPER

MODEL PA-1100

OUR PRICE **\$42.95**



FEATURES

- Cuts and strips single or multiple conductor cables.
- Built-in cutter, self-adjusting stripping jaws.


DESCRIPTION

This innovative automatic hand wire stripper has a built-in sensor which enables it to strip No. 28 through No. 12 AWG wire, solid or stranded without adjustment. Its fiberglass re-inforced nylon body is virtually indestructible and electrically insulated from any shock hazards. The built-in self-sharpening cutter allows the operator to cut and strip in one operation with one tool. The front feed gives freedom of use in the tightest of spaces. The stainless steel, self-adjusting, stripping blades are industrially tough and built for up to 100,000 strips or more. Will do as many as six conductors simultaneously in bonded or molded cables. Stripping length: adjusts up to 7".

PA-2101 Replacement stripping jaw.....Our Price \$13.75

CABLEMATIC HEX CRIMP TOOL MODEL CR-596A

OUR PRICE **\$34.95**



DESCRIPTION

The Hex Crimp tool was functionally designed for the CATV and MATV installer. It is lightweight and fits the installer's belt.

Ratchets are eliminated by the design of the "positive homing action" for the tool to assure a full crimp every time.

The hex dimension for the RG-59/U is .262" and RG-6/U is .324", on a flat-to-flat measurement.


PALADIN FLAT RIBBON CABLE STRIPPER

Strips cable for on-board soldering or connector termination
MODEL PA-1120

OUR PRICE
\$135.00

MODEL PA-1121

OUR PRICE
\$135.00



DESCRIPTION

These tools strip up to 32 conductors of bonded, laminated or twisted pair conductor flat cable — a major advance in flat cable preparation technology, both in function and versatility.

Two varieties of the tool are available. The PA-1120 strips the insulation completely off the cable while the PA-1121 strips the insulation back, but does not remove it, thus preserving the centerline spacing.

No other flat ribbon cable stripper on the market today can equal the quality or cost effectiveness that this tool delivers.

XCELITE MINI-CRIMPER THE MECHANICAL CRIMPING TOOL

MODEL MIC-58 OUR PRICE **\$74.95**

MODEL MIC-2214 OUR PRICE **\$59.95**



DESCRIPTION

The smallest professional crimping tool of its kind. Angled jaws offer the greatest comfort in simultaneously locating connectors and crimping. The ratchet insures a full-cycle complete crimp every time. Overall Length: 7.68"/195mm. Handle Spread at Gripping Points: 3.66"/93mm.

MIC-58— Field of application: RG-58 BNC/TNC connectors. Weight: .55 lbs.

MIC-2214— Field of application: insulated Terminals size AW-22-14 (.75-2.5mm). Weight: .55 lbs.

PALADIN MINI STRIPPER

Compact, Self-Adjusting Wire Stripper
MODEL PA-1115

OUR PRICE
\$39.95



DESCRIPTION

Designed for smaller wires, the new version of the Stripex features the same high quality and versatility. The Mini Stripper will strip solid or stranded wires from 16 to 30 AWG. A built-in cutter eliminates the need for a second tool.

The compact size of the PA-1115 Mini Stripper is especially attractive for those tight jobs where space is at a premium. It is designed to fit the hand and operate with the lowest force possible, thus eliminating operator fatigue.

Half the size and twice the versatility of competitive tools. Another innovation in wire stripping from Paladin Corporation.

REPLACEMENT STRIPPING BLADES MODEL PA-2108

OUR PRICE **\$10.95**

PALADIN CABLE TY GUN MODEL PA-1825

OUR PRICE **\$52.50**



DESCRIPTION

Paladin's new Cable Ty Gun gives the user high quality at a truly economical price.

The Ty Gun tensions the ty's and cuts them cleanly without leaving ragged edges.

The tension adjustment gives great flexibility in selecting bundling pressure while keeping operator fatigue to a minimum.

PANASONIC 1/2" TIME LAPSE VIDEO CASSETTE RECORDER

MODEL AG-6010

OUR PRICE


\$1895.00

FEATURES

- Utilizes 1/2" video cassettes (NVT 120).
- Records color or black and white signals in any of 4 different time lapse modes as well as real time.
- 2 hours (real time) standard VHS. • 6 hours standard VHS, 24h, 72h, time lapse mode.
- Horizontal resolution more than 300 lines center (mono). • S/N ratio of 43 dB.
- Normal speed and 7X speed search in forward and reverse in all time modes.
- Built-in time and date generator. • Built-in RF converter. • High Reliability and Durability.
- VHS Mode/Time Lapse Mode Recording. • Recording System Versatility.
- Timer Recording. • Automatic Repeat Recording. • Automatic Recording After Power Failure.
- Recording-Lock. • Alarm Recording. • Multiple Search Functions. • Hour Meter.
- Weight: 25.3 lbs. Dimensions: 16-15/16" (W) x 4-9/16" (H) x 14-11/16" (D).

DESCRIPTION

A NEW ERA IN TIME LAPSE RECORDING. The new AG-6010 1/2" Time Lapse Video Cassette Recorder is a versatile unit equipped with multiple search functions and a built-in time/date generator. The AG-6010 is a reliable, economical time lapse video recorder for CCTV Systems. In addition to the 24-hour and 72-hour time lapse recording features for observation and surveillance applications, this new model also includes 2-hour standard play and 6-hour super-long play VHS modes. The recording lock function prevents external tampering of the system after the unit is in the recording mode, and the built-in time/date generator adds a valuable feature at no additional cost. An advanced four-head system allows recorded images to be reviewed easily with excellent reproduction, even in clear still, clear slow and frame shift modes. These are just a few of the many features that make the AG-6010 the Ideal Time Lapse Video Cassette Recorder for efficient, reliable and fully versatile economical surveillance and monitoring requirements.



PANASONIC 1/2" TIME LAPSE VIDEO RECORDER


MODEL AG-6050

OUR PRICE

\$2990.00

FEATURES

- Utilizes 1/2" video cassettes (NVT 120).
- Records color or black and white signals in any of 9 different time lapse modes as well as real time.
- 2 hours (real time) and 12, 24, 48, 120, 240, 480 hours and 1 shot mode.
- Horizontal resolution more than 350 lines. • S/N ratio of 45 dB.
- Normal speed and 6X speed search in forward and reverse in all time modes.
- Built-in time and date generator. • Recorded tape interchange with NV-8050.
- Dimensions: 16-7/8" W x 7-1/8" H x 17-3/8" D. • Weight: 40.7 lbs.



PANASONIC SEQUENTIAL SWITCHERS

MODEL WJ-521

OUR PRICE **\$399.95**

FEATURES

- Sequential Switcher, accepts up to 6 camera inputs, two video outputs: sequential and spot monitor; front panel indicator lamps; manual selection of any camera for display on second monitor.
- Switching Interval manually adjustable from 1 to 30 seconds. • BNC Connectors.
- 12-pin connector for optional remote selection of the spot monitor output.
- Dimensions: 16-7/8" W x 1-3/4" H x 9-7/16" D. • 6.6 lbs.

MODEL WJ-523

OUR PRICE **\$449.95**

FEATURES Same as the WJ-521 plus it can accept up to 10 camera inputs.

RCA DATE AND TIME GENERATOR

PUT DATE AND TIME ON YOUR VIDEO SIGNAL IDEAL FOR TIME-LAPSE RECORDING

MODEL TC-1440B

OUR PRICE

\$395.00

FEATURES

- Power line accuracy.
- No cumulative errors.
- Latest CMOS technology and conservative design assure trouble free operation.
- Standby electronic "flywheel" during brief power failures - no loss of timing information.
- Zoom character size control - 5 to 15% of picture height.
- Looped-through video unaffected by generator - even if off.
- Display positioned anywhere on screen - stacked or horizontal.
- Manual brightness control plus automatic adaption to changes in background brightness level.
- Usable with random or positive interface camera - color or monochrome.
- Reciprocal dual-action front panel switches set date and time.
- Built-in calendar tracks days, months, and years (including leap-years) automatically.
- No accidental turn off - powered with line cord insertion - no power switch.



SANYO HIGH TECHNOLOGY CCV CAMERA, 12 VDC

MODEL VDC-3800

REG. \$899.00

OUR PRICE **\$690.00**

FEATURES

- 2/3" image device. • Low power consumption.
- All solid state camera - including image device.
- Built-in Sanyo original frame transfer CCD image device.
- No interference from magnetic or electro-static field.
- High performance - 420 lines horizontal resolution with no image burn.
- Small lightweight camera for applications where space is limited.
- Uses standard "C" mount lens.

DESCRIPTION

Compact CCD image device camera. Completely solid state, high resolution, 2:1 interlace, external synchronization, suitable for use in all CCTV applications.



SANYO BLACK & WHITE CCD CAMERA

MODEL VDC-3824 24V AC

REG. \$995.00

OUR PRICE **\$690.00**

This precision CCD camera is suitable for a wide range of applications and features low-power 24-volt operation.

FEATURES

- CCD image sensor (frame transfer type) with approx. 280,000 picture elements and 420-line horizontal resolution.
- CCTV system compatibility with interchangeable "C" lens mount and output terminals for video and Irs.
- Low power 24V AC operation allows external installation in the USA without the need for a licensed electrician.
- Virtually maintenance-free operation. • Compact unit designed for easy installation.
- 1.5 lux minimum illumination. • No interference from magnetic or electrostatic fields.



SANYO COLOR CCD CAMERA

MODEL VDC-3900

REG. \$1195.00


OUR PRICE **\$849.95**

DESCRIPTION

This compact CCD (Charge-Coupled Device) camera combines portability, high-picture quality and easy operation.

FEATURES

- CCD image sensor (interline transfer type) with approx. 250,000 picture elements and 300-line horizontal resolution.
- Auto White Balance with amorphous light sensor assures optimum light exposure and color correction.
- CCTV system compatibility with interchangeable "C" lens mount and output terminals for video and Irs.
- Virtually maintenance-free operation. • 15 lux minimum illumination.
- No interference from magnetic or electrostatic fields.



RCA TIME LAPSE VIDEO RECORDER

NTSC MONOCHROME AND COLOR


MODEL TC-3920

OUR PRICE

\$1695.00

FEATURES

- Standard 10-speed time lapse VCR with all the basic time lapse features.
- Easy-to-Use for those "everyday" CCTV applications.
- Time-of-Alarm memory and recall. • High speed visual search - forward or reverse.
- Ten playback speeds - forward or reverse. • Still field and field-advance playback.
- 24 hour memory protection. • Electronic security lockout. • Programmable lockout.
- Usable audio at 2 and 12 hour speeds. • "Alarm On" and "Recording On" Outputs.



RCA SEQUENTIAL SWITCHER

MODEL TC-1404

OUR PRICE **\$199.95**

FEATURES

- Low Cost. • 4 Camera. • Reliable CMOS IC's.
- Vertical-interval. • Sequential switcher.
- Alarm Call-up. • Low power consumption.
- Up to 4 camera inputs automatically sequenced to one monitor.
- Instant selection with positive key-action switch for each camera.
- Variable dwell time can be set for 3 to 70 seconds from front panel.
- Alarmed camera call-up from motion detectors or alarm closures.
- Camera identification with front panel tally lights to indicate displayed camera.
- Simplified controls, human engineered for quick, logical operation.
- Small size. Desk top or quarter-panel rack mount with additional RCA Switchers, Motion Detector or Time and Date Generator.

MODEL TC-1408

OUR PRICE **\$595.00**

Same as above plus: alarm features, 6 position.



PANASONIC CCTV CAMERAS


BLACK & WHITE 1/2" VIDICON CAMERAS WITHOUT LENS

MODEL WV-140 120V AC OUR PRICE **\$159.95**

MODEL WV-144 24V AC
OUR PRICE **\$159.95**

FEATURES

- 1/2" general purpose Vidicon Camera without lens.
- Compact 1/2" pick-up tube 1-7/8" H x 3-9/16" W x 7-5/8" D. Lightweight: 1.2 lbs.
- Horizontal resolution more than 500 lines.
- Switchable line lock random interlace or internal 2:1 interlace.
- Automatic light compensation circuit. • Top or bottom mounting flexibility.
- Standard C-mount allows for use of interchangeable lenses.



BLACK & WHITE 2/3" VIDICON CAMERAS WITHOUT LENS

MODEL WV-1410 120V AC


OUR PRICE **\$219.95**

MODEL WV-1414 24V AC

OUR PRICE **\$219.95**

FEATURES

- 2/3" general purpose Vidicon Camera without lens.
- Switchable line lock random interlace or internal 2:1 EIA RS-170 sync.
- Automatic focus control.
- Automatic beam control.
- Adjustable vertical phase accepts optional camera identification generator board (WV-Q90).
- Size 2/3" pick-up tube 3-5/16" H x 3-9/16" W x 8-3/8" D. • Weight: 3.7 lbs.



MODEL WV-1410D DRONE CAMERA OUR PRICE **\$69.95**

- Dummy lens. • Pilot lens. • On/off switch. • 3-prong grounded power cord, 8 ft.

BLACK & WHITE 2/3" NEWVICON CAMERAS

BODY ONLY WITHOUT LENS

MODEL WV-1460 120V AC

OUR PRICE **\$725.00**

MODEL WV-1464 24V AC

OUR PRICE **\$725.00**

FEATURES

- 2/3" general purpose Newvicon Camera without lens.
- 600 Lines horizontal resolution.
- Switchable line lock random interlace or internal 2:1 EIA RS-170 sync.
- Automatic focus control. • Automatic beam control.
- Adjustable vertical phase accepts optional camera identification generator board (WV-Q90).
- Size 2/3" pick-up tube 3-5/16" H x 3-9/16" W x 8-3/8" D. Weight: 3.5 lbs.



BLACK & WHITE 2/3" VIDICON CAMERAS WITH LENS

MODEL WV-1500 120V AC


OUR PRICE **\$319.95**

MODEL WV-1504 24V AC

OUR PRICE **\$319.95**

FEATURES

- 2/3" High performance Vidicon Camera with 16mm, f/1.6 C-mount lens.
- 650 Lines horizontal resolution.
- Line lock random or internal 2:1 interlace (RS-170) or external sync (Genlock RS-170).
- Black clamp. • L.L. Phase. • Video level control. • AGC on/off switch.
- Accepts optional camera identification generator board (WV-Q90).
- Accepts optional splitter board (WV-Q91). • Lens included.
- Size 2/3" pick-up tube 3-5/16" H x 3-9/16" W x 8-3/8" D. • Weight: 3.7 lbs.



BLACK & WHITE 2/3" NEWVICON CAMERAS

BODY ONLY WITHOUT LENS

MODEL WV-1550 120V AC


OUR PRICE **\$799.00**

MODEL WV-1554 24V AC

OUR PRICE **\$799.00**

FEATURES

- 2/3" High performance Newvicon Camera.
- 650 Lines horizontal resolution.
- Line lock random or internal 2:1 interlace (RS-170) or external sync (Genlock RS-170).
- Black clamp. • L.L. Phase. • Video level control. • AGC on/off switch.
- Size 2/3" pick-up tube 3-5/16" H x 3-9/16" W x 8-3/8" D. • Weight: 3.5 lbs.



BLACK & WHITE SINGLE CABLE 2/3" VIDICON CAMERAS WITH LENS

MODEL WV-1600/KT-1 120V AC

OUR PRICE **\$369.95**

MODEL WV-1600/KT-2 12V DC

OUR PRICE **\$369.95**

FEATURES

- Single-cable 2/3" Vidicon Cameras with 16mm, f/1.6 C-mount lens.
- 500 Lines horizontal resolution.
- Internal line lock random interlace.
- Comes with power camera control box. • Lens included.
- Size 2/3" pick-up tube 2-1/2" H x 3-1/8" W x 8-1/8" D. • Weight: 1.3 lbs.



HIGH RESOLUTION BLACK & WHITE 1" VIDICON CAMERAS

BODY ONLY WITHOUT LENS


MODEL WV-1800 120V AC

OUR PRICE **\$799.00**

MODEL WV-1804 24V AC

OUR PRICE **\$799.00**

- 1" separate mesh Vidicon Camera.
- Sweep protection circuit.
- Heavy duty die-cast chassis.
- Horizontal resolution more than 800 lines.
- Built in EIA RS-170 LSI sync generator.
- Automatic electronic focus control.
- Automatic gain control, black clamp circuit, and switching of internal external sync modes.
- Internal sweep reversal connector for mounting position flexibility. • Automatic beam control.
- Genlock feature. • Size 1" pick-up tube 3-3/4" H x 5-1/4" W x 12-15/16" D. Weight: 9 lbs.



HIGH RESOLUTION BLACK & WHITE 1" NEWVICON CAMERAS

BODY ONLY WITHOUT LENS

MODEL WV-1850 120V AC

OUR PRICE **\$1498.00**

MODEL WV-1854 24V AC

OUR PRICE **\$1498.00**

- 1" Extended Red Newvicon camera.
- Gen Lock feature.
- Automatic beam control.
- Automatic gain control. • Sweep protection circuit.
- High sensitivity usable picture 0.01 footcandles (0.1 lux), recommended illumination 0.1 footcandles (1 lux).
- Low blooming and low image retention. • Horizontal resolution more than 800 lines.
- Built in EIA RS-170 LSI sync generator. • Automatic black clamp circuit.
- Automatic electronic focus control. • Automatic switching of internal external sync modes.
- Internal sweep reversal connector for mounting position flexibility.
- Heavy duty die-cast chassis. • Size 1" pick-up tube 3-3/4" H x 5-1/4" W x 12-15/16" D. Weight: 9 lbs.



SOLID STATE CCD COLOR CAMERA BODY ONLY LENS OPTION

MODEL WV-CD130 OUR PRICE **\$1418.00**

- Pick-up element is a 2/3" CCD (Charged Coupled Device) 510 (H) x 492 (V) color pixel 330 lines of horizontal resolution and 350 lines vertical resolution.
- Long life and high reliability from the use of all solid state components and a metal camera case.
- Gen-lock feature for multi camera system.
- The unique ATW (automatic tracking white-balance) sensor in the WV-CD130 camera. The camera can also be switched for manual white balance setup when required. • Low lens.
- High sensitivity 1 Fc (10 Lux) at F1.4 minimum illumination. • Automatic Gain Control circuit.
- Size: (2-3/4" H x 3-3/4" W x 7-1/2" D. Weight: 2.42 lbs. • Protection against shock and vibration.



COMPACT/LIGHT BLACK & WHITE SOLID STATE CCD CAMERA

BODY ONLY LENS OPTION

MODEL WV-CD50 OUR PRICE **\$1299.00**

COMES WITH POWER SUPPLY

- CCD (Charged Coupled Device) image sensor. High stability and long life is provided with virtually no maintenance.
- Compact and lightweight design. Size: 1-5/8" W x 1-5/8" H x 2-3/16" D (excluding lens). Weight: 2.6 lbs.
- Precise image geometry. As a result of employing a precise CCD image sensor, there is no image distortion making it an excellent choice for Robotic vision as well as video image processing.
- Low lag and high image burning resistance enable the camera to be employed for pattern recognition and shooting high speed and high contrast objects.
- High resolution and Sensitivity. Approximately 250,000 picture elements produce a high definition picture. Required minimum illumination is only 5 lux.
- Shock and Vibration resistant, it can be used under rough conditions. Example, airplane, automobile, oil tanker, FA industry, etc. • Power Consumption: 12 watts.
- Electric and magnetic field resistant, because of its CCD's characteristics, the camera can be used under strong electric and magnetic fields. • Power source: 120V AC 60Hz.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

PANASONIC MINI-CCTV SYSTEM

The Economical "Do-It-Yourself" Surveillance system includes: Two WV-80 Vidicon Cameras with 16mm, F 1.6 lens, 9" (meas. diag.) monochrome monitor with built-in sequential switcher and camera mounting brackets.

MODEL WV-80/KT2

OUR PRICE **\$849.95**

DESCRIPTION

Virtually Endless Applications The Panasonic Mini-CCTV System can be used for virtually unlimited applications. In the home, you can monitor from your kitchen your child's bedroom, the front door, or just about any area which could use surveillance. The basic system features two CCTV cameras, but for more demanding applications you can expand the system to six cameras. Other important applications include convenience stores, gift shops, or any retail outlet that could use CCTV system is also perfect for light industry, warehousing and educational applications. Thanks to its design, this system requires a minimum of wiring, and its main monitor unit is easy to use and offers high quality performance.

Design Your Own System The Mini-CCTV System is simple to install and easy to operate. Just attach the camera mounting bracket to the wall or ceiling, aim the camera and focus. A single coaxial cable between the camera and the monitor carries the video signal from the camera and supplies it with power.

The system is completely versatile for it will connect with alarms, intercoms, up to six cameras (with optional adaptor) and a time lapse recorder.

FEATURES for the CCTV Camera WV-80

- Single cable connection. • Cable distance from camera to monitor can be extended up to 2840 ft. (with proper cable).
- Camera uses BNC connector. • Automatic light compensator allows use under broad variety of lighting conditions.
- Excellent picture quality with horizontal resolution of 500 lines. • Compact, lightweight and handsomely styled.
- 2/3" high sensitivity pick-up tube with minimum illumination of only 1 footcandle.
- Dimensions: 4"W x 1-15/16"H x 6-1/4"D (incl. hood). • Weight: 1.4 lbs.

CCTV Monitor

- 9" Black and White (meas. dia.) screen. • As many as three cameras can be connected to one monitor/switcher unit.
- Video output displays each camera in sequence or any camera manually selected.
- Sequential switching interval manually adjustable from 1 to 60 seconds.
- Inputs for three monitor controls: Intercom, alarm sensor and switch. • Built-in camera/monitor protection circuit. • Alarm control output for warning buzzer or chime.
- Alarm period manually adjustable from 1 to 30 seconds. • Dimensions: 11-5/8"W x 8-5/16"H x 9-7/16"D. • Weight: 16.7 lbs.

OPTIONAL ACCESSORIES

- Camera Extension Unit model WV-83. \$349.00
 - Remote Control Box model WV-438. \$189.00
 - Wide Angle Lens Adaptor model VZ-ML10. \$89.00
- (Picture Angle without VZ-ML10P H-30°, V-23°. With VZ-ML10P H-57°, V-44°)

- Penning Head model WV-435. \$160.00
 - Weather-proof Housing WV-95. \$172.00
 - Additional Camera model WV-80. each \$189.95
- Comes with Wall Mount



PANASONIC QUAD SYSTEM • Ideal Where Multiple Surveillance Cameras Are Needed

Quad Unit

MODEL WJ-400 OUR PRICE **\$799.00**

Size: 12-5/8"W x 3-7/16"H x 11-13/16"D. Weight: 15.8 lbs.

Vidicon Camera (Lens Optional)

MODEL WV-041 550 lines OUR PRICE **\$299.00**

Size: 3-1/8"W x 2-5/8"H x 6-1/8"D. Weight: 1.45 lbs.

Newvicon Camera (Lens Optional)

MODEL WV-046 500 lines OUR PRICE **\$799.00**

Size: 3-1/8"W x 2-5/8"H x 6-1/8"D. Weight: 1.51 lbs.

DESCRIPTION

The Panasonic Quad System is ideal for CCTV applications where multiple surveillance cameras are a necessity. As many as four cameras can be connected to the Quad unit and all four pictures can be displayed on one monitor screen which is divided into four blocks. The Quad mode or individual camera mode is simply selectable. In addition, camera numbers are displayed on the monitor screen for easy identification of each location. Used in conjunction with the time-lapse VCR, the video recording/playback function maintains a visual log of information for both the quad mode and individual camera (full size) mode.

FEATURES

- As many as four cameras can be connected to the quad unit and all four pictures can be displayed on one monitor screen by dividing the screen into four blocks. Quad mode or individual camera mode is simply selectable.
- Camera Numbers are displayed on the monitor screen for easy identification of each location.
- Four signals (video, DC power, vertical drive pulse and horizontal drive pulse) are carried by a single coaxial cable. Since no power outlet is required at the camera, installation is simple.
- Coaxial cable distance between the camera and the quad can be extended up to 660 ft. with auto cable compensation.
- An alarm terminal is built on at the back panel of quad unit for connection to an alarm sensor, intercom and switch such as light beam switch, door switch, window switch, mat switch, etc.
- WV-041 or WV-046 cameras are required for this system.
- An alarm indicator turns on and selects related picture (full size) if the alarm signal is supplied when a security switch operates.
- 2/3" high sensitivity pick-up tube with minimum illumination of 1 Fc (WV-041) and 0.05 Fc (WV-046).
- Information can be recorded on a VCR. Used in conjunction with the time-lapse VCR, the video recording/playback function keeps a visual log of information for both Quad mode and full size mode. Look back at the sequence of video shots for information on the movement of people and objects.
- Built-in protection circuit for misconnection. • Alarm control output for a buzzer or chime.
- Built-in auto reset switch for spot monitor control. Input the auto reset time can be adjusted from 1 to 60 seconds.
- Built-in automatic light compensation circuit for different light levels.


Color Digital Quad Unit

MODEL WJ-450

OUR PRICE **\$1499.00**

Size: 16-1/2"W x 3-7/16"H x 13-3/4"D. Weight: 14.3 lbs.

- Accepts any 2:1 Interlace Camera or VTR
- Four Picture (Color or B/W) Display on one monitor
- Simultaneous Quad and Single Picture Output
- Freeze Function. • Alarm Function
- Sync-lock between multiple WJ-450's
- 6 Alphanumeric character display in each of the four pictures



PANASONIC SOLID STATE COLOR MINI CCTV SYSTEM

MODEL WV-CMS1A/KIT OUR PRICE **\$1475.00**

Consists of: 1-color camera (lens optional), 1-10" color monitor and brackets.

DESCRIPTION


Improve the effectiveness of your surveillance by putting full color images on screen. The WV-CD110A video camera uses a newly developed CCD (Charge Coupled Device) element for a clear picture from a compact unit.

FEATURES

- Clear Color Images: Incorporation of an image element (CCD: Charge Coupled Device) results in excellent color reproduction, which enables you to make accurate color identification and thereby achieve better surveillance. Color adjustment is automatically performed by computer.
- CCD (Charge Coupled Device) Camera Element: The CCD incorporates the functions of a camera tube and a deflecting coil into a compact image element. Because there is capability of the image element, maintenance is extremely easy.
- Easy Installation: Video signals and DC power are both supplied through a single coaxial cable. The monitor's compact size (11"W x 11-1/4"H x 13-3/8"D) and light weight (18.5 lbs.) make installation easy, whether inside or outside a building. Camera size 3-5/8"W x 2-5/16"H x 5-7/8"D. Weight: 0.9lbs.
- Expandable Connection Capability: As many as three cameras can be connected to the color monitor. Optional extension adaptors permit unlimited connections in multiples of three cameras. Supplementary B&W cameras (WV-80, WV-85) can be added to keep the average cost down.
- Sequential Switcher: The display from the connected cameras can automatically be switched from one to another, allowing central monitoring by means of a single color monitor.
- Security Device Interface: The camera can interface with systems such as alarms, intercoms, door-sensors, and outside buzzer systems. By connecting the camera to a time lapse VCR, color recording and replay up to a maximum of 72 hours is possible.
- Standby Function: Set up the monitor to be activated only when a signal is received from an alarm or intercom.

- OPTIONAL ACCESSORIES WV-AD110 Extension adaptor (For More Than 3 Cameras) \$579.00
- WV-CD110A Color Camera \$749.00 WV-46KT Weatherproof Housing \$399.00

Clear color images provide more accurate information, this CCTV system can provide your surveillance system.



CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

CCTV EQUIPMENT

RCA SCANNING SYSTEM

ALLOWS REMOTE
OR AUTOMATIC SCANNING
MODEL V-3000


OUR PRICE **\$369.95**

FEATURES

- Comes Complete With:
- Well mount (RV-1600WM).
- Scanner (RV-3200AP).
- Remote box (RV-130AP).

DESCRIPTION

The contemporary styled V3200AP Scanner Package incorporates Vicon's years of experience in producing dependable, economically priced scanners. Simple and justifiable snap-on stops assure ease of installation and flexibility in selecting area coverage. The Desk-Top Control shown provides a dual control combination for automatic scanning or manual modes of operation. Requires a conductor cable between control box and scanner.



RCA INDOOR HOUSINGS

MODEL V-8600H

OUR PRICE **\$119.95**

DESCRIPTION

The V8600H is a durable and compact indoor housing, designed to protect cameras from dust in high-visibility installations. Constructed of lightweight aluminum and plastic, the attractively styled housing accommodates most 2/3-inch CCTV cameras, fixed focal length and auto-Iris lenses, and all 2/3-inch ComPacLens zoom lenses.




RCA CEILING ENCLOSURE

MODEL V-8660H

OUR PRICE **\$149.95**

DESCRIPTION

The compact Model V8660H Ceiling Enclosure provides an inconspicuous and versatile ceiling housing for CCTV cameras. The sturdy injection molded plastic housing is constructed so that the camera can be easily adjusted and the lens focused from below the ceiling. Electrical connections are made through openings in the top, and a duplex outlet is provided for camera power.



RCA ENVIRONMENTAL ENCLOSURE

MODEL V-8300H

OUR PRICE **\$199.00**

DESCRIPTION

The Model V8300H Enclosure is a compact enclosure specifically designed for outdoor use and will accommodate most 2/3-inch CCTV cameras and lenses. The enclosure can be ordered with a thermostatically controlled blower, Model V-8300H-B, and heater, Model V-8300H-H, which maintain temperatures within operating limits for the enclosed equipment. A sunshield, Model V-8300H-S, may also be ordered if required.


V-8300H-B Blower \$69.00 V-8300H-H Heater \$69.00
V-8300H-S Sunshield \$69.00 V-2000AWM Adjustable Wall Mount .. \$99.95



RCA WALL AND CEILING MOUNTS GENERAL PURPOSE MOUNT

MODEL TC-9200 OUR PRICE **\$24.95**

An economical 8" General Purpose Mount for loads up to 20 lbs. (9 kg), used as a wall mount. It has an aluminum finish and a sleeve ball mount clamp.



GENERAL PURPOSE MOUNT

MODEL TC-9201 OUR PRICE **\$29.95**


A deluxe 8" General Purpose Mount for loads up to 20 lbs. (9 kg), used as a wall mount. It has a glossy black finish and a lever type ball mount clamp for quick adjustments of camera position.



WALL MOUNT

MODEL TC-9202 OUR PRICE **\$34.95**

A Wall Mount extendable from 9.8" to 18.3" (244 mm to 414 mm). It can accommodate loads up to 22 lbs. (10 kg) in both the short and the fully extended configuration.



UNIVERSAL WALL/CEILING MOUNT

MODEL TC-9203 OUR PRICE **\$49.95**

An 8.7" (220 mm) Universal Wall/Ceiling Mount for loads up to 22 lbs. (10 kg). The right angle curve in the support arm can accommodate many otherwise difficult mounting requirements.



WALL MOUNT

MODEL TC-9204 OUR PRICE **\$57.50**


DESCRIPTION

A sturdy, medium duty 9.8" (250 mm) Wall Mount for loads up to 33 lbs. (15 kg).

RCA 24 VOLT TRANSFORMER

MODEL TC-1324 OUR PRICE **\$16.95**

24 V, 60 Hz transformer. Provides low voltage power for one TC-1500 family 24 VAC camera. Plugs into standard wall receptacle.



24 VOLT TRANSFORMER

MODEL TC-1334 OUR PRICE **\$19.95**

Same purpose as TC-1324 except will operate one TC-2000 family, one TC-1005 family or two TC-1500 family 24 VAC cameras.

PANASONIC PASSIVE SWITCHERS

WJ-200B

MODEL WJ-200B 6 INPUTS


OUR PRICE **\$139.95**

MODEL WJ-205B 12 INPUTS

OUR PRICE **\$219.95**

DESCRIPTION

Panasonic passive switchers are compact, economical accessories for closed circuit TV systems. Six (WJ-200B) or twelve (WJ-205B) inputs can be switched to a single video output. Switching is performed mechanically. Clear cover on each pushbutton snaps out for insertion of input labels. All inputs are terminated with 75 ohms. Standard BNC type connectors are provided for video inputs and output.




HITACHI COLOR VIDEO PRINTER AN INSTANT COLOR PRINT OF ANY TV SCREEN!

MODEL VY-50A

OUR PRICE **\$2150.00**

Hitachi's Color Video Printer adds a whole new capability to video systems — It produces high resolution prints in full color of anything that can be viewed on the screen of a TV, freezing motion, recording events for future reference. The VY-50A is ideal for applications in which pseudo-frame pictures are acceptable. Features a wireless remote for control from your viewing position. It has an almost infinite number of uses in fields such as: medical, industrial, research, computers and many more. The VY-50A can print a displayed scene from your TV monitor in 80 seconds from the time the print button is pressed. A choice of cartridges allows printing on 3.9" X 5" cut sheets or on transparencies for use in an overhead projector.



SPECIFICATIONS

Printing System: Sublimable dye thermal transfer printing. Print Picture Elements: 468 x 512 dots. Printing Time: 80 sec./per print. Picture size: 3.1" x 3.8". Video memory: One field. Print quality: 32-tone. Input: RGB TTL level (D-sub, 9-pin), NTSC Video 1.0 Vp-p 75 ohm (US pin) x 2. Output: NTSC Video 1.0 Vp-p 75 ohm (US pin). RGB TTL level (through) (D-sub, 9-pin). Power requirements: 120V 60Hz/120W during printing. Remote control: Wireless. Print controls: Tint, contrast, brightness. Data/Time Insertion: Month, day, year, clock. Size: 17.1"W x 4.7"H x 15.5"D. Wght: 22.0 lbs.

ADDITIONAL ACCESSORIES

Paper/ink set model VY-S100 Contains everything necessary for 100 color prints \$99.00
Transparency/ink set model VY-T50 Contains special inks
and mylar film necessary for 50 transparencies \$99.50

RCA VIDQUAD - 4-QUADRANT MULTIPLEXER

Combines 4 Complete Video Inputs
For Display on the Screen of one Monitor.


• Without Input Synchronization •

MODEL TC-1474

OUR PRICE
\$1699.95

DESCRIPTION

The TC-1474 VidQuad, Four Quadrant Multiplexer digitally captures the full video from four sources. It reduces these images to quarter-screen size and combines them to provide a real time video output for display of the four inputs in the four quadrants of a single monitor.



FEATURES

- **Automatic Synchronization:** Accepts inputs from any 525-line source: random interlace, 2:1 interlace, VCR's, switchers, etc. The ONLY input required from the source is the composite video on a single video cable.
- **Sharp, Detailed Pictures:** The four video inputs are first digitized and placed in a 512 x 512 memory array with a 64-level grey scale. The Quad format is then immediately read out of the array for presentation on the Quad output. Individual channel, automatic gain and level circuits provide balanced brightness and contrast in all quadrants, without source or multiplexer adjustments.
- **Alarm/Manual Cutoff:** Built-in, position vertical interval switcher. Front panel controls and alarm inputs switch individual, full screen displays of any input, or the Quad display, to the CALL output. LED's indicating selected input, flash when the input has been alarmed. Alarms automatically sequence individual pictures, the Quad display, and multiple alarms on the CALL output for complete recording on a single VCR.
- **Full Alarm Action:** Alarm output provided for control of VCR or other alarm-activated devices. Front panel Alert On/Off pushbutton bypasses alarms. An LED, lit continuously when Alert is ON, flashes to warn operator of an incoming alarm if Alert is OFF.
- **Frame Freeze:** Front panel pushbuttons "freeze" the current picture in any quadrant for further inspection. Other, unfrozen, quads continue to display real time pictures. On-screen indicators and front panel LED's identify frozen quads. The Freeze pushbutton will also recover and display the last picture received, when a video loss (cut cable, etc.) has blanked the quadrant.
- **Remote Operation:** Rear panel connector accepts closures for full control.
- **Power:** Less than 15 watts. • **Voltage Input:** 120V, 60 Hz. Appended 3-wire cord and plug.
- **Finish:** Off-white front panel, charcoal enamel case. • **Size:** 17"W x 3.5"H x 12.5"D.
- **Mounting:** Table top or 19" rack mount included. • **Weight:** 17 lbs.

FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

CCTV LENSES/VIDEO DISTRIBUTION SYSTEMS

CCTV LENSES BY RCA

RCA LENSES FOR TC-1501, TC-1502, TC-2011, and TC-2012

TYPE	MODEL	DESCRIPTION	OUR PRICE
Standard	TC-1886	16mm (No Iris) Fixed	\$ 26.00
Wide Angle	T-1888	6mm (No Iris) Fixed	79.00
Telephoto	V-35-1.7	35mm (No Iris) Fixed	119.00
Zoom	V-12.5-75m	12.5-75mm (No Iris) Motorized	666.00

RCA LENSES FOR TC-1501U, TC-1502U, TC-2011U, and TC-2012U, TC-5002, KP-120

TYPE	MODEL	DESCRIPTION	OUR PRICE
Standard	TC-1616	16mm (Auto Iris) Fixed	\$210.00
Wide Angle	TC-1610	6mm (Auto Iris) Fixed	249.00
Telephoto	TC-1624	25mm (Auto Iris) Fixed	225.00
Zoom	TC-1841	12.5-75mm (Auto Iris) Motorized	699.00
Zoom Control	V-100C	For Above Lenses	199.00
Zoom	TC-1846/D2	11-110mm Outdoor Zoom	1200.00
Zoom Control	V-100ZF	For Above Lenses	250.00

CCTV LENSES BY D.O.

MODEL	DESCRIPTION	FOCAL LENGTH	LENSES	APERTURE	OUR PRICE
DO-3816	Fixed Wide Angle	3.8mm	2/3"	F/1.6	\$169.00
DO-613	Fixed Wide Angle	6 mm	2/3"	F/1.6	62.50
DO-1213	Fixed Wide Angle	12mm	2/3" - 1"	F/1.3	110.00
DO-1616	Normal Lens	16mm	2/3"	F/1.3	29.95
DO-2514	Normal Lens	25mm	2/3" - 1"	F/1.4	76.00
PH-835	Pin Hole Lens	9.5mm	2/3"	F/3.5	249.00
AI-8	Auto Iris Fixed Lens	8.5mm	2/3"		225.00
AI-16	Auto Iris Fixed Lens	16mm	2/3"		209.00

CCTV LENSES BY PANASONIC

WV-LA16B



WV-LA8B

MODEL	DESCRIPTION	USE WITH	OUR PRICE
WV-LA12	Standard ALC Lens 12mm	WV-CD110 Color CCD Cameras	\$ 169.00
WV-LA6	Wide Angle ACL Lens 6mm	WV-CD110 Color CCD Cameras	169.00
WV-CL51	Wide Angle Adaptor	WV-LM 12/2 Lens	79.00
VZ-ML10V	Wide Angle Adaptor	WV-LM 16 Lens	69.00
CF-125ASND	Auto Iris Lens Wide Angle 12.5mm	WV-1850/1854	499.00
CF-25BSND	Auto Iris Lens Standard 25mm	WV-1900/1904	499.00
CF-50BSND	Auto Iris Lens Telephoto 50mm		499.00
C10X16ASND	10X Motorized Lens/with Wedge Filter Auto Iris	WV-1650/1654, WV-1900/1904	2999.00
MLZ8DTP	Remote Control Unit for C10X16ASND		295.00
C10X16AMND	10X Motorized with Wedge Filter	WV-1800/1804, WV-1650/1654	2999.00
MLZ6DTP	Remote Control Unit for C10X16AMND		550.00
WV-LM-12/2	Standard Lens 1/2"	WV-140/144	32.00
WV-LM-16	Standard Lens 2/3"	WV-1410/1414 & All C-Mount Cameraa	26.00
MN-516	Telephoto Lens 50mm	All 2/3" Cameras*	105.00
MN-815	Wide Angle Lens 6.5mm	All 2/3" Cameras*	110.00
KF-LA16A	Auto Iris Lens Standard 16mm	WV-1650/KT1	400.00
KF-LA25A	Auto Iris Lens Telephoto 25mm	WV-1650/KT2 Cameraa	440.00
KF-LA50A	Auto Iris Lens Telephoto 50mm	WV-1650/KT1	440.00
KF-LA6A	Auto Iris Lens Wide Angle 6.0mm	WV-1650/KT2 Cameraa	440.00
WV-LA16B	Auto Iris Lens Standard 16mm	WV-1460/1464, WV-1550/1554, WV-CD120	319.00
WV-LA25A	Auto Iris Lens Telephoto 25mm	WV-1460/1464, WV-1550/1554, WV-CD120	330.00
WV-LA50B	Auto Iris Lens Telephoto 50mm	WV-1460/1464, WV-1550/1554, WV-CD120	330.00
WV-LA8B	Auto Iris Lens Wide Angle 6.0mm	WV-1460/1464, WV-1550/1554, WV-CD120	330.00
WV-LS16	Auto Iris Lens Standard 16mm	WV-CD-50	330.00
WV-LS8	Auto Iris Lens Wide Angle 8.0mm	B&W Cameras	399.00

*Except with Newvicon Cameras.

CHANNELPLUS VIDEO DISTRIBUTION SYSTEMS

Now video sources like VCRs, satellite receivers, CCTV cameras, computers, laser disk players, etc. can be combined with antenna or cable services for single wire distribution to any number of television sets.

RESIDENTIAL VIDEO SYSTEMS

MODEL A1V


OUR PRICE **\$149.95**
Adding One Video Source

MODEL A3V

\$309.95
Adding Three Video Sources


MODEL A2V

OUR PRICE **\$229.95**
Adding Two Video Sources



DESCRIPTION

ChannelPlus adds new channels right to your existing antenna or cable wires. Take each of your video sources and connect them to ChannelPlus. If you are adding one video source, use Model A1V; two video sources, use Model A2V; three sources, use A3V; one video source and one RF (pay TV), use ARV. The ChannelPlus actually processes the video signals, assigning them to unused channels for selection by TV tuners. You can now use the remote control of your TV to change from VCR to satellite, etc. The product is as easy to install as a splitter. Hook up as many video sources and TVs as you wish. You are no longer limited to two TVs and one VCR as with most switch boxes.



COMMERCIAL SMATV SYSTEMS

MODEL D1V


OUR PRICE **\$299.95**
Adding One Video Source

MODEL D2V

OUR PRICE **\$399.95**
Adding Two Video Sources


MODEL RA1

OUR PRICE **\$24.95** Rackmount



DESCRIPTION

SMATV Installations are faster and easier using the ChannelPlus frequency-agile modulators and combiners. By utilizing the UHF spectrum with its many vacant channels, the problems and limitations associated with adjacent channel VHF modulation are eliminated. With a ChannelPlus "headend" system, no strip amps, channel processors, traps, or filters are needed. Up to 24 channels may be added to the off-air channels available from the MATV. To add one video source use Model D1V; to add two video sources, use Model D2V; to add more, use a combination of D1Vs and D2Vs. For rack mounting use Model RA1 for each ChannelPlus unit. At the headend, channel assignments are made by pushing buttons on the digital "D" series ChannelPlus, or by turning knobs on analog "A" series. The digital series models are shipped with an external combiner. The analog models have an internal combiner.



CCTV EQUIPMENT

Panasonic CCTV Equipment Packages

INDOOR PANNING SYSTEM

MODEL CTV-1 OUR PRICE **\$449.95**

Consists of:

- A. W-7220B Panning Head
- B. W-7320 Remote Control Box
- C. WV-7030 Heavy Duty Indoor Wall Bracket

INDOOR PAN TILT SYSTEM

MODEL CTV-2 OUR PRICE **\$999.95**

Consists of:

- A. WV-7230B Pan/Tilt Mechanism Head
- B. WV-7330 Remote Control Box
- C. WV-7030 Heavy Duty Indoor Wall Bracket

INDOOR PAN/TILT SYSTEM LONG DISTANCE CONTROL

MODEL CTV-3 OUR PRICE **\$1279.95**

Consists of:

- A. WV-7230B Pan Tilt Mechanism Head
- B. WV-7435 Relay Box
- C. WV-7430 Remote Control Box
- D. WV-7030 Heavy Duty Indoor Wall Bracket

INDOOR PAN/TILT SYSTEM WITH MUTLI-CONTROL

MODEL CTV-4 OUR PRICE **\$1499.95**

Consists of:

- A. WV-7230B Pan Tilt Mechanism Head
- B. WV-7490B Multi-Control Remote Control
- C. WV-7435 Relay Box
- D. WV-7030 Heavy Duty Indoor Wall Bracket

OUTDOOR PAN/TILT SYSTEM

MODEL CTV-5 OUR PRICE **\$1625.00**

Consists of:

- A. WV-7260 Pan/Tilt Mechanism Head
- B. WV-7360 Remote Control Box
- C. R-2400AWM Mounting Bracket and Adjustable Head

PANASONIC CAMERA MOUNTING BRACKETS

MODEL WV-7010 OUR PRICE **\$24.00**

Standard Indoor Ceiling Bracket

Holds camera with fixed focal length lens and WV-7120C housing; mounts on ceiling or stand; comes with universal head for multi-directional viewing; holds approx. 9 lbs. max.

WV-7010

MODEL WV-7015 OUR PRICE **\$32.00**

Standard Indoor Wall Bracket

Holds camera with fixed focal length lens and WV-7120C housing; mounts on wall; comes with universal head for multi-directional viewing; holds approx. 9 lbs. max.

WV-7015

MODEL WV-831 OUR PRICE **\$49.95**

Deluxe Indoor Wall/Ceiling Bracket Holds camera and housing; mounts on wall or ceiling; comes with universal head for multi-directional viewing; holds approx. 20 lbs. max. Holds WV-7120 and WV-7130 housings.

WV-831

MODEL WV-7030 OUR PRICE **\$66.00**

Heavy Duty Indoor Wall Bracket

Designed to hold panning or pan/tilt mechanism, as well as camera with housing; mounts on wall; holds approx. 33 lbs. max. Holds WV-7150B and WV-7160B housings.

WV-7030

MODEL WV-7060 OUR PRICE **\$44.95**

Heavy Duty Outdoor Bracket

Holds camera and outdoor housing; mounts on stands; adjustable head tilts up to 45° from vertical in either direction; holds approx. 44 lbs. max. Holds WV-7720B and WV-7230B.

WV-7060

PANASONIC PANNING & PAN/TILT MECHANISM HEADS



WV-7220B

MODEL WV-7220B

OUR PRICE **\$225.00**



WV-7230B

MODEL WV-7230B

OUR PRICE **\$650.00**



MODEL WV-7260

OUR PRICE **\$990.00**

WV-7260

PANASONIC REMOTE CONTROL UNITS




WV-7330




WV-7320



WV-7430



WV-7360



WV-7490B



WV-7460

PANASONIC DUSTPROOF INDOOR HOUSING

MODEL WV-7120C

OUR PRICE **\$66.00**

Dimensions: 5-5/16"W x 14"D x 3-1/4"H.

MODEL WV-7130

OUR PRICE **\$110.00**

Dimensions: 5-7/8"W x 20-11/16"D x 7-1/6"H.



PANASONIC OUTDOOR HOUSING

CONTAINS THERMOSTATICALLY CONTROLLED HEATER AND FAN.

MODEL WV-7150B

OUR PRICE **\$440.00**

Dimensions: 7-1/2"W x 22-7/16"D x 8-11/16"H.

WEATHERPROOF OUTDOOR HOUSING

BUILT-IN DEFROSTER

MODEL WV-7160B

OUR PRICE **\$550.00**

Dimensions: 8-1/4"W x 27-9/16"D x 9-7/16"H.



PANASONIC 9" B&W CCTV MONITOR MODEL TR-930

OUR PRICE **\$199.00**

FEATURES

- 9" (measured diagonally) desktop monitor front panel operating controls more than 700 lines at center.
- All solid state. • Weight: 11.31 lbs.
- Dimensions: 8-15/16"W x 8-11/18"H x 9-13/18"D.



PANASONIC 12" B&W CCTV MONITOR MODEL TR-124M

OUR PRICE **\$249.00**

DESCRIPTION

- 12" (measured diagonally) monitor.
- Front mounted operating controls.
- More than 700 lines at center. • All solid state.
- Rack mountable with optional EIA 19" rack mount (TV-K124).
- Dimensions: 14-1/8"W x 10-5/16"H x 11-11/16"D.
- Weight: 17.6 lbs.




PANASONIC 19" B&W CCTV MONITOR MODEL TR-196M

OUR PRICE **\$399.00**

FEATURES

- 19" (measured diagonally).
- CCTV monitor with audio.
- Horizontal resolution 700 lines at center.
- Looping through BNC connectors for video.
- Looping through RCA connector for audio.



PANASONIC 5" B&W HIGH RESOLUTION MONITORS MODEL WV-5200B

OUR PRICE **\$299.00**

MODEL WV-5203B Single Video with Rackmount

OUR PRICE **\$849.95**

DESCRIPTION

The desk top model WV-5200B and the triple rack mount model WV-5203B both have highly detailed pictures with a horizontal resolution of 600 lines at center. Each provides a stable black reference with switchable DC restoration preventing excessive contrast while preserving shadow detail. Wght. & Dim. (WxHxD): WV-5200B 18-7/8" x 7-1/8" x 9-13/18". 8.7 lbs., WV-5203B 19" x 7" x 10-5/8". 24.4 lbs.



PANASONIC 9" B&W HIGH RESOLUTION MONITORS MODEL WV-5370A

OUR PRICE **\$309.95**

MODEL WV-5372A Two Monitors with Rackmount

OUR PRICE **\$650.00**

DESCRIPTION

These monitors provide crisp, detailed pictures with a horizontal resolution of 750 lines at center. Unipotential picture tubes maintain focus under variable brightness settings. Standard features include selectable scan and short H. AFC time constant for VTR playback. The WV-5370 features a ready-connector for integration into alarm activated systems. A built-in cable compensator boosts picture quality over extended distance. Dim. (WxHxD): WV-5370 8-11/18" x 8-15/16" x 10-7/16". WV-5371 & 5372 19" x 8-3/4" x 10-13/18". Wght: WV-5370 11.21 lbs., WV-5371 17.6 lbs., WV-5372 28.2 lbs.



PANASONIC 12 3/4" B&W CCTV MONITOR MODEL WV-5410

OUR PRICE **\$399.00**

FEATURES

- 12 3/4" screen (measured diagonally) desktop video monitor.
- Horizontal resolution 850 lines at center.
- DC restoration switchable. • All solid state.
- Short H. AFC time constant.
- Looping through BNC connectors for video and sync input and output.
- Rackmountable with optional rack angle bracket (WV-Q22).
- Dimensions: 12-5/8"W x 12-1/8"H x 12-3/18"D. • Weight: 22 lbs.



HITACHI SOLID STATE 9" B&W VIDEO MONITOR

To Display Video Signals from
Hitachi CCTV Cameras, VTRs and
other Signal Sources

MODEL VM-900

OUR PRICE **\$169.00**

FEATURES

- Reliability: Solid state circuitry using an IC and silicon transistors ensures high reliability.
- 500 lines horizontal resolution: Horizontal resolution in excess of 500 lines is achieved at picture center.
- Excellent linearity: Deflection linearity is less than 2%.
- Stable picture: Even played back pictures of VTR can be displayed without jittering.
- Looping video input: Video input can be looped through with built-in termination switch.
- External sync operation (available option for U and C types).



PANASONIC 19 1/4" B&W CCTV MONITOR MODEL WV-5490

OUR PRICE **\$590.00**

FEATURES

- Deluxe studio monitor. • 19 1/4" (measured diagonally).
- Horizontal resolution more than 850 lines at center.
- H-AFC time constant: short time constant for industrial VTRs, L/S switchable.
- Scanning size: overscan/underscan switchable.
- DC restoration: on/off switchable.
- High voltage 16KV. • All solid state.
- Dimensions: 19"W x 17-3/4"H x 14-7/8"D. • Weight: 40.7 lbs.



PANASONIC 10" COLOR VIDEO MONITOR

MODEL CT-1030M

OUR PRICE **\$390.00**

FEATURES

- 10" (measured diagonally) Quntrix II in-line picture tube with Quick-on picture.
- Black Matrix configuration. • ColorPilot.
- BNC-type video connectors. • Penabrite control.
- Three-prong power plug. • Sturdy metal cabinet.
- Dimensions: 10-3/4"H x 11-3/4"W x 13"D.
- Weight: 33 lbs. • Commercial UL listing.



PANASONIC 13" COLOR VIDEO MONITOR with AUDIO MODEL CT-1301M

OUR PRICE **\$450.00**

FEATURES


- 8-pin VCR input and LINE input/output connectors.
- Horizontal Resolution: 280 TV lines.
- Front panel speaker.
- Headphone jack that enables studio monitoring.
- Size: 14-1/2"H x 15-1/2"W x 16-1/8"D.
- Weight: 24 lbs. approx.

DESCRIPTION

The excellent picture quality of the CT-1301M makes it ideal for a wide variety of educational, professional and corporate applications.

Rear Panel Facilities: The versatile CT-1301M can interface with a wide variety of equipment because of its 8-pin VCR input, BNC video input; and RCA phono-type audio input. In addition, the CT-1301M has both BNC video output and RCA-type audio output facilities.

NOTE: This may not be used with two sources connected to the 8-pin VCR input and the LINE input connectors at the same time.



PANASONIC 16 1/4" B&W CCTV MONITOR MODEL WV-5470

OUR PRICE **\$499.00**

FEATURES

- Deluxe Studio monitor.
- 16 1/4" screen (measured diagonally). • All solid state.
- Horizontal resolution more than 850 lines at center.
- DC restoration switchable. • Short H. AFC time constant.
- Looping through BNC connectors for video and sync input and output.
- Rack mountable with optional rack angle bracket (WV-Q22).
- Dimensions: 18-9/18"W x 18-3/18"H x 14-7/8"D. • Weight: 33 lbs.



CCTV EQUIPMENT

HITACHI CCTV CAMERA MODEL KP-120 Without Lens

OUR PRICE **\$799.95**

DESCRIPTION

Ultra-small black and white CCTV camera using solid state MOS pick-up device instead of tube, small (2.2" x 1.7" x 4.6") and lightweight (1.6 lbs.); Long life and reliability due to 50% fewer parts; MOS imaging device eliminates deflection, distortion, and sticking, plus minimizes lag; Resolution of 240 lines and S/N 52dB; C mount with power for auto iris lens; 2:1 Interlace; externally driveable; Power through AC adaptor, camera uses 9 volts.



WITHOUT LENS

HITACHI CCTV CAMERA (VIDICON TUBE) SPECIAL! WITH MULTIPLEX UNIT WITHOUT LENS

MODEL HV-240 OUR PRICE **\$199.95**

FEATURES

- By using a single video cable system it has been made possible to connect the camera to the multiplex unit with only a single coaxial cable. It is not necessary to perform commercial AC power wiring at the location where the camera will be installed. The maximum length of the coaxial cable is 420m (1,380 feet) in the case of the RG-59U and 700m (2,300 feet) in the case of the RG-11U.
- By using a 2/3-inch separate mesh vidicon tube and a 2:1 Interlace system with a crystal oscillator, high sensitivity, high resolution (550 lines or better in the horizontal center) picture is obtained.
- Since the ASC circuit is built-in, a stable video signal is obtained when illumination on the subject varies into the range of 10 to 10,000 lux.
- A number of different 2/3-inch and 1-inch C mount type lenses can be used.

DESCRIPTION

Easy system expansion. A single video cable connects the camera and the multiple units for easy installation and use. A single coaxial cable is used to connect the camera to the multiplex unit. This cable not only provides the DC power required by the camera from the multiplex unit, but provides connections to the video signal of the camera as well. It is thus not necessary to provide power supply wiring at the camera site. It is simple to add cameras to the Remote Eye. Systems range from one-camera, one-monitor configuration to four-camera systems which can monitor a number of locations from the centralized location. The addition of cameras and use of either centralized or distributed monitoring systems allows the Remote Eye system to be configured to suit the particular monitoring requirement with just the capabilities needed.



Camera Mount

HITACHI CCTV CAMERAS WITHOUT LENS

MODEL HV-720

OUR PRICE **\$169.95**

MODEL HV-721

OUR PRICE **\$169.95**

FEATURES

- Owing to the use of an automatic sensitivity adjusting circuit, the only necessary camera operation is focusing.
- A white suppressor circuit ensures faithful reproduction on the video monitor, even for subjects with strong contrast.
- Camera mounting screws are provided at the top and bottom of the camera, facilitating mounting of the camera.

SPECIFICATIONS

- Synchronizing System: Line-lock 2:1 Interlace. • Pick-up tube: Vidicon tube.
- HV-720—Power Supply Input: Commercial AC power input.
- HV-721—Power Supply Input: 24V AC power input.
- Optional Accessory: TC-1324 - 24 Volt transformer. . \$12.95



HITACHI 12" BLACK and WHITE VIDEO MONITOR MODEL VM-1220

OUR PRICE **\$319.95**

MODEL VM-1221

OUR PRICE **\$479.95**

DESCRIPTION


These 12" black and white video monitors are designed for high quality reproduction of CCTV and other video signals.

SPECIFICATIONS (VM-1220 and VM-1221)

Picture tube: 12", 90° deflection, C12M40P4 or equivalent. Input Impedance: 75 ohm or high impedance looping through switch selectable. Scan Standard: U and C types: 525/60 field/sec E/K type: 625/50 field sec. Resolution: Horizontal: More than 600 lines at center; Vertical: More than 350 lines at center. Deflection Linearity: Less than 1% of picture height at center. Effective Picture Size: 257 x 195mm (10.1 x 7.7 in). Ambient Temperature: -10 to +50°C (14 to 122°F). Power Requirements: U and C types: 117V AC 60Hz 32 W; E type: 220V AC 50Hz 32 W; K type: 240V AC 50Hz 32W. Size: 304 x 284 x 305mm (11.9 x 11.2 x 12.0 in). Weight: 10 kg (22 lbs).

SPECIFICATIONS VM-1220 ONLY: Input Signal: 1.0Vp-p composite video, BNC connector. Synchronization: Internal: asynchronous. Scan Size: over scan +5%.

SPECIFICATIONS VM-1221 ONLY: Input Signal: 1.0Vp-p composite video, or 0.7Vp-p video; 4.0Vp-p sync negative BNC connector. Synchronization: Internal: asynchronous; External: HD and VD 4Vp-p negative going pulse. Scan Size: Over scan +5%; Under scan -7%; switch selectable.




NEW!

JVC 8.5" BLACK and WHITE SYSTEM MONITOR MODEL TM-9010

OUR PRICE **\$399.95**

FEATURES

- Designed for connection with one camera (TK-10 or TK-N10).
- Built-in CCU for camera operation control.
- Motion detector circuit whose video sensor position marker has variable size (1/30 to 1/3 of screen) and position (H and V).
- Electronic buzzer with variable volume.
- Standby function which works when a picture is required only when motion detector circuit or external alarm circuit is activated.
- Video output terminal for connection of video recorder or another monitor.
- Alarm input/output terminal.
- Loop-through output terminal.
- CCU power supply protection circuit which operates when a load other than the camera is connected.
- Rack mountable to EIA 19" rack with optional UC-P1006 rack mount adaptor.




JVC 8.5" BLACK and WHITE SYSTEM MONITOR MODEL TM-9060

OUR PRICE **\$599.95**

FEATURES

- Designed for connection of up to six cameras (TK-10 or TK-N10).
- Built-in CCU for camera operation control.
- Motion detector circuit for Camera-1 Input whose video sensor position marker has variable size (1/30 to 1/3 of screen) and position (H and V).
- Electronic buzzer with variable volume.
- Camera power on/off switches provided.
- Camera-1 signal direct output for connection of another monitor.
- Terminals for video recorder recording/playback.
- Auto-manual scanning with variable duration (0.5 sec to 30 sec).
- Standby function which works when a picture is required only when motion detector circuit or external alarm circuit is activated.
- Selected video output terminal for all cameras.
- Alarm input/output terminal.
- External timer input terminal. • Timer output terminal.
- CCU power supply protection circuit which operates when a load other than the camera is connected.
- Rack mountable to EIA 19" rack with optional UC-P1006 rack mount adaptor.




JVC 2/3" BLACK and WHITE VIDICON VIDEO CAMERA f = 16mm Fixed Focus Lens Provided MODEL TK-10

OUR PRICE **\$225.00**

FEATURES

- 2/3" separate-mesh vidicon tube, with resolution more than 550 lines.
- Multiplexed transmission of video signal, sync signal and power supply via single coaxial cable (TM-9010 or TM-9060 system monitor is necessary to drive the camera).
- Compact and lightweight, weighing only 430g (0.95 lb) (head only).
- High-impedance monitor output for adjustment of camera angle while viewing monitor screen.
- Power supply indicator LED.
- f = 16mm fixed-focus lens provided.
- 2-times gain boost switch.
- 2:1 Interlaced scanning system.
- Works with TM-9010 or TM-9060 ONLY.




NEW!

JVC 2/3" BLACK and WHITE NEWVICON® VIDEO CAMERA WITHOUT LENS MODEL TK-N10

OUR PRICE **\$690.00**

FEATURES

- 2/3" separate-mesh Newvicon tube for normal illumination of 3 lux (0.3 lux minimum).
- Multiplexed transmission of video signal, sync signal and power supply via single coaxial cable (TM-9010 or TM-9060 system monitor is necessary to drive the camera).
- Compact and lightweight, weighing only 430g (0.95 lb) (head only).
- High-impedance monitor output for adjustment of camera angle while viewing monitor screen.
- Power supply indicator LED.
- Connector for auto-iris lens provided.
- 2-times gain boost switch.
- 2:1 Interlaced scanning system.
- Works with TM-9010 or TM-9060 ONLY.



NEW!

RCA CCTV EQUIPMENT with VIDICON TUBE

MODEL TC-1501 120V, 60 Hz. Without Lens
OUR PRICE **\$169.95**

MODEL TC-1502
24V, 60 Hz. Without Lens
OUR PRICE **\$169.95**

FEATURES

- Versatility: Ideal for those low-cost single or multiple camera applications in small businesses, home surveillance, apartment security, video equipment leasing, etc.
- Sensitivity: Useable pictures at only 0.45 fc scene illumination. Full video at only 4.5 footcandles.
- Resolution Capability: To 550 lines.
- Dynamic Range: 20,000:1 automatic light range.
- EIA RS-170 or CCIR Sync: 2:1 Interlace. Phase locked to power line zero crossing for smooth switching and Time Lapse Video Tape Recording.

DESCRIPTION

Short-Proof Low Voltage Power Supply, Automatic Focus Tracking, Controlled Filament Voltage, Ten Step Grey Scale, Auto Black plus Keyed Clamp, White Clipper, Horizontal Drive Loss Protection, Top and Bottom Mount Holes, Balanced Camera Mounting, Lens Options, High Reliability Large Scale Integration (LSI) technology incorporates the majority of circuit functions on two IC's.

LOW LIGHT VERSION with ULTRACON TUBE

MODEL TC-1501U

MODEL TC-1502U

OUR PRICE **\$549.95**
120V, 60 Hz. Without Lens

OUR PRICE **\$549.95**
24V, 60 Hz. Without Lens

RCA ECONOMICAL GENERAL PURPOSE 2/3" CCTV CAMERA with VIDICON TUBE

With Premium Camera Features and High Reliability LSI Technology

MODEL TC-2011

120V, 60 Hz.
Without Lens

OUR PRICE **\$249.95**

MODEL TC-2012

24V, 60 Hz.
Without Lens

OUR PRICE **\$249.95**

FEATURES

- EIA RS-170 or CCIR Sync: 2 to 1 interlace. Utmost flexibility and freedom from sync problems in multi camera/multi equipment systems.
- Phase Locked Loop: Synchronizes camera to AC power line zero crossing. Provides clean switching, splitting and time lapse VCR performance.
- Genlock: Accepts external composite sync or H/V drives for system synchronization. 60 Hz models lock to RS-170, RS-330 or Random Interlace sync. 50 Hz models lock to CCIR sync.
- Automatic Light Range: Includes selectable 10:1 variable AGC gain/bandwidth amplifier for increased sensitivity and better signal-to-noise performance peak/average response weighting.
- Vidicon Cameras: 100,000:1 AGC plus Automatic Target Control (ATC). Target voltage limiting minimizes tube lag and burn.
- Auto Track Electronic Focus: Automatically tracks electrode voltage of the magnetic focus camera tube — provides high picture quality with no need for readjustment during the life of the camera tube.
- Other Features: Automatic Beam Control (ABC), Auto-Black plus Keyed Clamp, Gamma Correction, Vidicon Positioning Adjustment and Lock, Top or Bottom Mounting, Wide Environmental Range.

DESCRIPTION

Designed using the latest, high reliability LSI technology, RCA TC-2000 Series cameras include the more useful features of premium cameras in an economical, compact and attractive design for general purpose use. They are offered in a wide variety of configurations to suit the needs of most installations.

LOW LIGHT VERSION with ULTRACON TUBE

MODEL TC-2011U

MODEL TC-2012U

OUR PRICE **\$649.95**
120V, 60 Hz. Without Lens

OUR PRICE **\$649.95**
24V, 60 Hz. Without Lens


RCA 12" B&W VIDEO MONITOR

MODEL TC-1112

OUR PRICE **\$229.95**

FEATURES

- For surveillance and industrial applications.
- High quality pictures: 700 line resolution. DC restoration. Bright 14.0 kV display. Regulated supply.
- Reliable: Solid state circuits. Stable playback display of VCR.
- Video input bridging with switchable 75 ohm termination.
- Quick-start without CRT preheating.
- Isolation power transformer.
- LED power indicator.
- Dimensions: 14.09"W x 10.29"H x 11.67"D.
- Weight: 20.3 lbs.



RCA TC-7000 SERIES 2/3" CAMERA FAMILY

The Next Generation of RCA 2/3", CCTV Surveillance is Here!

Standard Vidicon Cameras

MODEL TC-7011

OUR PRICE **\$249.95**
Integral Power Supply, 120V, 60 Hz, No Lens

MODEL TC-7012

OUR PRICE **\$249.95**
Integral Power Supply, 24V, 60 Hz, No Lens

Low Light Level Cameras:

Ultricon III Camera Tube - Type 4833U

MODEL TC-7011/U

OUR PRICE **\$599.95**
Integral Power Supply, 120V, 60 Hz, No Lens

MODEL TC-7012/U

OUR PRICE **\$599.95**
Integral Power Supply, 24V, 60 Hz, No Lens

FEATURES

- 2/3" Magnetic Focus & Deflection Vidicon.
- RS-170 Sync.
- Typical Resolution: 700 lines; 650 minimum.
- 2:1 Interlace, precision line locked at zero.
- Genlock with automatic switching.
- Double insulated to avoid ground loops.
- Phase adjustable line lock: optional.
- Fiber optic output: optional.

DESCRIPTION

The RCA TC-7000 series, 2/3", General Purpose CCTV Camera Family offers higher performance, more options, and more features in a small, attractive package. Models are available for 12 volt DC operation; for 12, 120 or 220 volt AC operation; with EIA RS-170 or CCIR sync, line locked or crystal controlled; and with a variety of factory installed and adjusted lenses. High performance options include external AGC On/Off, on-screen camera identification, and externally controllable sync phasing in combination with either a BNC Genlock input or a Fiber Optic Output.

OPTIONS

- TC-7100 Series:
 - External AGC Switch/BNC Sync Connector.
 - Phase-Adjustable Line Lock.
 - On-Screen Camera Ident.
- TC-7200 Series:
 - Fiber Optic Output.
 - Phase-Adjustable Line Lock.
 - On-Screen Camera Ident.




RCA 9" B&W VIDEO MONITOR

MODEL TC-1910A

OUR PRICE **\$169.95**

SPECIFICATIONS

- Resolution: 750 lines nominal.
- High voltage: 10 kV.
- Linearity: 3% or better.
- DC restoration: Pedestal clamp (switchable on/off).
- Synchronization: Internally derived.
- Picture Tube: 9 in. (diagonal). 44-eq. in. viewing area. Integral Implosion protection.
- Input: 0.5 to 1.5 V p-p, sync-negative, composite video. High impedance or 75 ohm termination.
- Connectors: Two BNC's for looped-through video.
- Front Panel Controls: Rotary-Brightness, contrast, V-Hold, H-Hold. Rocker-On/Off switch (LED power indicator).
- Rear Panel Controls: Slide Switch-HI Z/75 ohm, DC restoration On/Off. Video sharp/soft (picture/date).
- Supply Voltage: 108 to 132 V, 60 Hz, or 12 to 16 VDC.
- Power: 32W at 120 VAC. 17W at 12 VDC.
- Dimensions: 8.69"W x 6.56"H x 9.60"D.
- Weight: 12.4 lbs.
- Optional Accessory: Rack Mount model TC-1910MK. . . \$59.95



RCA B&W VIDEO MONITORS

MODEL TC-1115

15" 525 lines, 120 V, 60 Hz.

OUR PRICE **\$279.95**

MODEL TC-1119


19" 525 lines, 120 V, 60 Hz.

OUR PRICE **\$349.95**

DESCRIPTION

TC-1115 - High resolution 800 line monitor with video selector switch for optimum picture. Switchable DC restoration, regulated power supply, and video bridging (switchable 75 ohm termination). Size: 15.7"W x 14.6"H x 12.2"D. Weight: 26.5 lbs.

TC-1119 - High resolution 800 line monitor suitable for time-lapse VCR's. Regulated supply, DC restoration, and video input bridging (switchable 70 ohm termination). Size: 20-11/16"W x 17-15/16"H x 14-9/16"D. Weight: 59.5 lbs.



P.A. AMPLIFIERS

BOGEN P.A. AMPLIFIERS C SERIES

FEATURES

- C-100B, C-60B, C-35B mix inputs; switch permits 2 MIC/1 AUX or 1 MIC/2 AUX operation.
- C-20B, C-10B, mix 2 inputs - 2MIC or 1 MIC/1AUX.
- MIC inputs accept high or low impedance microphones.
- Built-in microphone precedence circuit.
- Input end output matching to a telephone line using Modal WMT-1 accessory transformer (input-matching only C-20B, C-10B).

DESCRIPTION

Knowledgeable audio professionals consistently choose Bogen amplifiers for their performance quality, year-in-year-out dependability, and unsurpassed value. They are the products of more than fifty years of leadership in the design and manufacture of sound equipment. Ranging in rated power from 1.5 watts to 100 watts, with power amplifiers up to 250 watts, the current models combine advanced features, contemporary styling, and proven solid-state technology. They offer practical solutions for virtually every need in public address, background music, sound reinforcement, and related applications. Today, Bogen amplifiers are serving in many thousands of installations of every kind throughout the world.

Versatile, reliable, economical, the C series are among the most widely used of all P.A. amplifiers. Offering a choice of rated output power from 10 to 100 watts, they can operate continuously even at extreme temperatures. Thermal and electrical circuit breakers protect the amplifiers against abnormal heat build-up and short-circuited or overloaded outputs. They may be rack mounted using optional accessory brackets, RPK-50 (for C-100B, C-60B, C-35B) or RPK-35B (for C-20B, C-10B). UL and CSA listed.

C-20B, C-10B



C-100B, C-60B, C-35B

Model	Power Output	Frequency Response	Distortion at RPO	Outputs (Impedance)	Power Consumption	Size and Shipping Wt.	Our Price
C-100B	100 Watts	80Hz - 10kHz ± 2 dB	Less than 2% 100Hz - 10kHz	4 and 16 Ohms, 25VCT, 70V (49 Ohms) bal or unbal. lines	250W, 120V 60Hz	14-1/2" x 11" x 3-3/4" 22 lbs.	\$299.95
C-60B	60 Watts	100Hz - 10kHz ± 2 dB	Less than 2% 100Hz - 10kHz	8 and 16 Ohms, 25VCT, 70V (82 Ohms) bal or unbal. lines	170W, 120V 60Hz	14-1/2" x 11" x 3-3/4" 17 lbs.	\$249.95
C-35B	35 Watts	100Hz - 10kHz ± 2 dB	Less than 2% 100Hz - 10kHz	8 and 16 Ohms, 25VCT, 70V (140 Ohms) bal or unbal. lines	96W, 120V 60Hz	14-1/2" x 10-5/8" x 3-3/4" 15 lbs.	\$209.95
C-20B	20 Watts	80Hz - 10kHz ± 2 dB	Less than 3%	4 Ohms (unbal.), 8 and 16 Ohms, 25V (31.3 Ohms), 70V (250 Ohms) bal or unbal. lines	60W, 120V 60Hz	11-3/8" x 7-3/4" x 2-7/8" 8 lbs.	\$149.95
C-10B	10 Watts	80Hz - 10kHz ± 2 dB	Less than 3%	4 Ohms (unbal.), 8 and 16 Ohms, 25V (62.5 Ohms), 70V (500 Ohms) bal or unbal. lines	46W, 120V 60Hz	11-3/8" x 7-3/4" x 2-7/8" 7 lbs.	\$129.95

BOGEN P.A. AMPLIFIERS CHS-B SERIES

FEATURES

- Two low impedance, transformer-isolated microphone inputs (expandable to four).
- Two separate auxiliary inputs.
- Built-in microphone precedence circuit.
- Phantom power supply for condenser microphones.
- Input end output matching to a telephone line using WMT-1 accessory transformer.

DESCRIPTION

The CHS-B models combine superior performance characteristics with the flexibility of mixing four input signals, expandable to six by using the optional PMM-2B accessory. They mount in standard equipment racks, using optional RPK-52 rack panel kit. UL and CSA listed.



Model	Power Output	Frequency Response	Distortion at RPO	Outputs (Impedance)	Power Consumption	Size and Shipping Wt.	Our Price
CHS-100B	100 Watts	70Hz - 12kHz ± 1 dB	Less than 2% 70Hz - 12kHz	4, 16 Ohms, 25VCT (6.25 ohms) 70V (49 Ohms) bal or unbal. lines	300W, 2.5A, 120V, 60Hz	16-1/2" x 12" x 3-3/4" 19-1/2 lbs.	\$399.95
CHS-60B	60 Watts	70Hz - 12kHz ± 1 dB	Less than 2% 70Hz - 12kHz	8, 16 Ohms, 25VCT (10 ohms) 70V (82 Ohms) bal or unbal. lines	192W, 1.6A 120V, 60Hz	16-1/2" x 12" x 3-3/4" 16 lbs.	\$349.95
CHS-35B	35 Watts	70Hz - 12kHz ± 1 dB	Less than 2% 70Hz - 12kHz	8, 16 Ohms, 25VCT (18 Ohms) 70V (140 Ohms) bal or unbal. lines	103W, 0.86A 120V, 60Hz	16-1/2" x 12" x 3-3/4" 14 lbs.	\$299.95

BOGEN P.A. AMPLIFIERS CT-B SERIES

FEATURES

- Four low impedance, transformer-isolated microphone inputs (expandable to six).
- Two auxiliary inputs with fader control.
- Built-in compressor and phantom power supply circuitry.
- Built-in microphone precedence and remote volume control circuitry.
- Input end output matching to a telephone line using WMT-1 accessory transformer.

DESCRIPTION

Models CT-60B and CT-100B offer features and performance normally available only in custom assemblies. They provide mixing of five input signals (expandable to seven with optional PMM-2B accessory), built-in 2/3 octave equalization for boosting or attenuating any of ten selected frequencies, and a compressor to assure uniform output. Rack-mountable with optional RPK-51 panel kit. UL and CSA listed.



Model	Power Output	Frequency Response	Distortion at RPO	Outputs (Impedance)	Power Consumption	Size and Shipping Wt.	Our Price
CT-100B	100 Watts	50Hz - 15kHz ± 1 dB	Less than 1% 50Hz - 15kHz	4, 6-8, 16 Ohms, 25VCT, 70V bal or unbal. lines	300W, 2.5A, 120V 50/60Hz	16-3/8" x 13-3/4" x 4-3/4" 23 lbs.	\$579.95
CT-60B	60 Watts	50Hz - 15kHz ± 1 dB	Less than 1% 50Hz - 15kHz	8, 16 Ohms, 25VCT, 70V bal or unbal. lines	170W, 1.6A, 120V 50/60Hz	16-3/8" x 13-3/4" x 4-3/4" 22 lbs.	\$519.95

CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

BOGEN REENTRANT HORN LOUDSPEAKERS

MODEL SPT-15A OUR PRICE **\$59.95**

MODEL SP15-8A OUR PRICE **\$47.50**

FEATURES

- High intelligibility efficiency; ideal for both one-way end talkback paging applications.
- Weatherproof, all metal construction. • 15 watts; 25-/70-volt or 8 ohm operation. • Variable-tap Impedance selector switch (SPT-15A).

SPECIFICATIONS

Power Rating (RMS): 15 watts continuous, 20 watt equalized. **Frequency Response:** 275Hz to 14kHz. **Impedance:** SPT-15A - 25/70 volts, SP15-8A - 8 ohms. **Sound Pressure Level:** 121dB @ four feet on axis with 15 watt input at 1000Hz. **Dispersion:** 110°. **Sensitivity to Microphone:** -22dBm [Ref: 10 dynes/cm²]. **Dimensions:** 8"W x 8"H x 9"D. **Shipping Weight:** SPT-15A - 4-1/2 lbs, SP15-8A - 4 lbs. **Finish:** Textured Moche Enamel. **Impedance Selector Switch Settings (SPT-15A):** 25V - 15, 7.5, 1.8, .94, .48 watts, 70V - 15, 7.5, 3.8, 1.8, .9 watts.



BOGEN REENTRANT HORN LOUDSPEAKERS

MODEL SPT-30A OUR PRICE **\$69.95**

MODEL SP30-8A OUR PRICE **\$59.95**

FEATURES

- High intelligibility efficiency; ideal for both one-way end talkback paging applications.
- Weatherproof, all metal construction. • 30 watts; 25-/70-volt or 8 ohm operation. • Variable-tap Impedance selector switch (SPT-30A).

SPECIFICATIONS

Power Rating (RMS): 30 watts continuous, 40 watt equalized. **Frequency Response:** 225Hz to 14kHz. **Impedance:** SPT-30A - 25/70 volts, SP30-8A - 8 ohms. **Sound Pressure Level:** 125dB @ four feet on axis with 30 watt input at 1000Hz. **Dispersion:** 100°. **Sensitivity to Microphone:** -22dBm [Ref: 10 dynes/cm²]. **Dimensions:** 10"W x 9-1/2"H x 10-1/2"D. **Shipping Weight:** SPT-30A - 6 lbs, SP30-8A - 5-1/2 lbs. **Finish:** Textured Moche Enamel. **Impedance Selector Switch Settings (SPT-30A):** 25V - 15, 7.5, 3.7, 1.8 watts, 70V - 30, 15, 7.5, 3.7, 1.8 watts.



BOGEN BI-DIRECTIONAL REENTRANT HORN LOUDSPEAKER

MODEL BDT-30A OUR PRICE **\$99.95**

FEATURES

- Two horns for bi-directional projection.
- High intelligibility efficiency; ideal for both one-way end talkback paging applications.
- Weatherproof, all metal construction. • 30 watts; 25-/70-volt.
- Variable-tap Impedance selector switch (SPT-30A).

SPECIFICATIONS

Power Rating (RMS): 30 watts continuous, 40 watt equalized. **Frequency Response:** 225Hz to 14kHz. **Impedance:** 25/70 volts. **Sound Pressure Level:** 121dB @ four feet on axis with 30 watt input at 1000Hz each horn. **Dispersion:** 100° each horn. **Sensitivity to Microphone:** -22dBm [Ref: 10 dynes/cm²]. **Dimensions:** 18-1/2"W x 9-3/4"H. **Shipping Weight:** 8 lbs. **Finish:** Textured Moche Enamel. **Impedance Selector Switch Settings (SPT-30A):** 25V - 15, 7.5, 3.7, 1.8 watts, 70V - 30, 15, 7.5, 3.7, 1.8 watts.



BOGEN ALL-WEATHER HIGH FIDELITY COAXIAL PROJECTOR

MODEL HFS-2 OUR PRICE **\$119.95**

DESCRIPTION

Model HFS-2 is designed for use in areas exposed to weather condition's end/or where high fidelity, high efficiency sound reproduction is a requisite. Incorporates environment-protected Woofer, compression type tweeter, two drivers, crossover filter and dividing network. Supplied with a rugged steel bracket for all type mounting applications. Recommended for auditoriums, athletic fields, motels, shopping centers, country clubs, etc.

SPECIFICATIONS

- **Power Capability:** 15 watts continuous. • **Frequency Response:** 150-15,000 Hz. • **Sound Level:** 117 dB. • **Dispersion Angle:** 130° x 110°.
- **Impedance:** 8 ohms. • **Finish:** Baked Belge enamel. • **Dimensions:** 13 1/4"W x 10"D x 10 1/4"H (33.7 x 25.4 x 27.3 cm). • **Shipping Weight:** 10 lbs. (4.5 kg).



BOGEN PROJECTOR HORN

For use with "DR" series, 1 3/8" - 18 thread, high-compression driver units

MODEL BAH OUR PRICE **\$99.95**

DESCRIPTION

Bl-exel horn with gimbel mount — Bl-exel sectoral horn, with computer-calculated exponential flare rate, provides uniform wide angle coverage. Gimbel mounts permits focusing sound within 180° directional arc. High efficiency non-resonant projector is molded of vibration-free rigid structural material. Re-entrant design assures true, lobe-controlled, horizontal dispersion pattern required for high quality voice and music systems.

WIDE ANGLE PROJECTOR

MODEL WAH

OUR PRICE **\$99.95**

DESCRIPTION

Non-resonant, all-purpose, exponential reflex type projector horn. Weatherproof fiberglass bell, heavy duty positive-lock mounting bracket.

MODELS	BAH	WAH
Low End Cut-Off	200 Hz	115 Hz
Dispersion	130° x 60°	120° x 60°
Air Column Length	2.8 ft.	4-1/2 ft.
Bell Size	21" x 10-1/4"	23" x 13"
Horn Length	10-3/4"	17"
Shipping Weight	10 lbs.	14-1/2 lbs



BOGEN DRIVER UNITS

MODEL DR-30T OUR PRICE **\$69.95**

DESCRIPTION

Designed specifically for systems where high-intelligibility and wide mid-range response are required. Magnets are Alnico V DG. Double weather-sealing. Superb conversion efficiency. Excellent for replacement use on any loudspeaker with standard 1 3/8" - 18 threads. Sturdy construction and weather-sealing make the "DR" series ideal for indoor or outdoor applications in factories, garages, transportation terminals, race tracks. Finish is grey baked enamel.

DR-30T: Power (Cont.): 30W, RMS; Power (Eqld.): 40W; Frequency: 120-14,000 Hz; Sound level: 128 dB; Impedance (ohms): 2500, 1300, 888, 333, 187, 89, 45; Power Tape (watts): 70V line 1.8, 3.7, 7.5, 15, 30; 25V line 1.8, 3.7, 7.5, 15; Shipping Wt.: 5 lbs. (2.3 kg).



BOGEN SOUND COLUMNS

MODEL SCW-20 OUR PRICE **\$99.95**

MODEL SCW-35 OUR PRICE **\$189.95**

MODEL SCW-80 OUR PRICE **\$279.95**

DESCRIPTION

These carefully engineered well-mounted sound columns provide the practical, economical answer to difficult sound reinforcement installations. By precisely restricting sound projection to a narrow vertical pattern, the sound columns greatly reduce dispersion of sound into undesirable areas. This effectively minimizes reflections which produce feedback "howl", eliminates microphone placement-end prevents "bleating" of audience near the loudspeakers. Excellent for churches, auditoriums, night clubs... and all locations where acoustic conditions present difficult problems which cannot be resolved by the use of conventional loudspeakers.

MODEL	SCW-80	SCW-35	SCW-20
Wattage Rating (cont.)	80 watts	35 watts	20 watts
Frequency Response	50-15,000 Hz	17-14,000 Hz	120-10,000 Hz
Speakers	Six - 8"	Six - 6"	Four - 5"
Impedance	8 ohms		
Dispersion	Vertical 15; Horizontal 120		Vertical 45; Horiz. 90
Length of effective throw	200 ft.	130 ft.	50 ft.
Terminals	2-screw terminal strips (polarized)		
Construction	1/2" particle board, glued, fastened, with mounting hardware		3/8" particle board glued, fastened, with mtg. hardware
Finish	Simulated oiled walnut, black grille		
Dimensions (HxDxW)	52"x7-1/4"x11-1/2"	42"x6"x9-1/2"	20"x5"x7-1/2"
Shipping Weight	48 lbs.	31 lbs.	12 lbs.



MICROPHONES

ELECTROVOICE MICROPHONES



MODEL	635A	644	664	671BL or BH	627C	631B	647CL	647CH
TYPE	omni-directional dynamic	unidirectional line dynamic	super-cardioid Variable-D [®] dynamic	single-d cardioid dynamic	single-d cardioid dynamic	omni-directional dynamic	lavalier dynamic	lavalier dynamic
RESPONSE	80-13k Hz	40-10k Hz	90-13k Hz	60-14k Hz	60-13k Hz	80-13k Hz	70-10k Hz	70-10k Hz
IMPEDANCE	lo-z	dual hi-z/lo-z	dual hi-z/lo-z	dual hi-z/lo-z	dual hi-z/lo-z	dual hi-z/lo-z	specify hi- or lo-z	hi-z
OUTPUT	-55 dB	-53 dB	-56 dB	-57 dB	-58 dB	-55 dB	-60 dB	-61 dB
FINISH	fawn beige	satin chrome	satin chrome	satin chrome	satin chrome	satin chrome	gray	gray
APPLICATIONS	hand or stand vocal/instrumental/broadcast recording	long range pickup stage/classrooms	entertainers' p.a./recording	entertainers' p.a./recording	entertainers' p.a./recording	entertainers' p.a./recording	concealed/walkaround p.a.	concealed/walkaround p.a.
OUR PRICE	\$99.95	\$260.00	\$139.95	\$110.00	\$99.95	\$110.00	\$110.00	\$110.00

SOUND GRABBER[®] MICROPHONE

MODEL SG-111

OUR PRICE **\$49.95**

DESCRIPTION

The Sound Grabber is built on a new concept in microphone design. The Sound Grabber captures direct and reflected sound waves at the precise moment they reinforce each other. This new microphone design provides the extra clarity and range you need for better quality recording with video cameras or audio cassettes. It makes your own recorder sound like a more expensive component. The Sound Grabber will accurately pick up sounds coming from any direction in front of the mike, and does not have to follow the action closely. This makes it ideal for conferences, churches, or family picnics—wherever the sound source tends to wander. The Sound Grabber is rugged, durable and light. It is equipped with a 1/8" mike plug on a ten-foot cord. Adaptors are included so you can use the mike with any recorder.

SHURE UNIDIRECTIONAL DYNAMIC MICROPHONE

Dual Impedance, Selectable at On-Off Switch

MODEL 588SD with microphone cord OUR PRICE **\$79.95**

- Unidirectional dynamic microphone.
- Switch-selectable impedance.
- Compatible with any sound reinforcement equipment.
- Microphone is finished in attractive platinum beige.

SPECIFICATIONS

Frequency Response: 80 to 13,000Hz. Polar Pattern: Cardioid (unidirectional). Impedance Rating: High or 150ohms (switch-selectable). Output Laval Open Circuit Voltage: High impedance: 1.1mV (59.5dB, 0dB = 1V/ubar). Low impedance: 0.08mV (-82.0dB, 0dB = 1V/ubar). Power Level: -60.5dB, 0dB = 1mW/10ubar. Size: 6-15/32" x 2-1/8". Wght: 10oz. Supplied Accessory: Swivel adaptor.

BP DESK TYPE TRI-POD MICROPHONE STAND

MODEL DM-88

OUR PRICE **\$3.95**

DESCRIPTION

This folding table top microphone stand offers maximum stability because of its wide stance and non-skid leg tips. It fits all microphones and the special adaptor accepts all three of the threaded connections commonly used on microphone holders.



SHURE DISPATCHER MICROPHONE

MODEL 450 OUR PRICE **\$79.95**

The new modern design of this rugged omnidirectional Dispatcher Microphone fits every decor for dispatching and paging use. Has telescoping height adjustment of approx. 2-1/2". It features an impedance switch for low or high impedance, and a push-to-talk switch bar which activates both microphone and relay circuits. 7 ft. four-conductor (two shielded) cable.



BP MATCHED STEREO RECORDING MICROPHONE

MODEL DM-305

OUR PRICE **\$9.95** per pair

DESCRIPTION

Economy-type microphones for compact hi-fi systems with record feature. Low impedance. Dual mini and submini molded plugs for recorders with remote on/off capability. Complete with on/off switch, 3 ft. cable, stand. With 3.5mm plug and 2.5mm plug plus stand.



BP DUAL IMPEDANCE DYNAMIC MICROPHONE

MODEL DM-410

OUR PRICE **\$16.95** each

SPECIFICATIONS

- Dual impedance 500 ohm or 50K ohm.
- 20 ft. cable.
- Frequency response: 80-15,000 Hz.
- Sensitivity: Hi imp — 52 dB; Low imp — 72 dB.
- Uni-directional.
- Brushed chrome finish.
- Built in on/off switch.
- 1/4" plug.
- Black vinyl case.



BP ELECTRET CONDENSER MICROPHONE

MODEL EM-106


OUR PRICE **\$19.95**

FEATURES

- The Super mini microphone with tie clasp is suitable for application on school teaching, public speaking, and recording.
- High sensitivity and wide frequency response.
- With one UM-3 battery, it can work 10,000 hours continuously.

SPECIFICATIONS

Directionality: Omni-directional. Impedance: 1000 ohm. Sensitivity: -65 dB at 100 Hz. Frequency response: 18 Hz—20 kHz. Power supply: UM —3 (1.5V) x1. Weight: 110 gr. (with plug). Dimensions: 13 x 23mm. Material: Aluminum and copper. Plug: 1/4". Cord: 4M.



BP MATCHED PAIR STEREO MICROPHONES

MODEL DM-705

OUR PRICE

\$11.50 per pair


SPECIFICATIONS

- Dynamic microphones for cassette tape recorder.
- Matched pair for stereo.
- Low impedance.
- Sensitivity: -70 dB at 1 kHz.
- Response: 60-12,000 Hz.
- 4-1/2 foot cable.
- With 3.5mm plug.
- Blister package.



BP DYNAMIC TWIN MATCHED MICROPHONES FOR ALL STEREO SYSTEMS

MODEL DM-710 OUR PRICE **\$22.50** per pair



FEATURES

- Unidirectional Dynamic microphones.
- Low imp. 600 Ohms.
- Sensitivity: 74dB ± 3dB.
- Freq. Res.: 100-15,000 Hz.
- 10 Ft. cord with 1/4" mic plug.
- Comes packaged red & white together.

BP MICROPHONE WITH 3P, XLR PLUG

MODEL DM-6003

OUR PRICE **\$52.50**

This microphone features a natural, life-like reproduction of music and voice, and is ideal for use with good quality, sound system and tape records.


It is particularly suitable for use in the theaters, night clubs, auditoriums, schools, churches indoors or outdoors and any place where omnidirectional microphone may not operate properly because of feedback problem.

SPECIFICATIONS

Type: Uni-directional, dynamic microphone. Frequency Response: 30-18KHz. Impedance: 250 ohm. Sensitivity: -78dB ± 3 dB at 1KHz. Size: 54 x 180mm. Cord: 6M, end with one 3-pin XLR connector and one 6.3 plug. Comes with holder.

BP VIDEO CAMERA MICROPHONE

MODEL V-6502 OUR PRICE **\$37.95**



SPECIFICATIONS

- Super Cardioid.
- Electret Condenser.
- 80-12,000Hz.
- 520 Ohms (For long distance).
- 2.3 Kohm (For short dis.).
- -66dB (Short dis. IV u ber 1KHz).
- -56dB (Long dis. IV u ber 1KHz).
- 3 position: (Normal cardioid, Super cardioid, Off.)
- 130g.
- Aluminum.
- Curl cable.
- 3.5 mm plug.
- 220 x 280mm.
- DC 1.5V one AA size battery.

INTERCOMS/WIRELESS MICROPHONES

NADY WIRELESS MIC FEATURES: Audio Technica PR-60 Mic Element
MODEL 49HT/R
 Wireless Handheld Microphone and 49R Receiver

OUR PRICE **\$199.95**

MODEL 49LT/R
 Wireless Lavalier Microphone and 49R Receiver

OUR PRICE **\$179.95**

DESCRIPTION


The Nady 49HT wireless Handheld Microphone System is the most advanced 49 mHz wireless system available. Manufactured to exacting standards by Nady Systems, the innovative leader in wireless technology.

Now, with the Nady 49HT, all singers, actors, lecturers, etc., can enjoy all the advantages of wireless operation, without the serious performance compromises of any of the low-cost, so called "semi-pro" wireless systems on the market. Designed to professional operation standards, the 49HT offers audio quality indistinguishable from the wired Audio Technica PR-60 mic for up to a 100 ft. range. In addition the 49HT also offers the following unique features not available with any other 49 mHz system:

Superior Dynamic Range/Noise Free Operation: Special exclusive companding circuitry offers the widest dynamic range available thus freedom from both overload distortion and background noise.

Sleek, portable Receiver with exclusive added features: • Fold-down retractable antenna. • External DC in addition to AC operation. • Volume & squelch controls. • Two 3-color, 10 LED displays to monitor received signal strength and audio level.

Rugged miniature handheld mic transmitter with added special features: • Audio Technica PR-60 dynamic mic element and Ball Screen. • Low battery LED indicator. • No dangling wire antenna. Antenna integrated into compact housing no larger than ordinary mic. • Unique snap-open battery compartment for quick pop-in battery replacement. Uses standard 9V alkaline battery for maximum RF output.




BP SOLID STATE 'BABY SITTER' INTERCOM
MODEL IN-1001

OUR PRICE **\$12.95** per pair

DESCRIPTION

Economical Intercom system, ideal for home use, especially as babysitter. Slave unit with push-to-talk button. Master unit has on/off volume control plus push-to-talk button. Operates on 9-volt battery (not included).



BOGEN MASTER STATION INTERCOM
MODEL IE-4B

OUR PRICE **\$84.00** each

FEATURES IE-4B

- Instant dependable, economical voice communication.
- Master plus up to 3 remotes.
- Tone signal announces calls.
- Annunciator lights show which RIE-1B is calling master.

FEATURES RIE-1B

- Remote converse hands-free.
- Solid state reliability, IC amplifier.
- Compact, attractive design.
- Volume control.
- AC or battery operation.
- Simple installation and operation.

REMOTE STATION
MODEL RIE-1B

OUR PRICE **\$29.95** each



BP AUTO-COM AUTOMATIC 2 CHANNEL WIRELESS FM INTERCOM
MODEL IN-828


OUR PRICE **\$49.95** per pair

FEATURES

- Fully automatic.
- Lock switch for continuous two-way conversations.
- Automatic squelch control for noise free operation.
- A.B. channel selectors.
- On/off light indicator.
- Phase lock loop circuitry.

DESCRIPTION

Once you press down lock buttons of both units, the whole system becomes completely hands-free. It can also be used as a normal intercom that is press to talk and release to listen. Operates on VHF end flat room-to-room or between houses on same AC electrical wiring.




TOA PRE-AMPLIFIER

MODEL WT-02

REG. **\$158.00** OUR PRICE **\$109.95**

The WT-02 Pre-amplifier has been especially designed for use with wireless tuner units (WTA), in conjunction with 2 wireless mikes of different frequencies. Two separate connectors allow operation through any existing PA system, amplifier or tape recorder.

Designed for portable or fixed installation. Power from AC or DC. An extremely wide operational range is offered with AC. Equipped with whip antenna, external antenna connector and power on/off switch. Optional accessories include stand-mounted whip, wall or ceiling and mobile antennas. IC solid state end silicon circuitry for low noise, wide frequency response and reliable wireless performance. Complete with slide volume end squelch controls. Weighs as little as 3.9 lbs. An easy, economical short cut into the wonderful world of wireless equipment for those who have already installed PA equipment. *Photo shows WT-02 Pre-amplifier with 2 optional tuner units plugged in.




WIRELESS TUNER UNIT

MODEL WTA

REG. **\$280.00** OUR PRICE **\$178.00**

The WTA is a plug-in type wireless tuner unit designed specifically for the WT-02 pre-amplifier. With this simple plug-in addition, the meeting amplifier takes on full wireless microphone versatility. When used in conjunction with the WT-02 pre-amplifier, even existing PA equipment can be quickly and economically converted to include a wireless function. These plug-in units employ a crystal-controlled VHF band (30 — 50 MHz) FM tuner for exceptionally stable performance under virtually any circumstances. Unlike conventional wireless equipment, drift end interference have been almost completely eliminated. Complete with FET, IC and silicon circuitry, rapid-action slide volume controls, tune-in LED indicators and squelch function. *FCC certified.




WIRELESS MICROPHONE

MODEL WME

REG. **\$431.00** OUR PRICE **\$199.95**

The WME is a crystal controlled Lavalier microphone-packer type transmitter which also employs FET, IC and silicon circuitry. The omnidirectional electret microphone allows complete freedom of movement. The unit consists of two sections, a microphone and a transmitter. FCC Type accepted.



WIRELESS MICROPHONE

MODEL WMA

REG. **\$375.00** OUR PRICE **\$179.95**

Model WMA is a crystal controlled handheld microphone transmitter employing FET, IC and silicon circuitry for superb sound fidelity. The microphone element is of the dynamic unidirectional (Cardioid) type. Equipped with a compressor-limiter circuit and audio sensitivity control. FCC Type accepted.

BOGEN SERIES IE INTERCOMS

MODEL IE-5

OUR PRICE **\$104.50** each

MODEL IE-10

OUR PRICE **\$124.95** each

- Push-button communication for offices, business or plant.
- All-master or single master/multiple remote systems.
- Multiple channels permit several simultaneous conversations.
- Conference calls. • Choice of 5 or 10 button masters.
- "Talk-lock" button for dictation or nursery monitoring with "reminder" light.
- High reliability solid-state circuitry.
- Combine private and nonprivate remotes as you require.
- Tie into paging system for direct paging from master stations.
- AC powered-single power supply per system.
- Optional operation from 12 VDC supply with reduced power.
- Masters wired with 6 foot cable and junction box. • All connections made externally.
- Modified all-master system provides "common" remote or "dedicated" remotes to each master.



DESCRIPTION

Offices, stores, factories and homes are only a few of the applications for the hardworking Bogen IE-5 and IE-10 intercoms. You can choose either a single master/multiple remote system (up to 10 remotes, which can operate hands-free) or an all-master system of any size. In which each station can call up to 10 others selectively. In an all-master system, several conversations can take place simultaneously, between different pairs of stations (100% trunkage). Conference calls including several stations are possible too. The IE master are private at all times; they cannot be monitored. Remotes can be private (Model RE-1 releases privacy button for hands-free operation) or non-private. If you wish, you can substitute one remote for a master in an IE-5 all-master system, or two in an IE-10 system for hands-free reply to master. (These remotes cannot originate calls.) You can tie into your PA system for paging from IE masters which can reply hands-free. Each IE system operates from a single power supply, Model PRS-20.

ACCESSORIES FOR BOGEN INTERCOMS

- RE-1 Remote for IE-5 & IE-10. \$37.50
- Can originate call to master in single-master systems and function private or nonprivately (hands-free) as desired. Incorporates speaker/microphone, call and privacy buttons. 16 ohms. Styled to match masters.
- PRS-20 Power supply for IE-5 & IE-10. \$69.95
- AWG 22 Cable (Ship. wt. per 100'/30m)
 - 3SC 3-conductor wire (unshielded): Ship wt.: 2 lbs. (9 kg). \$14.95
 - 7SC 7-conductor wire (unshielded): Ship wt.: 4 lbs. (1.8 kg). \$26.00
 - 12SC 12-conductor wire (unshielded): Ship wt.: 5 lbs. (2.3 kg). \$39.95

CHARGE IT—VISA • MASTERCARD • AMERICAN EXPRESS • Toll Free 800-645-9518 • NYS Toll Free 800-832-1446

COMPUTER ACCESSORIES

EXECUTIVE DESK SET

MODEL EDS-01 OUR PRICE **\$24.95**

DESCRIPTION

This desk set is an indispensable organizing tool. It comes with a solar powered calculator with a pivoting head and large LCD clock. It's equipped with a calendar, memo pad, and pen.



BP ATTACHE CASE with COMBINATION LOCK

MODEL TC-7350R (Burgundy)


OUR PRICE **\$29.95**

MODEL TC-7350B (Black)

OUR PRICE **\$29.95**

DESCRIPTION

Finely crafted attache case with combination lock is an attractive accessory for the business person. The combination lock secures your belongings and insures your privacy. This case also features an expandable bottom when that little extra space is needed. The pocket divider is a helpful organizer for pens, pencils, calculator, pads and comes in either black or burgundy. Dimensions: 17 1/2" W x 12 1/2" H x 4" D.



SANYO BATTERY CHARGER

For 'AA'-C-D and 9V Rechargeable Batteries


MODEL NC-1239 OUR PRICE **\$17.95**

DESCRIPTION

Make the economy switch to rechargeable batteries. This charger brings batteries back to full strength up to 1000 times (depending on use). It accommodates all standard sizes and recharges two to four batteries simultaneously and has a rapid charge time of 8-10 hours. A fail-safe LED indicator is included plus it plugs into any ordinary AC outlet.

Optional Long-lasting Sanyo CADNICA batteries

Model	Price	Model	Price
N-1U (D size)	\$3.95	N-2U (C size)	\$3.75
N-3U (AA size)	\$3.25	N-6PT (9 volt)	\$8.95



BP VIDEO/COMPUTER RF MODULATOR

MODEL COMP-022

OUR PRICE **\$19.95**

DESCRIPTION

Converts Audio/Video output from color processors, computer, TV games and video cameras to channels 3 or 4 on any TV.



BP HEAVY DUTY SPIKE PROTECTOR with Surge Protection

MODEL NF-728

OUR PRICE **\$4.95** each

10 FOR **\$45.00**

FEATURES

- Protects all valuable equipment.
- Single outlet with noise filter and surge protection.
- Gold and Silver plating.
- Limits voltage transients.



TRIPP LITE SPIKE BLOCK


Suppress Transient Spikes from Static Electricity, Motors, Lightning, etc., Along with Radio Frequency Interference.

MODEL SK6-0 OUR PRICE **\$22.50**

The SK6-0 is designed for: computers, stereos, audio/visual equipment, typewriters, word processors, TV's, test equipment, and phone systems. It cleans up AC power for computers, and helps prevent data loss, false printouts, monitor distortion and computer component damage.

SPECIFICATIONS

Indicator Lights: 1-red for power on, 1-green for suppression components on. Clamping Response Time: within 20ns. Intel Clamping Voltage: 150VAC RMS. Energy: suppresses up to 219 Joule spikes at current levels up to 13,000 amps. Protection Mode: Normal or transverse mode. Radio Frequency Filtering & Transient Suppression: meets or exceeds IEEE specification #587. Load Handling: 15 amps (1875 watts).



SNAPIT AMP AC FAULT FINDER

MODEL 49662

OUR PRICE **\$5.95** each 10 FOR **\$50.00**

CHECKS ALL THESE ELECTRICAL CIRCUIT CONDITIONS

- Open Ground • Open Hot • Open Neutral • Correct
- Hot/Ground—Reversed • Hot/Neutral—Reversed

DESCRIPTION

This revolutionary AC Fault Finder has indicator lights and chert on both sides to describe the condition for each lighting arrangement. Plug in add illuminated signals indicate: reverse polarity, faulty wiring, missing grounds and/or correct wiring conditions.



GENERAL ELECTRIC VOLTAGE SPIKE PROTECTOR

MODEL GESP-752

OUR PRICE **\$9.50** each

10 FOR **\$85.00**

DESCRIPTION

Voltage Spike Protector limits voltage transients that might damage equipment. It plugs into a 120-volt grounded AC receptacle and protects TV's, stereos, and other sensitive electronic equipment against lightning strikes that cause high-voltage surges. Contained within is a varistor that permits only a safe voltage level to enter protected equipment and does not interfere with normal current flow, or add to energy cost.



OUTLET STRIP MODEL COMP-731 WITH CIRCUIT BREAKER

OUR PRICE **\$19.95**



10 FOR **\$180.00**

- Circuit breaker built-in.
- Outlets: "U" ground-Six.
- Size: 13-1/8" L x 2-3/8" W x 1-1/2" H.
- Overload protection.
- Case length (excluding mounting tabs): 11-15/16". • 6 Ft. cord. • UL listed.
- Max rating: 15A, 125VAC, 60Hz, 1875W continuous duty. • Reset mini breaker.
- Seamless steel case with baked-on finish.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

**BP MONITOR CABLE
WITH ADAPTOR**
MODEL COMP-707 (RR-54)
OUR PRICE \$5.95
Universal High Resolution, 4 feet.



COMPUTER CABLES

RS-232 MALE TO MALE CABLE
MODEL COMP-740 10 ft. length **OUR PRICE \$19.95**

DESCRIPTION
RS-232 — RS-232 cable with DB-25 Pin Male to DB-25 Pin Male

RS-232 MALE TO FEMALE CABLE
MODEL COMP-741 10 ft. length **OUR PRICE \$19.95**

DESCRIPTION
RS-232 — RS-232 cable with DB-25 Pin Male -DB-25 Pin Female

MALE TO MALE CENTRONIC TYPE CABLE

MODEL COMP-742 10 ft. length **OUR PRICE \$19.95**

DESCRIPTION
36 Pin Male - 36 Pin Male Centronic Type.

MALE TO FEMALE CENTRONIC TYPE CABLE

MODEL COMP-743 10 ft. length **OUR PRICE \$19.95**

DESCRIPTION
36 Pin Male - 36 Pin Female Centronic Type.

IBM COMPATIBLE PARALLEL PRINTER CABLE

MODEL COMP-745 12 ft. length **OUR PRICE \$25.50**

DESCRIPTION
Interfaces IBM PC, Apple III and other computers to parallel printer. 25 pin male RS232 to 36 pin male Centronics type connector. Shielded. Gold plated contacts.

IBM MONITOR CABLE

MODEL COMP-746 5 ft. length **OUR PRICE \$10.25**

DESCRIPTION
9 pin male to 9 pin female. Shielded. Can be used for NCR PC4.

IBM AT SERIAL CABLE

MODEL COMP-748 12 ft. length **OUR PRICE \$14.75**

DESCRIPTION
Use to Interface IBM PC or AT to printers with serial ports. DB9 female to DB25 male connector.

IBM COMPATIBLE MODEL CABLE

MODEL COMP-749 3 ft. length **OUR PRICE \$11.95**

DESCRIPTION
Used to Interface IBM PC with stand alone modems. Shielded. It also allows use with other serial port computer. Gold plated contacts. Male to female.

KEYBOARD EXTENSION CORD FOR IBM PC TYPE COMPUTER

MODEL COMP-750 12 ft. length **OUR PRICE \$7.30**

DESCRIPTION
Shielded coiled cord. 5 pin DIN plug to 5 pin DIN jack.

IBM PRINTER ADAPTOR CABLE

MODEL COMP-751 6 ft. **OUR PRICE \$11.50**

DESCRIPTION
RS232 25 pin male to 36 pin male Centronics type connector. User can use the COMP-751 cable as an IBM printer cable.

PARALLEL PRINTER CABLE

MODEL COMP-752 12 ft. length **OUR PRICE \$25.95**

DESCRIPTION
36 pin to 36 pin Centronics type male connectors. Interfaces micro computers to all Centronics compatible printers. Shielded. Gold plated contacts.

KRAFT MICROMOUSE

A Serial,
Opto-Mechanical,
Three Button Mouse

MODEL 820023-3

OUR PRICE \$69.95

FEATURES

- Serial Interface.
- Opto-Mechanical.
- 3 Function buttons with 5 programmable button options.
- High resolution.
- Micromouse bundle includes: Mouse, 120V power supply, Mouse driver and Menu-Pops software (on a single disket); Simple instruction sheet.
- Microsoft compatible driver (includes compatibility with Microsoft windows).



KRAFT® PREMIUM JOYSTICKS

IBM® PC Premium Joystick

MODEL 820002-11

OUR PRICE \$36.00

DESCRIPTION

Equipped with exclusive Microtouch gimbal and patented "center-look" mode selector. Includes high flexibility FCC type cable, gold plated connector contacts, newly designed trim controls. Color matched to the IBM PC.


Apple® IIe, IIc
Premium Joystick

MODEL 820008-10 **OUR PRICE**

\$29.95

DESCRIPTION

Offers full compatibility with latest generation Apple computers. FCC type high-flex cable with 9 pin "D" connector, gold plated contacts. Microtouch gimbal with "center-look" is housed in color coordinated case.



BP JOYSTICKS

MODEL V-8801

OUR PRICE \$4.95 each

2 FOR \$8.00

DESCRIPTION

The joystick can be used with Atari® Home Video Game and the Atari® 400 and 800 Home computers.

Atari® is a registered trademark of Warner Communications.

MODEL V-8802

OUR PRICE \$6.95 each 2 FOR \$12.00

FEATURES

- Large grip handle gives positive and comfortable action.
- Membrane switches used throughout.
- Individual boxing, export carton holds 50 pcs. Cubic capacity 3.8 cubic feet.



BP JOYSTICK EXTENSION CORDS

MODEL V-4555 6' length

OUR PRICE \$2.50 each

MODEL V-4556 12' length

OUR PRICE \$2.95 each

DESCRIPTION

For use with all joysticks and, where necessary, adaptors.





BP D CONNECTORS

MODEL DB-25P 25 pin plug. Gold plated contacts

OUR PRICE \$2.95 each 10 FOR \$25.00

MODEL DB-25S 25 Socket

OUR PRICE \$2.95 each 10 FOR \$25.00



AUDIO ACCESSORIES

BP KEYBOARD REPLACEMENT AC ADAPTORS FOR CASIO® and YAMAHA®



MODEL AC-1760 OUR PRICE **\$6.95**

The AC-1760 Fits The Following Casio Keyboards:

MT-55, PT-82, PT-87, PT-100, SK-1, SK-5, SK-8, SZ-1

SPECIFICATIONS

- UL Listed • Input: 120VAC 60Hz, 11W
- Output: 12VDC No-Load, 7.5VDC Loaded 600mA

MODEL AC-1785 OUR PRICE **\$9.95**

The AC-1785 Fits The Following Casio Keyboards:

AZ-1, CPS-101, CT-360, CT-450, CT-510, CT-830, CZ-101, CZ-230S, CZ-1000, DZ-1, HT-700, HT-3000, HT-6000, HZ-600, MT-88, MT-110, MT-205, MT-220, MT-520, MT-600, MT-820, SK-100, SK-200, SK-2100

SPECIFICATIONS

- UL Listed • Input: 120VAC 60Hz, 15W • Output: 9VDC 850mA

MODEL AC-1730 OUR PRICE **\$7.95**

The AC-1730 Fits The Following Yamaha Keyboards:

PSR-12, PSS-30, PSS-130, PSS-170, PSS-270, PSS-370, PSS-470, PSS-570, YPR-1, YPR-7

SPECIFICATIONS

- UL Listed
- Input: 120VAC 60Hz, 11W • Output: 12VDC 300mA

Casio is a registered trademark of Casio Computer Co., LTD. Yamaha is a registered trademark of Nippon Gekki Co.

BP UNIVERSAL AC ADAPTOR MODEL AC-900

OUR PRICE **\$4.95** each

10 FOR **\$40.00**

SPECIFICATIONS

- Output: 3, 4.5, 6, 7.5 or 9 volts.
- Universal 4-way outlet plug.
- Polarity reverse switch.
- Display package.
- Input: 117 volts AC.



BP AC ADAPTOR FOR TV & ATARI GAME MODEL AC-1500

OUR PRICE **\$5.95** each

10 FOR **\$50.00**

SPECIFICATIONS

- Adaptor for 9 volts.
- 500 mA.
- Universal 4-way outlet plug.
- Polarity reverse switch.
- Replacement game switch.
- Input: AC 117V 60 Hz • Output: DC 9V 500 mA.
- Negative or positive polarity connector. • Display Package.



BP REGULATED AC/DC ADAPTOR FOR SONY MINI WALKMAN MODEL AC-1215

OUR PRICE **\$4.95**

SPECIFICATIONS

- Input: 110V AC 60Hz.
- Output: 1.5V DC 200mA.
- With 1.3mm Sony plug (center negative).



BP REMOTE AC ON/OFF SWITCH MODEL AC-15


OUR PRICE

\$3.95

BATTERY SNAPS MODEL BS-1

10 FOR **\$2.50**

- Four inch leads for standard 9 volt battery. • 5 per bag.



BP ANTI-STATIC CARBON FIBER DISC BRUSH MODEL RC-1020

OUR PRICE

\$4.95

FEATURES

- Conductive carbon fibers. • Eliminates static charges.
- Removes even finest dust particles. • Records disc cleaner.




BP CASSETTE TAPES MODEL CT-603

OUR PRICE **99¢** per pkg.

10 pkg. FOR **\$8.00**

60 minute cassettes. Low noise, high output blank cassettes. Full frequency, dynamic range. 3 cassettes per package.



CASSETTE TAPES MODEL CT-903

OUR PRICE **\$1.25** per pkg.

10 pkg. FOR **\$10.00**

90 minute cassettes. Low noise, high output blank cassettes. Full frequency, dynamic range. 3 cassettes per package.



BP CASSETTE CARRYING CASE MODEL CT-1010

OUR PRICE **\$2.95**

- Cassette carrying case with handle.
- Holds up to 12 cassette tapes.



BP UNIVERSAL PLUG IN HEADSHELL MODEL HS-96 black


OUR PRICE **\$2.95** each

5 FOR **\$12.50**

MODEL HS-97 chrome

OUR PRICE **\$3.25** each 5 FOR **\$15.00**

- Fits all the latest turntables. • Display package.



BP FM INDOOR ANTENNA MODEL FM-400

OUR PRICE **75¢** each

10 FOR **\$6.90**

100 FOR **\$59.00**

DESCRIPTION

Folded dipole design. 60" dipole and 60" lead. Connects to terminals on radio. Improves FM and multiplex—stereo reception. Display package.



BP INTERFERENCE FILTER MODEL NF-724

OUR PRICE **99¢** each

10 FOR **\$9.00**

DESCRIPTION

Instantly stops or reduces noise interference transferred by electrical lines. Plug any 117V AC radio, TV, record player, CB set into filter and plug filter into wall outlet. Display package.



BP NOISE FILTER MODEL NF-725

OUR PRICE **99¢** each

10 FOR **\$9.00**

DESCRIPTION

Eliminates or reduces TV interference caused by amateur radio, police, CB, auto ignition, neon signs, diathermy, etc. Connects between TV antenna lead and set. Screw terminals. Display package.



BP 20 FT. MAGNETIC EARPIECE MODEL EP-3

OUR PRICE **90¢** each

10 FOR **\$7.50**

DESCRIPTION

For private listening. Ideal for transistor radios, TV sets, tape recorders, etc. With ear hanger. Twisted cable.




BP CASSETTE CABINET MODEL CT-6030

OUR PRICE

\$12.95

- Stores 30 cassettes.
- Each drawer holds 10 tapes.
- Keeps cassettes clean and safe.
- Unlimited mounting.



CHANNELSCAN WIRELESS TV REMOTE CONTROL HAS SLEEP SHUT-OFF!

MODEL SC-50

OUR PRICE

\$39.95

DESCRIPTION

ChannelScan wireless remote control turns your existing TV, with rotary dial selection, into a remote control model. Its exclusive automatic sleep shut-off allows you to fall asleep without worrying about the TV being on all night. Just set the control for 30 or 60 minutes and at those respective times the TV will shut itself off. It installs easily and works up to 20 feet away. You'll have the convenience of controlling your TV from your most comfortable chair or bed. The infrared wireless handset will change the channels in an upward or downward direction. It also requires a 9 volt battery which is included. This remote control will not work with push button electronic tuning, it cannot be converted.



PICKERING CARTRIDGES

Model	Pkg.	Retail	Our Price
P/ATE	Boxed	\$24.95	\$9.95
P/AT	Boxed	19.95	6.00
P/AC	Boxed	17.95	6.50



SPECIAL!

MODEL P/AC OUR PRICE 5 FOR **\$30.00**


SHURE TYPE V CARTRIDGE MODEL V-15MR

OUR PRICE

\$179.95

DESCRIPTION

World's finest cartridge — at any price! A quantum leap forward, with incredibly accurate high frequency trackability, due to the amazing new Shure-developed MicroWell Technology. This revolutionary process yields the highest stiffness-to-mass ratio for any stylus cantilever ... using the properties of Beryllium in an ultra-thin walled tube to create the exclusive MICROWELL/Be™ stylus shank. And, the Type V incorporates a host of Shure's best state-of-the-art improvements into a never-before-combined package for superior sound performance under any conditions, all at a mere 1.0 gram tracking force.



MODEL V-15VB OUR PRICE **\$149.95**

V-15 Type V-B. The critically acclaimed V-15 Type V with Shure's exclusive Hyperelliptical Tip and MicroWell/Be™ Stylus Shank includes a stylus cleaning brush, leveling-alignment stylus, data booklet and an individual computer print-out, screwdriver and mounting hardware.

MODEL V-15VP OUR PRICE **\$139.95**

V-15 Type V-P. Specifically designed for ultimate performance in P-mount tone arms, the V-15 Type V-P includes a stylus cleaning brush, data booklet, an individual computer print-out and screwdriver.

PICKERING P-MOUNT CARTRIDGES

Direct Plug-In Series

Model	Retail	Our Price
TL-3	\$125.00	\$39.95
TL-2S	100.00	29.95
TL-2E	80.00	22.50
TL-1	60.00	17.50

Special Plug-In Series

Model	Retail	Our Price
TLE	\$45.00	\$12.95



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

HEADPHONES/AUDIO ACCESSORIES

BP HEADPHONE MODEL SH-87A REG. \$19.95

OUR PRICE **\$6.95**

DESCRIPTION

An ultra lightweight headphone for all reasons, seasons and people on the go. Ideal for portable cassette players and radios.

SPECIFICATIONS

- Impedance: 4-32 ohms. • Cord length: 8.8'.
- Frequency: 20-18,000 Hz. • Stereo plug: .138".



BP HEADPHONE MODEL SH-89A REG. \$29.95

OUR PRICE **\$9.95**

DESCRIPTION

An ultra lightweight headphone featuring quality ete price. Swivel type speakers are adjustable within a 90° arc for maximum comfort. Ideal for portable cassettes and radios. Cable ends has 3.5mm mini plug. Furnished with standard 1/4" plug adaptor for home stereo equipment.

SPECIFICATIONS

- Impedance: 4-32 ohms. • Cord length: 8.8'.
- Frequency: 20-20,000 Hz. • Stereo plug: .138".



BP DYNAMIC STEREO HEADPHONES HIGH FIDELITY MYLAR TYPE MODEL SH-92A

OUR PRICE **\$12.95**

NEW!

SPECIFICATIONS

- Frequency Response: 20-25,000 Hz.
- With samarium cobalt magnet.
- Sensitivity: 96 dB/mW.
- Impedance: 25 ohm.
- Cord length: 7 feet.



STEREO HEADPHONES WITH VOLUME TONE CONTROL MODEL HP-40

OUR PRICE **\$14.95**

NEW!

SPECIFICATIONS

- Speaker: 3" dynamic.
- Frequency Response: 30-18,000 Hz.
- Input Impedance: 8 ohm.
- Input Maximum: 500mW.
- Ear Cup: Closed Air Type.
- Cord Length: 3m spiral.
- Control: Slide volume/tone.
- Weight: 380g.



BP HEADPHONE MODEL SH-96A REG. \$69.95

OUR PRICE **\$32.95**

DESCRIPTION

Performance rated, high quality headset. Dual headband. Individual slide volume control and 360° swivel-type leathery comfort speakers. Standard 1/4" stereo plug.

SPECIFICATIONS

- Frequency response: 18-25,000 Hz.
- High sensitivity — can be driven to full volume with very little input.
- Connecting cord: 10 foot long cord and standard phone plug.




BP PILLOW SPEAKER MODEL PS-11

OUR PRICE **\$4.95**

DESCRIPTION

With volume control and 10 ft. cord with 3.5mm plug. Can be connected to TV, radio, phonograph or tape recorder.



BP STEREO PRE-AMP MODEL PA-420

OUR PRICE **\$7.95**

10 FOR **\$69.00**

DESCRIPTION

Solid state preamp allows use of stereo magnetic cartridge on any console or portable record player. RIAA equalization. Standard phono inputs and outputs. Bistate package.



NADY INFRARED STEREO CORDLESS HEADPHONE SYSTEM MODEL IR-SYSTEM

OUR PRICE **\$89.95**

DESCRIPTION

Enjoy the freedom of cordless hi-fidelity stereo from any audio source—record player, tape, radio or TV with the new Nady IR Cordless Headphone System.

Additional applications for this versatile system include hard-of-hearing uses such as TV viewing, church services, etc. This system can also be used to provide interpretations at multi-lingual meetings, language labs, etc.

Since the Nady IR Headphone System uses transmission with invisible infrared light waves, and not radio waves with penetrate walls, privacy is assured in any use as propagation is limited to the room in which is being used.

The new Nady Infrared Headphone System offers performance previously only available in systems costing many times as much. Nady has made the many advantages of advanced infrared technology truly affordable.



BP STEREO GRAPHIC EQUALIZER MODEL GE-333

OUR PRICE **\$89.95**


Ten band stereo Graphic Equalizer is ideal for home stereo use and a necessity for home recording and listening to music.

FEATURES

- 10 band stereo equalizer. • Attenuator control. • Equalizer On/Recording switch. • Power switch. • Equalizer off switch. • Tape monitor indicator. • Tape monitor switch. • Octave controls.

SPECIFICATIONS

Semiconductors: ICs: 12. Transistors: 2. Diodes: 8. Equalizer Section: Equalizer Range (individual channel adjust): ±12dB, 32Hz, 64Hz, 125Hz, 250Hz, 500Hz, 1kHz, 2kHz, 4kHz, 8kHz, 16kHz. Total Harmonic Distortion: 20Hz — 20kHz, All Control; Flat, Output: 1V 0.01%. 1kHz, All Control; Max., Output: 3V 0.01%. 1kHz, All Control; Flat, Output: 2V 0.01%. 1kHz, All Control; Min., Output: 1V 0.03%. Insertion Loss: 0dB (Control; Flat). Max. Output Voltage: (1kHz, THD: 0.02%, RL 47k ohm) 5.5V. Frequency Response: 5Hz — 100kHz + 0 — 3 dB. Signal to Noise Ratio: (IHF, A Network, short circuited, 1V Output) 85dB. Input Impedance: 50k ohm. Output Impedance: 600 ohm. Miscellaneous: Power Requirement: LE model; AC220-240V, 50/60 Hz LU model; AC 110V-120V, 50/60 Hz. Power Consumption: 15W. Dimensions (WHD): 450 x 80 x 240 mm, 17-5/8 x 3-1/8 x 9-4/8 in. Weight (without package): 3.5 kg., 7 lb. Furnished Parts: Operating Instructions: 1.




FORDHAM FM INDOOR SIGNAL AMPLIFIER

BOOSTS FM SIGNAL
FOR BETTER STEREO SOUND
MODEL FM-3018

OUR PRICE **\$19.95**

DESCRIPTION

This amplifier increases FM signal reception in "fringe" areas. It is a high gain RF amplifier, with low noise figure, which can result in good FM stereo sound. A strong local FM station may produce interference in the FM receiver. The amplifier provides 18 dB of gain and uses less than 5 watts of power. For 75 or 300 ohm receiver inputs. AC operation.



BP AUDIO CABLE


MODEL HP-15 OUR PRICE **\$4.99**

- For two headphones. • 1/4" stereo phone plug to two
- 15 ft. coiled cord. • 1/4" stereo phone jacks.
- Model HP-25 • Poly with header.

OUR PRICE **\$2.99 each 10 FOR \$27.50**

FEATURES

- 25 ft. coiled type stereo headphone extension.
- 3 circuit stereo.
- 1/4" phone plug to 3 circuit stereo 1/4" jack.
- Poly with header.



RECOTON AUDIO KLEAN STIX MODEL 53TR

OUR PRICE **99¢ each 10 pkg. FOR \$9.00**

DESCRIPTION

A package of 100 soft cotton tips on 6" applicators to clean and lubricate hard to reach recorder heads and guides safely.



CASSETTE HEAD CLEANING CARTRIDGE MODEL 71TC

OUR PRICE **99¢ each 10 FOR \$9.00**

DESCRIPTION

Fits all type players. Avoids costly repairs by removing dirt and oxide from tape head. Easy to use. Cleans instantly.

CONNECTORS

MODEL SP-218

OUR PRICE 10 FOR \$4.00

100 FOR \$35.00

Long handle plastic mini plug 3.5mm.



MODEL SP-219

OUR PRICE 10 FOR \$5.00

100 FOR \$45.00

3.5mm starao plug.



MODEL SP-222

OUR PRICE 10 FOR \$5.00

100 FOR \$40.00

RCA shialdad plug.



MODEL SP-222A

OUR PRICE 10 FOR \$3.50

100 FOR \$30.00

RCA plaatic plug.



MODEL SP-225

OUR PRICE 10 FOR \$5.00

100 FOR \$45.00

Standard mono 1/4" phona plug screw terminal.



MODEL SP-228

OUR PRICE 99¢

10 FOR \$9.00


1/4" shialdad metal phona plug.



MODEL SP-230

OUR PRICE 99¢ 10 FOR \$9.00

Starao 1/4" standard phona plug screw terminal.




MODEL SP-231

OUR PRICE \$1.20

10 FOR \$10.00

1/4" shialdad metal phona plug.



MODEL SP-240

OUR PRICE 99¢

10 FOR \$9.00


Standardized female microphona connector.



MODEL SP-242

OUR PRICE \$4.95


Cannon type, 3-pin famala.



MODEL SP-243

OUR PRICE \$4.95


Cannon type, 3-pin mala.



MODEL SJ-215

OUR PRICE 10 FOR \$4.00

Plastic mini jack 3.5mm.




MODEL SJ-223

OUR PRICE 10 FOR \$4.00

100 FOR \$35.00

RCA shialdad jack.



MODEL SJ-223A

OUR PRICE 10 FOR \$3.50

100 FOR \$30.00

RCA plaatic jack.




MODEL SJ-226

OUR PRICE 49¢

10 For \$4.00

Standard 1/4" slim Inlma phona Jack moldad handle Color: black, gray, rad.



MODEL AP-156

OUR PRICE 79¢

10 For \$6.90

Moldad adaptor, 3.5mm plug to RCA phono jack.




MODEL AP-160

OUR PRICE 79¢

10 For \$6.90

Moldad adaptor, RCA phono plug to 3.5mm jack




MODEL AP-163

OUR PRICE 99¢

10 For \$9.00

1/4" starao Jack to 3.5mm starao plug.



MODEL AP-164

OUR PRICE 99¢

10 For \$9.00

Moldad adaptor 3.5mm starao jack to 1/4" starao plug.



MODEL AP-171

OUR PRICE 79¢

10 For \$6.90

Moldad adaptor 3—conductor 1/4" phona plug to 3.5mm jack.



MODEL AP-172

OUR PRICE 79¢

10 For \$6.90

Moldad adaptor, 3.5mm plug to 3—conductor 1/4" phona jack.



MODEL AP-181

OUR PRICE 79¢

10 For \$6.90

Molded adaptor, 3.5mm plug to 1/4" phona jack.



MODEL AP-182

OUR PRICE 79¢

10 For \$6.90

Moldad adaptor, 1/4" phona plug to 3.5mm jack.



MODEL AP-201

OUR PRICE 99¢

10 FOR \$9.00

Moldad RCA Jack to 1/4" standard phona plug adaptor.



MODEL AP-202

OUR PRICE 99¢

10 FOR \$9.00

Moldad both ands RCA Jack.



CB CONNECTOR

MODEL SP-245

OUR PRICE 99¢

10 For \$9.00

3 pin connector.




CB CONNECTOR

MODEL SP-250

OUR PRICE 99¢

10 For \$9.00

4 pin connector.



CB CONNECTOR

MODEL SP-551

OUR PRICE 69¢

10 For \$4.90

PL-259 plug.




CB CONNECTOR

MODEL SP-265

OUR PRICE \$1.20

10 For \$10.00

5 pin connector for Cobra CB.



CB CONNECTOR

MODEL CB-552

OUR PRICE 99¢

10 FOR \$9.00

(SO-239) chassis connector.



CB CONNECTOR

MODEL CB-553

OUR PRICE \$1.25

10 FOR \$10.00

(PL-258) double famala.



CB CONNECTOR

MODEL CB-555

OUR PRICE 10 FOR \$2.00

(UG-175/U) adaptor for RG-58/U cable.




CB CONNECTOR

MODEL CB-556

OUR PRICE 10 FOR \$2.00

(UG-176/U) adaptor for RG-59/U cable.




CB CONNECTOR

MODEL CB-558

OUR PRICE \$3.00

10 FOR \$25.00

(M-359) right angle connector.



CB CONNECTOR

MODEL CB-560

OUR PRICE \$3.50

10 FOR \$30.00

(M-358) T-connector.



CB CONNECTOR

MODEL CB-570

OUR PRICE \$1.95

10 FOR \$17.50

Lightad dummy. Load for 5 watta.



N CONNECTOR

MODEL N-10

OUR PRICE \$4.75

10 FOR \$40.00

"N" Typa Mala to BNC Famala



N CONNECTOR

MODEL N-30

OUR PRICE \$4.25

10 FOR \$40.00

"N" Typa Crimp Mala Connector For RG-59U



N CONNECTOR

MODEL N-40

OUR PRICE \$4.75

10 FOR \$40.00

"N" Typa Mala to Mala Inlma Connector



N CONNECTOR

MODEL N-90

OUR PRICE \$4.95

10 FOR \$45.00

"N" Typa Doubla Famala



N CONNECTOR

MODEL N-140

OUR PRICE \$4.95

10 FOR \$45.00

"N" Typa Right Angla Mala-Famala.



N CONNECTOR

MODEL N-130

OUR PRICE \$4.95

10 FOR \$45.00

"N" Typa Mala to UHF Famala



N CONNECTOR

MODEL N-160

OUR PRICE \$4.95

10 FOR \$45.00

"N" Typa Famala To UHF Mala



N CONNECTOR

MODEL N-190

OUR PRICE \$4.95

10 FOR \$45.00

2 "N" Typa Famalaa to "N" Typa Mala



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

AUDIO ACCESSORIES

BP 100 WATT L PAD WITH PLATE MODEL AT-41

OUR PRICE **\$7.95** each

10 FOR **\$70.00**

BP HOME AUDIO LEVEL CONTROL MODEL AT-40

OUR PRICE **\$3.95** each 10 FOR **\$35.00**

SPECIFICATIONS

- 8 ohm. • Monoaural L pad.

MODEL AT-40D

OUR PRICE **\$5.95** each 10 FOR **\$50.00**

SPECIFICATIONS

- 8 ohm. • Stereo L pad.

BP UNIVERSAL LINE MATCHING TRANSFORMER

Match 4-8 Ohm Speakers with
Standard Taps

MODEL LT-70-5 70 volt 5 watt

MODEL LT-70-10 70 volt 10 watt

MODEL LT-25-10 25 volt 10 watt

OUR PRICE **\$4.50** each 10 FOR **\$40.00** any assortment

BP METAL CEILING GRILL 8" SPEAKER

MODEL CL-82W

OUR PRICE **\$4.95** each 10 FOR **\$45.00**

SPECIFICATIONS

- 12-7/8".

LOWELL CEILING SPEAKER BAFFLE MODEL ADS-80P

OUR PRICE **\$7.50** each 10 FOR **\$69.00**

DESCRIPTION

Lowell Model ADS80-P ceiling baffle has become a standard of the industry. In addition to being molded of durable high impact styrene, this ceiling speaker baffle has been engineered to provide excellent dispersion of sound. This has been accomplished by unique slots located in the circular fins of the grille. Speaker is mounted to back of baffle by means of self-tapping screws eliminating unsightly speaker screws.

MODEL CR-80P

OUR PRICE **\$6.95** each 10 FOR **\$60.00**

DESCRIPTION

Ideal baffle designed for either ceiling or wall recessed installations. Model CR80-P is molded of durable high-impact styrene and is available in white only. Self-tapping screws are used to mount speaker to back of grille, thus eliminating visible speaker mounting screws. All mounting hardware is furnished.

BP AUDIO CABLE MODEL RU-25-24

OUR PRICE **\$1.75** each

10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • RCA plug to two spade lugs.

BP TOGGLE SWITCH MODEL TS-144-SPST

OUR PRICE **\$1.19** each

10 FOR **\$10.00**

SPECIFICATIONS

- Solder lug terminals 125-volt 3-amp.
- High dielectric bakelite case.
- Chrome on/off face plate.
- Display package.

BP TOGGLE SWITCH MODEL TS-145-DPDT

OUR PRICE **\$1.39** each

10 FOR **\$12.00**

SPECIFICATIONS

- Solder lug terminals 125-volt 3-amp.
- High dielectric bakelite case.
- Chrome on/off face plate.
- Display package.

BP TOGGLE SWITCH MODEL TS-146-DPDT

OUR PRICE **\$1.99** each

10 FOR **\$17.50**

SPECIFICATIONS

- Center off.
- Solder lug terminals 125-volt 3-amp.
- High dielectric bakelite case.
- Chrome on/off face plate.
- Display package.

BP MINI TOGGLE SWITCH MODEL TS-147-2P SPST (On-Off)

OUR PRICE **\$1.19** each

10 FOR **\$10.00**

SPECIFICATIONS

- Solder lug terminals 125-volt 3-amp.
- High dielectric bakelite case.
- Display package.

AUDIO ACCESSORIES

BP AUDIO CABLE MODEL RP-69

OUR PRICE **\$4.50** each 10 FOR **\$40.00**

FEATURES

- 20 ft. shielded coiled guitar cable.
- 1/4" phone plug to 1/4" right angle phone plug. • Poly with header.

BP AUDIO CABLE MODEL RJ-25-24

OUR PRICE **\$1.75** each 10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • RCA plug to RCA jack.

BP AUDIO CABLE MODEL RM-25-24

OUR PRICE **\$1.75** each

10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • 3.5mm plug to 3.5mm jack.

BP AUDIO CABLE MODEL RP-25-24

OUR PRICE **\$1.75** each

10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • RCA plug to 3.5mm plug.

BP AUDIO CABLE MODEL RR-12-24

OUR PRICE **\$1.50** each

10 FOR **\$12.00**

- 24 AWG: 12 ft. brown speaker cable. • RCA plug on both ends

BP AUDIO CABLE MODEL RR-25-24

OUR PRICE **\$1.75** each

10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • RCA plug to RCA plug.

BP AUDIO CABLE MODEL RS-25-24

OUR PRICE **\$1.75** each

10 FOR **\$15.00**

- 24 AWG: 25 ft. brown speaker cable. • 3.5mm plug to 3.5mm plug.

BP AUDIO CABLE MODEL RR-24-24C2

OUR PRICE **\$3.95** each

10 FOR **\$30.00**

- 24 AWG: Two 25 ft. clear cable. • RCA plug to RCA plug, poly with header.

BP AUDIO CABLE MODEL RR-40-24C2

OUR PRICE **\$4.50** each

10 FOR **\$40.00**

- 24 AWG: Two 40 ft. clear cable. • RCA plug to RCA plug, poly with header.

CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

AUTO SPEAKERS & ACCESSORIES

BP 6" GENERAL PURPOSE SPEAKER MODEL BP-300-8

OUR PRICE **\$4.95** each 2 FOR **\$8.00**

FEATURES

- 8" general purpose speaker with dust cover.
- 3 oz. ceramic magnet.



8" SPEAKER 3 OZ. CERAMIC MAGNET MODEL BP-300-8

OUR PRICE **\$4.95** each 2 FOR **\$8.00**

SPECIFICATIONS

- Frequency response: 70-15,000 Hz. • Impedance: 8 ohms.
- Maximum power: 15 watts. • Display package.

BP 8" SPEAKER 10 OZ. CERAMIC MAGNET MODEL BP-1000-8

OUR PRICE **\$12.95** each

2 FOR **\$24.00**

SPECIFICATIONS

- Full range elr eupenelon.
- Frequency response: 70-15,000 Hz. • Impedance: 8 ohms.
- Maximum power: 15 watts. • Display package.



BP 4" DOME TWEETER MODEL BP-4400

OUR PRICE **\$8.95** each

2 FOR **\$16.00**

SPECIFICATIONS

- 4.5 oz. magnet.
- Impedance: 8 ohms.
- Maximum power: 50 watts.
- Crossover frequency: 4000-2000 Hz.
- Display package.



BP 5-1/4" DOME MIDRANGE MODEL BP-4550

OUR PRICE **\$12.95** each

2 FOR **\$20.00**

FEATURES

- 11 ounce ceramic magnet.
- 50 watts maximum input.
- Frequency range 600-14,000 Hz.
- 2" mylar diaphragm.
- Sensitivity: 93 dB.
- Impedance: 8 ohms.



BP SOFT DOME TWEETER MODEL BP-4600

OUR PRICE **\$12.95** each

2 FOR **\$20.00**

FEATURES

- Measure 4-1/2" x 3".
- 5.3 ounce ceramic magnet.
- 50 watt maximum input.
- Frequency range: 2,000-20,000 Hz.
- Impedance: 8 ohms.



6-1/2" HIGH POWER PAPER CONE WOOFER - 150 Watts Peak MODEL W-61

OUR PRICE **\$19.95** each

FEATURES

- 6-1/2" Paper cone woofer.
- 40 oz. strontium magnet.
- 60 watt RMS. • 150 watts max.
- Frequency Response: 40-7KHz.
- 1" Aluminum Voice Coil. • 4 Ohm.
- Complete with speaker wire, mounting screws and template.



8" HIGH POWER PAPER CONE WOOFER - 150 Watts Peak MODEL W-81

OUR PRICE **\$19.95** each

FEATURES

- 8" Paper cone woofer.
- 40 oz. strontium magnet.
- 75 watt RMS. • 150 watts peak.
- Frequency Response: 34-5000Hz.
- 1-1/2" Aluminum Voice Coil. • 4 Ohm.
- Complete with speaker wire, mounting screws and template.



10" HIGH POWER PAPER CONE WOOFER - 200 Watts Peak MODEL W-10

OUR PRICE **\$29.95** each

FEATURES

- 10" Paper cone woofer.
- 60 oz. strontium magnet.
- 100 watt RMS. • 200 watts peak.
- Frequency Response: 30-4500Hz.
- 1-1/2" Aluminum Voice Coil. • 4 Ohm.
- Complete with speaker wire, mounting screws and template.



12" HIGH POWER PAPER CONE WOOFER - 250 Watts Peak MODEL W-125

OUR PRICE **\$39.95** each

FEATURES

- 12" Paper cone woofer.
- 60 oz. strontium magnet.
- 125 watt RMS. • 250 watts peak.
- Frequency Response: 25-5000Hz.
- 1-1/2" Aluminum Voice Coil. • 4 Ohm.
- Complete with speaker wire, mounting screws and template.



15" HIGH POWER PAPER CONE WOOFER - 300 Watts Peak MODEL W-155

OUR PRICE **\$49.95** each

FEATURES

- 15" Paper cone woofer.
- 80 oz. strontium magnet.
- 125 watt RMS. • 300 watts peak.
- Frequency Response: 25-3500Hz.
- 2" Aluminum Voice Coil. • 4 Ohm.
- Complete with speaker wire, mounting screws and template.




BP 12" SPEAKER 10 OZ. CERAMIC MAGNET

MODEL BP-1210 OUR PRICE **\$19.95** each

SPECIFICATIONS

- Air suspension speaker with foam edge. • Impedance: 8 ohms.
- Maximum power: 25 watts. • Frequency response: 30-8000 Hz.



BP 3-WAY CROSSOVER NETWORK MODEL BP-737

OUR PRICE **\$7.95** each 2 FOR **\$14.00**

SPECIFICATIONS

- Impedance: 8 ohms.
- Crossover: 700 Hz. 5 kHz.
- Maximum power input: 40 watts.
- Roll-off: 6 dB/oct.
- Dimensions: 95 x 60 x 25mm.
- Display package.



BP 3-WAY CROSSOVER NETWORK MODEL BP-747

OUR PRICE **\$10.95** each 2 FOR **\$20.00**

SPECIFICATIONS

- Impedance: 8 ohms.
- Crossover: 800 Hz. 5 kHz.
- Maximum power input: 50 watts.
- Roll-off: 12 dB/oct.
- Dimensions: 113 x 93 x 30mm.
- Display package.



DYNAMIC LIGHTING EFFECTS

FULL FEATURED 4-CHANNEL CONTROLLER

MODEL RS-40 OUR PRICE \$99.95

The RS-40 has 5 output plugs in rear, 4-three prong grounded female plugs for output to your boarder cans or lights and a connector that can fit up to 40 rope lights featured below. Each channel has an external fuse to protect internal blow outs. It can handle 800 watts total, has forward speed control for these and built in mic for lights to sound effect or you may use line input or even an external mic.

DELUXE CONTROLLER MODEL RL-101 OUR PRICE \$69.00

Used in conjunction with up to 10 rope lights listed below. It features speed, sound and reverse.



NEW!

VARI-SPEED EGG STROBE

MODEL S-EGG OUR PRICE \$16.95 each

Available in five colors: clear, red, yellow, green, and blue. Screws into any standard base socket.



NEW!

ROTATING BEACONS

100 Watt Standard 8" Beacon

MODEL B-801

OUR PRICE \$69.95 each

25 Watt Standard 6" Beacon

MODEL B-501

OUR PRICE \$35.00 each

NEW!

These beacons come complete with break resistant high impact dome, lamps, and power cord with plug. Both models are available in these colors: red, blue, green or amber.



NEW!

8" MIRRORRED BALL

MODEL M-800

OUR PRICE \$24.00

Mirror balls are the most recognized special effect in the entertainment field today. This mirrored ball is made of highly reflective glass mirror squares hand glued to the ball surface. Use with Pin Spots P-1001 and RS-40 to connect up to 4 mirrored balls.

MODEL M-AC8

OUR PRICE \$14.95

Standard Motor for a single mirrored ball. AC operation.



NEW!

STARLIGHT

MODEL ST-178

OUR PRICE \$99.95

The starlight uses a 250 watt quartz lamp and creates small intense fixed beams of multi-color lights. Ideal for clubs or the serious DJ. It's ideal to be used with a controller.

A great new effect for the dance floor.

Should be used with a blinker available at all hardware stores.



PIN SPOTS MODEL P-1001

OUR PRICE \$29.95

Pin spots produce a brilliant beam of light. The P-1001 is economical and lightweight PAR-36 narrow beam. Comes complete with lamp installed, mounting hardware, and power cord with plug. Use with RS-40 and mirrored ball. Optional color lenses: Aqua, green, pink, red, yellow, blue, orange. Model CL-100. . \$2.95 each

HIGH POWER VARI-SPEED STROBE

MODEL S-101

OUR PRICE \$149.95

High power variable speed remote controllable strobe. Comes complete with mounting. (remote control optional)

OSCILLATOR LIGHT


MODEL OS-201

OUR PRICE

\$59.95

Oscillator lights pan back and forth 180° creating a moving beam of light on the walls or floor. The OS-201 is a single head and comes complete ready to plug in. Color lenses available, CL-100, see P-1001 above.

NEW!



SPECIAL EFFECT ROPE LIGHTS

MODEL RL-160 OUR PRICE \$32.00 each

NEW!

Heavy duty crush resistant rope lights are available. Each rope is 16 feet long and you may connect several together. Can be used with the RS-40 and the RL-101. Colors available Clear (not shown), Multi clear tube with color lights in between (not shown), green, yellow, red, and blue.



CHARGE IT—VISA•MASTER CARD•AMERICAN EXPRESS • Toll Free 800-645-9518 • NYS Toll Free 800-832-1446

SPEAKERS & AUDIO ACCESSORIES

1" SOFT DOME TWEETER MODEL TW-16

OUR PRICE **\$24.95** per pair

FEATURES

- 1" Soft Dome Tweeter.
- High Compliance.
- 20 oz. Circuit Magnet.
- 1" Aluminum Voice Coll.
- 4 Ohm Impedance.
- 50 Watts RMS.
- 120 Watts Peak.
- Frequency Response: 4K-20KHz.



5" POLY MIDRANGE MODEL M-55

OUR PRICE **\$17.95** per pair

FEATURES

- 5" Polypropylene Midrange Speaker.
- Sealed Basket.
- 10 oz. Circuit Magnet.
- 1 1/2" Aluminum Voice Coll.
- 4 Ohm Impedance.
- 50 Watts RMS.
- 100 Watts Peak.
- Frequency Response: 550-7KHz.



8" POLY HIGH POWER WOOFER

MODEL W-85

OUR PRICE **\$24.95** each

FEATURES

- 8" Polypropylene Woofer.
- 40 oz. Strontium Magnet.
- 1 1/2" Aluminum Voice Coll.
- 4 Ohm Impedance.
- 75 Watts RMS.
- 150 Watts Peak.
- Frequency Response: 34-5000Hz.
- Comes with speaker wire, mounting screws and template.



MIXER EQUALIZER WITH ECHO

MODEL PR-6800

OUR PRICE

\$179.95

FEATURES

- 14-Band Equalizer.
- Echo B.B.D. System.
- Echo Repeat Control.
- Delay Time Control 30/200/M.S.
- Fader Control.
- S/N Ratio 50db.
- Frequency Response: 20Hz-20KHz.
- Distortion Less Than 0.05%.
- Wood Cabinet.
- Size: 17" x 12" x 4-1/2".



BP SUPER SOUND 3-WAY HI-FI COMPONENTS SYSTEM

Design Your Own Home or Auto Sound System
100 Watts X2 with Crossover Network

MODEL LS-1400 (KIT) OUR PRICE **\$69.95** per kit

DESCRIPTION

This super sound component system kit lets you be the expert sound technician in your home or automobile. Create your own system and enjoy the rich full sounds of this system.

SPECIFICATIONS

Woofers: Two 4-1/4" 100-5,000 Hz. **Mid-Range:** Two 3" 700-15,000 Hz. **Tweeters:** Two 2-1/2" 2,000-20,000 Hz. **Impedance:** 4-8 ohms. **Power:** 2x100 watts. **Frequency Band:** Woofer 20-10,000 Hz., Mid-Range 1,000-10,000 Hz., Tweeter 10,000-20,000 Hz.



12" POLY HIGH POWER WOOFER

MODEL W-120

OUR PRICE

\$49.90 each

FEATURES

- 12" Polypropylene Woofer.
- 60 oz. Strontium Magnet.
- 1 1/2" Aluminum Voice Coll.
- 4 Ohm Impedance.
- 125 Watts RMS.
- 250 Watts Peak.
- Frequency Response: 25-3000Hz.
- Comes with speaker wire, mounting screws and template.



15" POLY HIGH POWER WOOFER

MODEL W-15

OUR PRICE

\$69.90 each

FEATURES

- 15" Polypropylene Woofer.
- 80 oz. Strontium Magnet.
- 2" Aluminum Voice Coll.
- 4 Ohm Impedance.
- 150 Watts RMS.
- 300 Watts Peak.
- Frequency Response: 25-3500Hz.
- Comes with speaker wire, mounting screws and template.



STEREO MIXER EQUALIZER

MODEL PR-2700

OUR PRICE

\$119.95

FEATURES

- 10-Band Equalizer.
- Fader Control.
- S/N Ratio 50db.
- Frequency Response: 20Hz-20KHz.
- Distortion Less Than 0.05%.
- Metal Cabinet.
- Size: 18.9" x 9.4" x 3.3".



8 CHANNEL UNIVERSAL AUDIO SOUND MIXER WITH ECHO

MODEL PR-8800

OUR PRICE **\$349.95**

FEATURES

- 8 Channel mixer.
- 8 Microphone Inputs.
- 3 Program stereo inputs.
- 3 Position input selector.
- Echo with individual channel control.
- External hook-up to equalizer.
- 4 Turntables inputs.
- Individual pan pots, bass & treble controls.
- 1 Stereo record output.
- 2 Extra phono outputs.
- S/N ratio more than 65 dB.
- Distortion less than 0.05%.
- Neon lamp power indicator.
- Power on/off switch.
- Output level VU meter.
- Input selection switch.
- Channel monitor switch.
- Channel, master left and right volume controls.
- Headphone jack.
- Master monitor switch.
- Mono/Stereo switch.
- Level control for monitor.
- Master echo level, repeat, and delay controls.

SPECIFICATIONS

Input Sensitivity/Impedance: Phono 3mv/47Kohms. Mic 0.3mv/600ohms. Line 150mv/47Kohms. **Rated Output/Impedance:** N/600ohms. **Distortion:** less than 0.05%. **Bass Tone Control:** 100Hz $\pm$ 12dB. **Treble Tone Control:** 10kHz $\pm$ 12dB. **Frequency Response:** Phono 30Hz-20kHz $\pm$ 2dB (RIAA). Mic: 30Hz-20kHz $\pm$ 2dB. Line: 20Hz-30kHz $\pm$ 2dB. **Signal to Noise Ratio:** more than 65dB. **Headphone Impedance:** 4-16ohms. **Echo Delay Time:** 20ms-204ms. **Power Source:** 110V/160Hz or 220V/50Hz. **Size:** 480 W x 119 H x 420 D mm.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

TELEPHONES/ACCESSORIES

TT SYSTEMS KEY SYSTEMS

MODEL ST-3MI

OUR PRICE **\$149.95**

FEATURES

- No KSU (Key System Unit) required.
- Up to 2 Line 10 station operation.
- "On Hold", "In Use", "Incoming Ring" visual indications at all stations.
- Switchable tone or pulse dialing with long distance tone dialing feature.
- Last number redial.
- Speed dialing with 10 number memory.
- On hook dialing.
- Pause function programmable into memory.
- Volume control for page.
- Do Not Disturb: will stop phone from audibly ringing for incoming calls, intercom signaling, and turns off paging speaker.
- Ringer Hi-Lo-Off switch.
- Individual line status controls.
- Plugs into RJ-25 modular jack.
- Fully modular.
- Hearing aid compatible.
- Flash function programmable into memory.
- Ten station dial intercom; station buzzer, station voice page.
- FCC registered.
- Duplex intercom.
- All call page.
- 120V 60Hz power pack with each unit.
- Centrex compatible.
- Select jack for add-ons.
- Skinny wire interconnection.
- One year limited warranty with manufacturer.
- Color: Almond.



MODEL ST-4MI

OUR PRICE **\$199.95**

FEATURES

- Same as the ST-3MI Plus: Up to 4 Line 10 station operation.
- Color: Black.

SUPERCALL NANTUCKET TELEPHONE

Solid Oak Decorator Telephone

MODEL SH-402

OUR PRICE **\$119.95**

DESCRIPTION

The Nantucket telephone was specially designed and handcrafted in the attractive styling of the early telephone. It has a country look with the inner workings of a modern telephone appliance.

It features pulse/tone dialing, and can be used with alternative long distance services. This piece mounts neatly on your wall and plugs into any modular jack with the corded modular plug. This solid oak phone adds a designer's flair to your decor.

Size: 22"H x 10-1/4"W x 9"D including mouthpiece and shelf protrusions.



SUPERCALL MALLARD PHONE

MODEL SH-26

OUR PRICE

\$29.95

DESCRIPTION

This beautifully hand carved wooden phone rest comfortably on desk or table.

FEATURES

- Tone/pulse dialing.
- Last number redial.
- Tone ringer with LED light on duck's eyes.
- Size: 10-1/2"L x 3-3/4"W x 4-1/4"H.
- F.C.C. approved.



SUPERCALL ELEGANT PHONE

MODEL SH-767

OUR PRICE

\$29.95 each

FEATURES

- Tone/Pulse switchable.
- Last number redial.
- Electronic true hold with LED indicator (auto release).
- Ringer Hi-Lo-Off switch.
- Desk and Wall Mountable.
- Fully modular.
- Hearing aid compatible.
- Dynamic receiver and condenser mic.
- 7 ft. coil cord and 6 ft. line cord.
- Available in Red, Black, White, and Grey.
- Size: 3-1/4"D x 5"W x 8-1/2"H.



PLUS COPY-JACK 40 SUPER SMALL COPYING MACHINE

MODEL CJ-40

OUR PRICE **\$199.95**

DESCRIPTION

Without wasting any time, you can copy just exactly what you want, with "COPY-JACK 40". It's compact, lightweight and cordless (rechargeable) and goes where you go. It copies instantly when turned on.

FEATURES

- Easy Operation. Copies are in black and white. Best results are from line and halftones. Colored original and photos cannot be copied.
- Copy Density Adjustment: Simple rotation of the CONTRAST ADJUSTMENT helps give you copies with a clear contrast.
- Copying time approx. 20 min. per charge.
- Maintenance free thermal process.
- Comes with one paper roll, soft carrying case and recharger.
- Recharging time approximately 8 hrs.
- Copy width 40mm, 1.8".
- Weight: 14.8 oz.
- 1 Paper Roll: 1-1/4"D x 13-1/16"W x 33'L.
- Size: 6-3/4"H x 2-7/8"W x 1-3/4"D.

Paper Roll (5 pack)

Model CJ-40P... \$11.95



REMOTE ACCESS CALL DIVERTER

MODEL DAC-200

OUR PRICE **\$110.00**

FEATURES

- Simple installation.
- Remote programming of telephone numbers.
- Positive disconnect at end of call.
- Requires two separate telephone lines.

DESCRIPTION

The DAC-200 will automatically receive and transfer telephone calls to a preprogrammed telephone number allowing the caller direct access to the called party.



TELE-RECORDER 460

MODEL TR-460

OUR PRICE **\$110.00**

FEATURES

- Simple installation.
- Keeps complete and accurate record of all orders, involved conversations and instructions, and no errors in transcription.
- Perfect for sales training.
- Operates with batteries (not included) or AC.
- Selectable two speed recording control, set by user. (regular + half speed).
- Tape counter.
- LED record light.
- Pause control.
- Cue & Review.
- 1 Button record.
- Headphone jack.
- Slide volume control.



BROTHER PERSONAL FAX

MODEL FAX-100

OUR PRICE


\$1199.00

FEATURES

- Compact, lightweight, easy to use, perfect for desk top, travel and home.
- Just plug into a telephone jack and electric outlet.
- Easy to operate, only 4 controls.
- Contrast control assures finest reproduction of differently colored originals.
- Fine detail transmission mode.
- Hand-free, non-monitored operation receives copies automatically.
- Compatible with all Group 3 FAX machines worldwide.
- Built-in telephone handset with 9 number memory, redial, pulse/tone, ringer volume control, battery back-up for memory.
- Operates as a copying machine.
- Quiet thermal printing.
- Transmits crisp copies anywhere in the world to one or many places.

SPECIFICATIONS

Paper Type: Thermal roll paper. Paper roll size: 8.5" x 98'. Scanning/Recording Width: 8.2". Document input size: up to 8.5" wide. Resolution: 203 x 96 lines/inch standard. 203 x 195 lines/inch fine. Compatibility: CCITT group 3. Size: 13.8" x 9.8" x 6.1". Weight: 15 lbs.



CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

TELEPHONES/ANSWERING MACHINES

COBRA ANSWERING SYSTEM MODEL AN-8510

OUR PRICE **\$57.90**

FEATURES

- Standard (C-60) Cassette Tape System.
- One Touch Operation.
- Remote Turn-On: If you forget to turn machine on, you can call your number let ring 16 times and the system will activate itself for the next call.
- Voice Activated Recording.
- Cell Screening
- Recorded announcement up to 3 minutes.
- Ready Record: Automatically sets machine to answer calls when turned on.
- Automatic Save/Cancel: Choose to save or cancel messages just after you've heard them. There's an automatic override if you change your mind.
- Extension Phone Control: If machine is in operation and you decide to take a call, pick up any extension and the machine will automatically reset for next call.
- Clean Message Playback.
- Power Failure Protection: messages remain in tact.
- Announce Only: for times when you wish to give information and receive no messages.
- Pause to stop tape and hold until you can resume playback.
- Fast forward/rewind.
- Quick Erase: removes messages as you rewind.
- Call counter.
- LED function indicator for operation mode.
- Size: 7-1/4"W x 9"D x 2-3/8"H. • Weight: 4.5 lbs.

MODEL AN-8512 OUR PRICE **\$69.90**

FEATURES

- Same as the AN-8510 Plus
- Beepless Remote Message Retrieval.
- Security Code.
- Toll Saver.
- Play, Rewind, Erase.
- Remote Memo: Call and leave yourself a message.
- Remote Skip Announcement.
- Remote Full Tape Retrieval.



COBRA ANSWERING SYSTEM with BEEPERLESS REMOTE

Has Voice Recordable
Micro-Chip For Announcement
MODEL AN-8516

OUR PRICE **\$110.00**

- Voice Recordable Micro-Chip For Announcement: Record your personalized announcement on a micro-chip that gives sound quality as good as any cassette tape. Regardless of how many times you change the announcement the quality is the same. No need to replace worn out announcement tapes.
- Announcement For Time and Day Of Each Call (Time/Day Stamp): After playback of each message is completed, a voice announcement tells you the exact time and day the call was received.
- Digital Message Counter and Clock: Digital clock tells time of day, and then turns into a message counter as the calls are received.
- Remote Turn-On: If you forget to turn machine on, you can call your number, let ring 16 times and the system will activate itself for the next call.
- Extension Phone Control: If machine is in operation and you decide to take a call, pick up any extension and the machine will automatically stop and reset for next call.
- One Touch Operation.
- Voice Activated Recording.
- Clean Message Playback.
- Personal Memo.
- Backspace/Skip Ahead.
- Conversation Record.
- Announce Only.
- Variable Length Announcement.
- Message cassette C-60 tape.
- Size: 7-1/4"W x 9"D x 2-3/8"H. • Weight: 4.5 lbs.

REMOTE FEATURES

- Beepless Remote Message Retrieval.
- Three-Digit Security Code.
- Remote Announcement Change: Call to change announcement by phone. It will be replayed for your review, and then reset for next call.
- Toll Saver.
- Remote Backspace/Skip Ahead.
- Message Play, Save, Erase.

ELECTRONIC PHONE and ANSWERING SYSTEM with BEEPERLESS REMOTE

MODEL AN-8518 OUR PRICE **\$149.95**

- Same Features as the AN-8516 Plus.
- Phone features include: 9 number memory, electronic hold, pause and last number redial.
- Size: 10"W x 9"D x 3-3/4"H. • Weight: 5 lbs.

REMOTE FEATURES

- Same as the AN-8516.



AN-8516



AN-8518

COBRA ANSWERING SYSTEM with REMOTE Built-In Electronic Phone

MODEL AN-8514

OUR PRICE **\$89.90**

FEATURES

- Built-In Electronic Telephone: Includes K-Type Handsat, Last number redial, Tone/Pulse switchable and Ringer volume adjustment.
- Standard (C-60) Cassette Tape System.
- One Touch Operation.
- Remote Turn-On: If you forget to turn machine on, you can call your number let ring 16 times and the system will activate itself for the next call.
- Extension Phone Control: If machine is in operation and you decide to take a call, pick up any extension and the machine will automatically reset for next call.
- Call Screening.
- Ready Record.
- Automatic Save/Cancel.
- Announce Only.
- Clean Message Playback.
- Power Failure Protection.
- Voice Activated Recording.
- Fast Forward/Rewind.
- Quick Erase.
- Call Counter.
- LED Function Indicator.
- Size: 10"W x 9"D x 3-3/4"H. • Weight: 5 lbs.

REMOTE FEATURES

- Beepless Remote Message Retrieval.
- Security Code.
- Toll Saver.
- Play, Rewind, Erase.
- Remote Memo: Call and leave yourself a message.
- Remote Full Tape Retrieval.



SONY COMPLETE TELEPHONE ANSWERING SYSTEM

MODEL IT-A650

OUR PRICE
\$219.95

FEATURES

- Double-Microcassette answering machine with Beepless Remote Control.
- Message Transfer Function: Dials a number stored in memory to notify you of incoming messages. Number can be changed from a remote location.
- Forget-To-Set Function: Allows you to trigger out mode from a remote location.
- Record phone conversations or transmit recorded messages to the other party during a conversation.
- Record your outgoing message from a remote location.
- Tone-type phones must be used to detect special features from remote locations.
- Telephone features: last number redial, pulse/tone selection, mixed dialing for long distance services, even with pulse systems, one-touch dialing for memory stored numbers, and a speakerphone which allows you to converse with other party while handset is on the hook. Memory backup function retains memory during a power failure.



COBRA 2-LINE TELEPHONE and ANSWERING SYSTEM with BEEPERLESS REMOTE

MODEL AN-8522

OUR PRICE **\$169.95**

FEATURES

- 2-Line Telephone Answering System.
- Micro Cassette Tape System: Announcement and Incoming messages stored on a single micro cassette tape (MC-60 cassette).
- 20 Number Memory.
- Speakerphone for handsfree conversation.
- Tone/Pulse switchable.
- Pause, Mute, and Flash.
- Battery Back Up for Memory.
- Electronic Hold.
- Remote Turn-On: If you forget to turn your machine on, simply call your number let ring 10 times and the system will activate itself for next call.
- Clean Message Playback.
- Announce Only.
- One Touch Operation.
- Voice Activated Recording.
- Dual Announcements.
- Power Failure Protection.
- Size: 7"W x 8-5/8"D x 3-7/8"H. • Weight: 3-1/4 lbs.

REMOTE FEATURES

- Beepless Remote Message Retrieval.
- 3-Digit Security Code.
- Toll Saver.
- Play, Rewind/Fast Forward, end Save.



PLANTRONICS SPIRIT TELEPHONE HEADSET

Lightweight Modular Headset for
Standard and Electronic Telephones
MODEL SP-02

OUR PRICE **\$74.95**

FEATURES

- Compatible with virtually all modular single line telephones - from standard desk phones to newer electronic feature phones, including Trimline-type and other phones having a dial in the handset.
- On/off switch - lets you answer phone without lifting handset.
- Flash switch - for call waiting capabilities.
- Mute/Hold switch.
- Adjustable volume control.
- Note: This product does not contain a ringer.



CORDLESS TELEPHONES

COBRA FULL-SIZE CORDLESS PHONE MODEL CP-460

OUR PRICE **\$119.95**

FEATURES

- 512 digital codes
- Selectable channels.
- Switchable tone/pulse dialing.
- 9-number memory.
- Last-number redial.
- Hold key.
- Two-way paging and intercom.
- Call waiting compatibility.
- SECUR-LOC and auto-standby.
- Speakerphone for Hands-Free Conversation.
- Desk/Wall Mountable.
- Size base: 6-1/2"W x 9-3/8"D x 3-1/8"H.



COBRA REMOTE RECHARGER Fits Cobra Cordless Phones

Model CA-21 For Recharging Away From Base Unit\$12.95

COBRA CORDLESS TELEPHONE and SPEAKERPHONE MODEL CP-464S

OUR PRICE **\$149.95**

- Speakerphone for handsfree talking.
- Selectable Channels: change channels for the clearest possible conversation.
- Handsfree Intercom: Person with handset can converse freely with others at base.
- Room Monitor: base allows you to monitor sounds in another room with the handset.
- True electronic hold.
- Ringer on/off control.
- 9 Number memory.
- Last number redial.
- Receiver Volume Control adjust caller's voice, even enables you to amplify.
- 256 Digital Security Codes to prevent interference from other cordless telephones.
- Switchable Tone or Pulse dialing.
- Flash for call waiting compatibility.
- Automatic Standby allows you to use your cordless phone like any corded phone. Just take handset out of the cradle and use.
- Maximum Range as legally permissible, lets you make and receive calls inside or outside.
- Secur-Loc prevents unauthorized use.
- High quality electronic components.
- Clear Call Circuitry.
- Attachable Belt Clip to hang handset on belt.
- Color: Pearl.
- F.C.C. Registered as hearing aid compatible.
- Size (base): 5-3/4"W x 8-1/2"L x 1-3/4"D.



MODEL CP-474S Black OUR PRICE **\$149.95**

FEATURES • All features same as CP-464S except color: Black

SOUTHWESTERN BELL FREEDOM PHONE® SMART CORDLESS PHONE

That Gives You 2 Phones in 1!

MODEL FF-1700

OUR PRICE **\$149.95**

FEATURES

- Dialing pad in handset and control unit.
- Automatic dialing with 9 number memory.
- Speaker Phone plus two way intercom.
- New 46/49 frequencies for clean sound.
- 10 channel select and digital security system.
- Switchable Pulse/Tone dialing.
- Redial.
- Channel Select Switches to change to a clear channel.
- Range extender antenna.
- Range 1000 ft.
- Clear button.
- Mute Button.
- Volume control.
- Ringer.
- Hold with LED.
- Call button.
- Microphone.
- Hearing Aid compatible.
- Dual Modular Phone Jacks: An additional phone accessory may be added to the control unit.
- Chain dialing.
- Desk or Wall mountable.
- Size Base: 10"D x 2-1/2"H x 6-1/2"W.
- Handset: 11"D x 1-1/2"H x 1-1/2"W.



SOUTHWESTERN BELL FREEDOM PHONE® MINIATURE CORDLESS PHONE MODEL FF-1250

OUR PRICE **\$149.95**

FEATURES

- 46/49 MHz duplex.
- Miniature handset.
- Built-in 2-way Intercom.
- Tone/pulse switchable dialing.
- External handset ringer.
- Auto redial, flash, pause, volume control.
- In-use, charge, intercom/telephone LEDs.
- Security.
- Up to 1000' range
- Color: Pewter Gray/Black.



COBRA CORDLESS TELEPHONE MODEL CP-469S

OUR PRICE **\$79.95**

- 32 Digital Security Codes to prevent interference from other cordless telephones.
- Switchable Tone or Pulse dialing.
- 9 Number memory.
- Last number redial.
- Flash for call waiting compatibility.
- Automatic Standby allows you to use your cordless phone like any corded phone. Just take handset out of the cradle and use. No need to move to use Talk/Standby switch.
- Clear Call Circuitry optimum performance from custom microprocessors.
- Maximum Range as legally permissible, lets you make/receive calls inside or outside.
- Secur-Loc prevents unauthorized use.
- High quality electronic components.
- Registered with the F.C.C. as hearing aid compatible.
- Desk/Wall mountable.
- Size (base): 5-3/16"W x 8-7/16"L x 2"H.



MODEL CP-470S

OUR PRICE **\$79.95**

- Paging lets person at the base alert the person with the handset.
- All other features are the same as the CP-469S except it doesn't have 9 number memory.

COBRA CORDLESS TELEPHONE with Remote Charging Cradle MODEL CP-471S

OUR PRICE **\$110.00**

- Remote Charging Cradle allows you to keep phone at convenient place away from base. (Only AC outlet needed).
- 32 Digital Security Codes to prevent interference from other cordless telephones.
- Switchable Tone or Pulse dialing.
- Last number redial.
- Paging lets person at the base alert the person with the handset.
- Flash for call waiting compatibility.
- Automatic Standby allows you to use your cordless phone like any corded phone. Just take handset out of the cradle and use. No need to move the Talk/Standby switch to standby.
- Clear Call Circuitry optimum performance from custom microprocessors.
- Secur-Loc prevents unauthorized use.
- Maximum Range as legally permissible, lets you make and receive calls inside or outside.
- Secur-Loc prevents unauthorized use.
- Desk/Wall mountable.
- Size (base): 5-3/4"W x 8-7/8"L x 2"H. Charger Cradle: 8-3/8"L x 2-5/8"W x 1-3/8"H.
- Registered with the F.C.C. as hearing aid compatible.



COBRA CORDLESS TELEPHONE and SPEAKERPHONE MODEL CP-472S

OUR PRICE **\$99.95**

- Speakerphone for handsfree talking.
- Selectable Channels: change channels for the clearest possible conversation.
- Handsfree Intercom: allows person with handset to converse freely with others at base.
- Room Monitor: base allows you to monitor sounds in a room (baby's room etc.) with the handset.
- True Electronic Hold.
- Ringer On/Off Control.
- Receiver Volume Control adjust caller's voice, even enables you to amplify.
- 32 Digital Security Codes to prevent interference from other cordless telephones.
- Switchable Tone or Pulse dialing.
- 9 Number memory.
- Last number redial.
- Flash for call waiting compatibility.
- Automatic Standby allows you to use your cordless phone like any corded phone. Just take handset out of the cradle and use. No need to move the Talk/Standby switch to standby.
- Maximum Range as legally permissible, lets you make and receive calls inside or outside.
- Secur-Loc prevents unauthorized use.
- High quality electronic components.
- Clear Call Circuitry.
- Attachable Belt Clip to hang handset on belt.
- Desk/Wall mountable.
- Size (base): 5-3/4"W x 8-1/2"L x 1-3/4"D.



AUDIOVOX CORDLESS PHONE 46/49 MHz Channels MODEL AT-14

OUR PRICE **\$44.95**

- 1000 foot maximum range.
- Eliminates inconvenience of a cord.
- Make and receive calls indoors or out.
- Automatic redial.
- FCC approved.
- Works with rotary or touchtone systems.
- Automatic lock feature prevents unauthorized use when handset is in base.
- LED Indicators on base and handset show power, charge, in-use, and talk modes plus low-battery condition.
- Built-in NiCad batteries and automatic recharging system.
- Easy plug-in connection to standard telephone modular jack—no wiring required.



TELEPHONES

COBRA HIGH STYLED TELEPHONE MODEL ST-510

OUR PRICE **\$18.99**

FEATURES

- High quality electronic components.
- Switchable tone or pulse dialing.
- Last number redial.
- Mute for privacy.
- Bell ringer with on/off switch.
- Desk or wall mountable.
- Colors: Almond or Black.
- Size base: 8" L x 2-3/4" W x 2" D.
- Registered with the F.C.C. as hearing aid compatible.

MODEL ST-512 **NEW!**

OUR PRICE **\$24.99**

FEATURES

- Same features as the ST-510 Plus: 10 Number Memory. • Does not feature Mute.



COBRA FEATURE TELEPHONE MODEL ST-668

OUR PRICE **\$39.95**

FEATURES

- High Quality Electronic Components.
- Switchable Tone or Pulse Dialing.
- 35 Number Memory: 19 are one touch locations for frequently called or emergency numbers.
- Ringer Volume Controls.
- Mute: for privacy.
- Last Number Redial.
- P T (Pulse to Tone) Dialing: for easy alternate long distance dialing from pulse mode.
- Desk or Wall Mountable
- Size: 6" W x 9-1/4" D x 1-3/4" H.
- Color: Almond. • Registered with the F.C.C. as hearing aid compatible.



COBRA HIGH STYLED TELEPHONE MODEL ST-514

OUR PRICE **\$29.95**

FEATURES

- High quality electronic components.
- Switchable tone or pulse dialing.
- Last number redial.
- Mute for privacy.
- Fully adjustable ringer volume control.
- Color: White.
- Size base: 8-1/4" D x 5-3/4" W x 3-1/2" H.
- Registered with the F.C.C. as hearing aid compatible.

NEW!



COBRA DESIGNER TELEPHONE MODEL ST-550

OUR PRICE **\$29.95** **NEW!**

- Backlit Keypad. • Last Number Redial.
- Switchable Tone or Pulse Dialing.
- Ringer Volume Control. • Wall Mountable.
- Handset size: 8" L x 2-3/4" W x 1-5/8" D.
- Fully Modular. • Color: Pearl
- Registered with the F.C.C. as hearing aid compatible.

MODEL ST-552

OUR PRICE **\$39.00**

- Has all the features of the ST-550 Plus: 3 Number total one-touch memory, end pause: for storing alternate long distance numbers in memory.

MODEL ST-554

OUR PRICE **\$42.00**

- Has all the features of the ST-552 Plus: 13 Number total memory which includes 3 one-touch memory buttons, receiver volume control, end Hold.



COBRA DESIGNER TELEPHONE MODEL ST-556

OUR PRICE **\$42.50**

FEATURES

- High Quality Electronic Components.
- Switchable Tone or Pulse Dialing.
- 10 Number Memory plus 3 Emergency Numbers.
- Separate Receiver control.
- Ringer Volume Control.
- Hold: automatically disengages when an extension is picked up.
- Last Number Redial. • Mute: for privacy.
- Pause: for storing alternate long distance numbers.
- Flash: for call waiting compatibility.
- Comfortable "K" type Handset.
- Size: 8-3/4" W x 6-5/8" D x 3-1/8" H.
- Color: Burgundy
- Registered with the F.C.C. as hearing aid compatible.

MODEL ST-558

OUR PRICE **\$59.95**

FEATURES

- All the Same features of the ST-556 Plus 2 line capability.



NEW!

COBRA FEATURE TELEPHONE with SPEAKERPHONE MODEL ST-672

OUR PRICE **\$65.00**

FEATURES

- Speakerphone for handsfree conversation.
- Tel line powered no AC adaptor required.
- True Electronic Hold: automatically disengages when an extension is picked up.
- Automatic Redial: retries a busy number once a minute for ten minutes.
- High quality electronic components to ensure excellent sound quality and long term reliability.
- 24 One-Touch Memory locations for frequently called or emergency numbers.
- Switchable Tone or Pulse Dialing for use with any telephone system.
- Last number redial.
- Pause for storing alternate long distance numbers in memory.
- Flash for call waiting compatibility.
- Ringer volume control. • Desk or Wall mountable.
- Size: 7-1/8" W x 9-3/16" D x 3-3/4" H. • Registered with the F.C.C. as hearing aid compatible.



COBRA FEATURE TELEPHONE MODEL ST-669

OUR PRICE **\$49.00**

FEATURES

- High quality electronic components.
- Switchable Tone or Pulse Dialing.
- True Electronic Hold: automatically disengages when an extension is picked up.
- 36 Number Memory.
- 18 Number one touch memory.
- Last Number Redial.
- Pause: for storing alternate long distance numbers.
- Flash: for call waiting compatibility.
- Desk or Wall Mountable.
- Color: Silver.
- Size: 7-1/8" W x 9-3/16" D x 3-3/4" H.
- Registered with the F.C.C. as hearing aid compatible.



MODEL ST-670

OUR PRICE **\$59.00**

FEATURES

- All the Features of the ST-669 Plus: On Hook Dialing.

SONY DREAMLINE Telephone, Speakerphone, Clock Radio and Alarm MODEL IT-K500

OUR PRICE **\$99.95**

- Electronic Digital Alarm Clock.
- AM/FM Radio.
- Dream Bar: Functions as a snooze alarm, sleep timer off end instant alarm time readout.
- Compatible with both pulse end tone dialing services.
- Mixed dialing function allows you access to long distance services (Sprint, MCI, etc.) even with a pulse telephone system.
- Redial automatically when a number is busy.
- Adjust both volume end tone of the ring.
- Installation is a snap and you can mount it on a wall or set it on a table.



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

BP TWO WAY LINE ADAPTER

MODEL TA-1351 OUR PRICE **\$16.95**

DESCRIPTION

The TA-1351 is ideal for residential, professional or small business use. It permits incoming phone call on either line of two-line system to be answered by a single line telephone. Dimensions: 1-3/4"H x 4-5/8"W x 8-1/4"D.

TWO WAY LINE ADAPTER WITH CONFERENCING

MODEL TA-1352

OUR PRICE **\$24.95**

DESCRIPTION

Same as above, but also has conferencing.

TWO LINE CONVERTER

MODEL TA-1343 6 feet OUR PRICE **\$4.95**

Convert 2 female modular jacks (line 1, line 2) to a single dual female modular jack. Allows a two line telephone product, which contains one cable, to be hooked to 2 separate outlet jacks.



SPECIAL!

BP TELEPHONE LINE TAP DETECTOR

MODEL TA-1356

OUR PRICE **\$29.95**

FEATURES

- Silently tells you whether someone else is listening to your phone conversation!
- Indicates presence of tapping device, if line is busy or extension is being monitored.
- Makes phone more secure, alerts you to unauthorized listeners.
- Prevents interruptions and provides peace of mind.
- Works on all outgoing or incoming calls.
- Use on any phone — no interference with normal operation.
- Adjusts for all telephone installations. • No power required.
- Dimensions: 1-1/4"H x 3-1/4" W x 5-1/2"D.



BP TELEPHONE AMPLIFIER

MODEL TA-1353

OUR PRICE

\$22.50 SPECIAL!

DESCRIPTION

Allows you to conduct telephone conversations while working without tying up your hands. Also, it will allow your family and friends to participate in phone conversation together.

Dimensions: 1-3/4"H x 4-5/8"W x 6-1/4"D



BP AUTO CALL RECORDER

MODEL TA-1357

OUR PRICE

\$29.95

DESCRIPTION

Electronic marvel tapes phone calls automatically/legally. Keep a permanent record of all phone conversations. The TA-1357 starts your recorder only when your phone, or extension, is lifted and stops when you hang up.

Dimensions: 1-1/4"H x 3-1/4"W x 5-1/2"D.



BP MULTI-LINE CONVERTER WITH ELECTRONIC RINGER AND LOUDNESS CONTROL

MODEL TA-1359

OUR PRICE **\$55.00**

FEATURES

- Allows you to connect answering machine, cordless phone, dieters, and any other single line device to multi-line.
- Loudness selection.
- 5-line amphenol feed thru plug.
- F.C.C. approved.




SENSAPHONE™ HOME MONITORING SYSTEM

MODEL SC-145 OUR PRICE **\$179.95**

DESCRIPTION

Sensaphone answers a basic need. Now you can protect your home, your vacation cabin, the security of your office...or virtually any property you own...with a Sensaphone System. Locks and alarms are important but limited. Having a Sensaphone System monitoring your property when you're away is the next best thing to being there. What the Sensaphone System does. Say you're away from home. A fire breaks out and your smoke alarm goes off. Who hears it? The Sensaphone does. Automatically, and in sequence, it can phone you, your office, a neighbor, or a relative until its warning message is received. Now the person receiving the message can alert the fire department and save the house. The Sensaphone continuously monitors major environmental conditions. Connected to your telephone, this system is continuously alert for power failures, excessively high or low temperatures, unusual sounds...and three other conditions of your choice. If alarm conditions develop, the system will automatically dial the numbers you have entered, until answered. When answered, the Sensaphone talks to the receiving party. It identifies itself, gives the time, says exactly what's wrong, then switches on its built-in microphone to unusual sounds, if any, can be heard. The microphone also enables you to listen to sounds in your home while away. Just telephone the system and it will report and let you listen to the room sounds. Keeps working, even if there's a power failure. Automatically dials up to 8 numbers. Easy to install. Size: 8-5/8"L x 7-5/8"W x 2"D.



SUPERCALL EAGLE-1 FM/UHF MINI TRANSCEIVER

The Best Walkie-Talkie Ever Created!

MODEL EAGLE-1 OUR PRICE **\$199.95** each

DESCRIPTION

Whether you're on the job or enjoying vacation, the Eagle-1 can assist you in both. It works in elevators, can go through steel. Communicate with children or friends while camping, fishing, or hiking. Speak to co-workers, foremen, managers on the job, in the warehouse, or on the construction site. For immediate communication use the Eagle-1 UHF band mini transceiver. It has 3 channels within a 10 MHz bandwidth, 200mW clean FM output power, suitable for local services; and low power consumption. It operates on 450 MHz UHF/FM, (1 crystal included), and takes 3 crystals. It uses four popular UM-3 batteries (not included). Comes with carrying case. Dimensions: 65mm W x 160mm H x 32mm D. Weight: approx. 420g. Range: approx. 1/4 mile. • FCC License Required to operate this transceiver.



SUPERFONE AUTOMATIC CALL DIVERter

TRANSFER ANY IN-COMING CALL TO ANY OUT-GOING NUMBER YOU WISH

MODEL TA-220

OUR PRICE **\$124.95**

DESCRIPTION

Expecting an important call and you just can't be in two places at the same time? Now you don't have to be! With the new SuperFone Automatic Call Diverter you can receive a call at any location you choose to be. When a recorded message just won't do and the personal touch is a must, use the Call Diverter to service you. The Call Diverter requires two line service, one as an in-coming line, the other as an out-going line. Simply program in the telephone number of the place where you will be located. The Call Diverter will receive your in-coming call and transfer it to you at the pre-programmed number. It features a timer which you can choose to set for 4 minutes or 16 minutes or not at all. Once a call is diverted to you, you become the initiator of that call, (not the original party), and will be charged as such. The timer allows you to monitor the time spent on the call and will clear the line when the allotted time is up. It is switchable from tone to pulse dialing. It can be placed on a desk or wall mounted. Size: 8"L x 1-1/2"H x 5"W.



TELEPHONES ACCESSORIES

(A) Modular Telephone Adaptor Plug MODEL TA-1300

OUR PRICE \$1.49 each 10 FOR \$10.00

Modular telephone adaptor plug. Converts 4-pin phone jack to accept modular connector. Ivory plastic body.

(B) Modular Telephone Junction Box MODEL TA-1301

OUR PRICE \$1.99 each 10 FOR \$15.00

Converts standard junction box to modular system without soldering. Spade lug connections and single screw mounting.

(C) Modular Telephone Jack MODEL TA-1302

OUR PRICE \$1.95 each 10 FOR \$15.00

Modular surface jack takes the place of old connecting block. Station wires connect terminals. Cover snaps on. Two mounting screws attached on solderless. "Quick Connect" terminals easily without stripping.

Portable Telephone Plug (Not Shown) MODEL TP-20

OUR PRICE 79¢ each 10 FOR \$6.00

Standard telephone plug for indoor or outdoor use. Molded ivory plastic. Instructions included. Peg pkg.

(H) Modular Surface Jack Assembly MODEL TA-1303

OUR PRICE \$1.75 each 10 FOR \$15.00

Perfect for new installations. Use to relocate telephones with additional extensions.

(I) Modular Wall Outlet Jack MODEL TA-1313

OUR PRICE \$1.75 each 10 FOR \$15.00

Easily converts standard phones to modular system. No soldering required.

(J) Modular Wall Phone Jack MODEL TA-1330

OUR PRICE \$2.95 each 10 FOR \$25.00

(N) Coiled Modular Cables

MODEL TA-1309 OUR PRICE \$3.95

Connects Handphone with modular connector to base with modular connector. 25 feet. Colors: White, brown, beige and red and black.

(O) Modular Telephone Cables

MODEL TA-1310 15 ft. OUR PRICE \$1.95

MODEL TA-1311 25 ft. OUR PRICE \$2.95

Connects modular phones to wall jacks. Has modular plug on each end. 25 ft. long.

(P) Modular Telephone Cables with Spade Lugs

MODEL TA-1312 15 ft. OUR PRICE \$1.95

MODEL TA-1314 25 ft. OUR PRICE \$2.95

Spade lugs on one end connect to standard wall junction box or to standard 4 prong plug or jack. Other end has modular plug.

(Q) Modular Telephone Extension Cord MODEL TA-1327 OUR PRICE \$2.95

25 ft. With one end plug and one end single jack.

(V) Telephone Wiring Block

MODEL TA-1308 OUR PRICE \$4.95

For modular or old style wiring.

(W) Telephone Hold Button

MODEL TA-1337 OUR PRICE \$4.95

Eliminate covering the phone mouthpiece when talking. Put a call on hold instantly with the push of a button.

(X) Telephone Ring Controller

MODEL TA-1342 OUR PRICE \$4.95

The TA-1342 stops the phone from ringing when you don't want to be disturbed. bedtime, meals, illness, work hours, or quiet evenings.

(Y) 4 Pin Modular Telephone Tool

MODEL TA-1397 OUR PRICE \$7.95

Connect 4 pin modular plug to telephone wire. This tool makes it easy to install modular plugs.

(D) Modular Phone Coupler

MODEL TA-1305

OUR PRICE \$1.99 each 10 FOR \$15.00

Allows two telephones to be plugged into a single modular jack.

(E) Modular Telephone Cables with 4 Prong Jack

MODEL TA-1317 2 ft. OUR PRICE \$1.95

MODEL TA-1319 25 ft. OUR PRICE \$3.95

Connects standard 4 prong telephone plug to modular telephone jack.

(F) In Line Coupler

MODEL TA-1320

OUR PRICE \$1.75 each 10 FOR \$12.50

Back to back modular jack to connect 2 modular base cords.

(G) Five Line Jack Adaptor

MODEL TA-1345 OUR PRICE \$9.95

Five modular jacks on one end and one modular plug on the other end. Allows addition of up to five extension telephones or telephone related devices, (answering systems, recording devices, etc.) The modular plug allows direct connection to any current modular interface or an existing modular jack without use of tools.

(K) Duplex Wall Jack

MODEL TA-1332

OUR PRICE \$1.95 each 10 FOR \$17.50

Flush mounted/modular.

(L) Telephone Extension Cable

MODEL TP-30

OUR PRICE \$3.99 each 5 FOR \$15.00

30 ft. (molded) flexible ivory extension cable with 4 prong plug on one end and 4 prong jack on the other. Allows telephone to go anywhere. Peg packaged.

(M) Amplified Handset

MODEL TA-1390 OUR PRICE 14.95

Features: Volume control, to strengthen the sound of weak signal or to hear over surrounding noise. An asset for the hearing impaired. Easy installation, fully modular. Cannot replace handsets with dialers on the handset.

(R) Modular Telephone Extension Cord

MODEL TA-1328 OUR PRICE \$3.95

25 ft. With one end plug and one end duplex jack.

(S) Two Line Converter

MODEL TA-1343 6 ft. OUR PRICE \$4.95

Converts two separate single line telephone jacks into a two line telephone jack, allowing you to install a two line telephone product.

(T) Multiline Adaptor Switch

MODEL TA-2000 OUR PRICE \$19.95

The TA-2000 allows line connection of single line telephones wireless phones dialers of answering machine to multiline systems utilizing MICRO-Ribbon type connection.

(U) Telephone Extension Cords

MODEL T-50 50 ft. OUR PRICE \$2.95

MODEL T-100 100 ft. OUR PRICE \$4.95

4 conductor wire makes any phone portable. Available in white. Easy to install. Instructions included. Peg pkg.

(Z) Five Line Connector

MODEL TA-5000 OUR PRICE \$24.95

Separate items can be plugged in simultaneously. Perfect for use with telephone answering system, phone recording devices, decorator and extension phones. Ideal for most multi-telephone accessory equipment. Can be moved and re-used anytime. Wired for A + A light control.

(AA) Five Line Selector

MODEL TA-6000 OUR PRICE \$29.95

Perfect for use with telephone recording devices, answering system, or with decorator and extension telephones. Features Rotary dial for choice of lines 1-5. Off position for disconnection, easy installation, no monthly phone charges, no power required.

(BB) Telephone Pick-Up Suction Cup

MODEL TP-55

OUR PRICE \$1.99 each 10 FOR \$15.00

Picks up both sides of phone conversation to tape recorder. No connection to telephone is needed. With 5 ft. shielded cord and plug. Display pkg.



WELLER XCELITE SERIES "99" PLASTIC VIEW KITS

Each set contains a Series "99" regular handle and various Series "99" interchangeable blades and extension. Plastic case with see-thru cover is pocket-size. Flat base permits use as a bench stand.

(A) HEX SOCKET SCREWDRIVER SET MODEL 99PS-40

OUR PRICE \$24.50

Includes nine Allen hex type screwdriver blades (99-20 thru 99-26), 99-X5 extension blade, 99-1 handle.

(B) METRIC HEX SOCKET SCREWDRIVER SET MODEL 99PS-41MM

OUR PRICE \$24.50

Includes seven metric Allen hex type blades (99-71MM thru 99-77MM in mm. sizes 1.27, 1.5, 2, 2.5, 3, 4, 5), 99-X5 extension blade, 99-1 handle and plastic case with see-thru cover.

(C) BALLPOINT HEX SOCKET SCREWDRIVER SET MODEL 99PS-40BP

OUR PRICE \$36.50

Includes nine Ballpoint Allen hex type screwdriver blades (99-20BP thru 99-26BP), 99-X5 extension blade, 99-1 handle.

(D) METRIC BALLPOINT HEX SOCKET SCREWDRIVER SET MODEL 99PS-41MMBP

OUR PRICE \$27.95

Includes seven screwdriver blades (99-71MMBP thru 99-77MMBP in mm. sizes 1.27, 1.5, 2, 2.5, 3, 4, 5), 99-X5 extension blade, 99-1 handle, and plastic case with see-thru cover.

(E) NUTDRIVER/SCREWDRIVER SET MODEL 99PS-50

OUR PRICE \$29.95

Includes seven regular nutdriver blades (99-6 thru 99-12), two slot tip screwdriver blades (99-811 and 99-250), two Phillips screwdriver blades (99-821 and 99-822), 99-X5 extension blade, 99-1 handle.

(F) METRIC NUTDRIVER SET MODEL 99PS-51MM

OUR PRICE \$32.50

Includes 10 metric nutdriver blades (99-4 thru 99-11 in mm. sizes 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11), 99-X5 extension blade, 99-1 handle, and plastic case with see-thru cover.

(G) BRISTOL MULTIPLE-SPLINE TYPE SCREWDRIVER SET MODEL 99PS-60

OUR PRICE \$24.50

Includes nine Bristol Multiple-Spline type screwdriver blades (99-61 thru 99-69), 99-X5 extension blade, 99-1 handle.

(H) SCRULOX® SCREWDRIVER SET MODEL 99SL

OUR PRICE \$14.95

Contains four Scrulox screwdriver blades for square recess screws (99SL 0, 1, 2, 3), one slotted blade (99-250), 99-1 handle (regular).



COMPACT CONVERTIBLE NUTDRIVER AND SCREWDRIVER SETS

Black plastic torque amplifier handle (1" x 3-1/8") slips over handles of pocket size (3-1/2") nutdrivers and screwdrivers. Provides larger grip, extends reach and increases driving power to that of standard size tools. Plastic case with see-thru cover fits pocket, stands upright on bench.

(I) SCREWDRIVER/NUTDRIVER SET MODEL PS-7

OUR PRICE \$14.95

Contains two nutdrivers (1/4" and 5/16"), two slot tip screwdrivers (3/16" and 3/32"), two Phillips screwdrivers (#0 and #1), torque handle.

(J) SCREWDRIVER/NUTDRIVER SET MODEL PS-130

OUR PRICE \$21.50

Contains two Phillips screwdrivers (#1 and #2), three slotted screwdrivers (1/8", 3/16" and 1/4"), five nutdrivers (3/16", 1/4", 5/16", 11/32" and 3/8"), torque handle.

(K) SCREWDRIVER SET MODEL PS-88

OUR PRICE \$16.50

Contains five slot tip screwdrivers (3/32", 1/8", 5/32", 3/16", 1/4"), three Phillips screwdrivers (#0, 1, 2), torque handle.

(L) HEX SOCKET SCREWDRIVER SET MODEL PS-89

OUR PRICE \$15.50

Contains eight Allen hex type screwdrivers (hex sizes .028", .035", .050", 1/16", 5/64", 3/32", 7/64", 1/8"), torque handle.

(M) METRIC HEX SOCKET SCREWDRIVER SET MODEL PS-90MM

OUR PRICE \$17.50

Contains eight drivers (hex sizes .89mm, 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm), torque handle.

(N) NUTDRIVER SET MODEL PS-120

OUR PRICE \$19.95

Contains 10 color coded nutdrivers (3/32" thru 3/8"), torque handle.

(O) METRIC NUTDRIVER SET

MODEL PS-121MM OUR PRICE \$24.95

Contains 10 drivers (hex sizes 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 10mm), torque handle.

(P) MIDGET REVERSIBLE RATCHET OFFSET SCREWDRIVER SET

MODEL XL-70 OUR PRICE \$39.95

Contains 12 Allen hex type screw bits (.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"), two slotted screw bits (1/4", 3/16"), two Phillips screw bits (#1 and #2), 1/4" hex to 1/4" square adaptor bit, 3-3/4" reversible ratchet, 6" spinner/extension with 1/4" square insert in handle-end for use with adaptor bit and ratchet, molded plastic case with free initials.



TOOL CASES (EMPTY)

BP TOOL CASE with DOUBLE PALLETS

MODEL TC-6800 (EMPTY) OUR PRICE **\$69.95 SPECIAL!**

FEATURES

- Constructed of heavy gauge ABS material.
- Fiberglass reinforced corners.
- One piece extruded aluminum radius valence.
- All nickel plated steel hardware attached to aluminum valance for added strength.
- Interchangeable positive closure locks.
- Three hinges—heavy duty use.
- TOOLS NOT INCLUDED.

DESCRIPTION

Our most popular case. Compact, versatile design is perfect for electronics, computer and office equipment technicians. Steel core padded handle for carrying comfort. Pallets equipped with 50 pockets and specifically designed for interchangeable nut driver and hex key blades. Case is black. 18" x 13" x 5-3/4".



KLEIN DEEP-TOP TOOL BOX

MODEL 54404

OUR PRICE **\$36.50**

DESCRIPTION

High hip-roof permits extra-deep tote tray for bulky drills, long hand tools, or a large wrench set. Tray has big handle, no partitions. Two drawbolts plus hump end staple. Red baked enamel finish. Size: 19 3/4" (50 cm) long, 7" (18 cm) deep, 8" (20 cm) high. TOOLS NOT INCLUDED.



KLEIN JUMBO FOUR-TRAY TOOL BOX

MODEL 54405

OUR PRICE **\$67.50**

DESCRIPTION

Four generous cantilever trays open wide for full access to bottom of box. Two top trays have hinged covers to keep parts and tools from spilling out. Three special reinforcing straps on box bottom make it strong enough to handle big loads. Trays move smoothly on heavy, plated metal links. Top trays have socket dividers. Extra-high hip-roof cover. Two drawbolts plus hump end staple for locking. Brown baked enamel wrinkle finish. Size: 18" (46 cm) long, 10 1/8" (28 cm) deep, 12 3/4" (32 cm) high. TOOLS NOT INCLUDED.



KLEIN PORTABLE TWO-DRAWER BOX

MODEL 54407

OUR PRICE **\$69.50**

DESCRIPTION

Carries like a hand box, but functions like a chest. Keeps tools separated, easier to see end reach. Full-size tote tray with socket divider and easy-grip handle. Two drawers work on heavy-duty slides and lock automatically when cover is closed. Double drawbolts plus center hump and staple. Drawers measure 17-7/8" x 7-3/8" x 2-1/4" (45 X 19 X 8 cm). Box dimensions: 20" (51 cm) long, 8-1/2" (22 cm) deep, 9-1/2" (24 cm) high. TOOLS NOT INCLUDED.



CHICAGO CASE CO. SOFT-SIDE TOOL CASES

Looks Like Soft-Side Designer Luggage But It's Really a TOOL TOTE

MODEL CD-29

OUR PRICE **\$49.00**

MODEL CD-48

OUR PRICE **\$59.00**

- Cases made of Cordure® , a nylon fiber that's washable, water resistant and durable.
- Has Sturdy Web Handles.
- Heavy Duty Industrial Zipper.
- TOOLS NOT INCLUDED.
- MODEL CD-29: Size: 13" x 10" x 2 1/4". Holds 29 tools & test meter. Outside expandable pocket 11" x 10" x 2 1/4".
- MODEL CD-48: Size: 15 1/2" x 11 1/4" x 2 1/4". Holds 48 tools & test meter. Outside expandable pockets: 6" x 10 1/2" x 2 1/4" & 11" x 10" x 2 1/4".



CHICAGO CASE Co. INDESTRUCTO® SUPREME

Engineered with Strength in Mind

MODEL DST-9H

Hinged Pallet

OUR PRICE **\$149.95**

FEATURES

- 3 Pallet Case: 2 hinged together on top end a single bottom pallet.
- Hand stitched tool pallets keep your tools organized.
- High impact polyethylene shell.
- Molded feet.
- Recessed locks.
- Extra heavy duty aluminum frame.
- Full length piano hinge.
- Padded steel core handle.
- All hardware riveted through frame.
- Storage space in bottom 3 1/4" for extras.
- Size: 17-3/4" x 14-1/2" x 9-1/4".
- TOOLS NOT INCLUDED.



BP SUPER STRONG LIGHTWEIGHT TOOL CASES

MODEL TC-6808 (EMPTY)

OUR PRICE **\$79.95**

FEATURES

- High Impact ABS Plastic (Same plastic used to make football helmets).
- Two German steel latches, each latch has a key lock. Comes with 2 keys.
- Sturdy aluminum edging has an interlocking tongue end groove design for rigidity and easy closing.
- Each comes with two removable pallets (TC-6812 comes with a double wing style pallet end one other pallet).
- The pallets are comprised of soft vinyl tool pockets.
- Storage space beneath bottom pallet is 3 3/4".
- 2 1/4" space behind top pallet for storage.
- Size: 8" x 18" x 13 1/4".
- TOOLS NOT INCLUDED



TC-6812

TC-6808

TOOLS NOT INCLUDED

POLYETHYLENE TOOL CASE with TWO PALLETS

MODEL ST-6 (EMPTY)

OUR PRICE **\$99.95**

Dimensions: 18" x 13" x 6".

MODEL ST-8 (EMPTY)

OUR PRICE **\$119.95**

Dimensions: 18" x 13" x 8".

FEATURES

- High Impact polyethylene shell.
- Extra heavy-duty gauge aluminum frame with interlocking tongue and groove design.
- All hardware riveted through frame.
- Full length piano hinge.
- Steel core padded handle.
- Presto spring loaded drawbolt locks.
- Polyethylene feet molded into outer shell.
- Gray.
- TOOLS NOT INCLUDED



PADDDED ZIPPER CASE

MODEL ZP-5 (EMPTY)

REG. \$59.95 OUR PRICE **\$49.00**

Dimensions: 10" x 13" x 2-1/2" (with retractable handles).

DESCRIPTION

Ideal for the technician or supervisor who needs a complement of small tools. Padded sides protect tools and give a professional appearance. Each model has 29 pockets. Available in brown.

TOOLS NOT INCLUDED



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

LAMPS/SOLDERING EQUIPMENT

WELLER WTCPR CONTROLLED OUTPUT SOLDERING STATION MODEL WTCPR

OUR PRICE **\$87.50**

DESCRIPTION

The Weller WTCPR is a transformer powered soldering station complete with a low voltage, temperature controlled soldering pencil. The unique Weller 'Closed Loop' method of controlling maximum tip temperature is employed, protecting temperature sensitive components while the grounded tip protects voltage and current sensitive components.



Model	Description	Our Price
TC-204	Iron holder with funnel.	2.95
TC-205	Sponge.	1.50
TC-208	Tip tray.	1.50

WELLER TIPS FOR WTCPR

OUR PRICE **\$3.95** each 10 FOR **\$35.00**

MODELS 700°	800°	TIP SIZE	DESCRIPTION
PTA7	PTA8	1/16"/1.5mm	Screwdriver
PTAA7	PTAA8	1/16"/1.5mm	Single Flat
PTB7	PTB8	3/32"/2.4mm	Screwdriver
PTB87	PTB88	3/32"/2.4mm	Single Flat
PTC7	PTC8	1/8"/3mm	Screwdriver
PTC77	PTC78	1/8"/3mm	Single Flat
PTD7	PTD8	3/16"/4.7mm	Screwdriver
PTD77	PTD78	3/16"/4.7mm	Single Flat
PTE7	PTE8	15/64"/6mm	Screwdriver

MODELS 700°	800°	TIP SIZE	DESCRIPTION
PTF7	PTF8	1/32"/0.8mm	Conical Flat
PTH7	PTH8	1/32"/0.8mm	Screwdriver
PTK7	PTK8	3/64"/2mm	Long Screwdriver
PTL7	PTL8	5/64"/0.8mm	Long Screwdriver
PTM7	PTM8	1/8"/3mm	Long Screwdriver
PTO7	PTO8	1/32"/0.8mm	Long Conical
PTP7	PTP8	1/32"/0.8mm	Conical
PTR7	PTR8	1/32"/1.5mm	Narrow Screwdriver
PTS7	PTS8	1/64"/0.40mm	Conical Tip

WELLER PORTABLE DESOLDERING STATIONS

MODEL DS-600

FREE! WTCPR

With Purchase of DS-600

OUR PRICE **\$479.95**

DESCRIPTION

Here's the professional desoldering station that has everything. Except a fixed place. The low maintenance, self contained vacuum/air pump in this small smart unit now lets the station travel to the job. And there isn't any place that Weller expertise cannot reach.

The DS-600 Portable Power Desoldering Station is a self contained system which requires only a 120 volt 60 Hz AC power source for operation. This station has been designed for use in industrial applications where portability or a lack of a suitable vacuum source requires a self contained unit. The station is supplied with a carrying handle, power storage cord, and a built in desoldering iron storage compartment to enhance portability. Other features include lighted on/off switch, quick connect/disconnect locking plug and receptacle, built in iron holder, and circuit breaker.



BP MAGNIFIER LAMP

MODEL MG-180

OUR PRICE **\$69.95**

DESCRIPTION

Offers large viewing area for fine details, component assembly and other close work. Has unique double tension control. Die cast shade guards against dents and bulb breakage. Magnification lens is precision ground and polished. Instant starting. Uses one 22 watt T-9 circline fluorescent tube. Three diopter, 13" focus standard on all models. (45" reach). 5" lens diameter. Comes in ivory. Shipping weight: 8.14 oz approx.



BP MAGNIFIER LAMP

WITH BASE

MODEL MG-182

OUR PRICE **\$85.00**

DESCRIPTION

This lamp has perfectly balanced fluorescent lighting with precision magnifier lens. Tough thermoplastic shade. Easy lens removal. New wire clip design permits easy installation and removal of fluorescent tube. Comes in ivory with 22 watt circline fluorescent tube. 5" diameter lens, 3 Diopter lens, 33" arm reach. Shipping Wt. 27 lbs.



WELLER SOLDERING STATION

MODEL EC-1000

OUR PRICE

\$149.95

DESCRIPTION

The Weller EC-1000 Soldering Station is identical to the EC-2000 in all specifications except the LED Digital temperature read-out. The EC-1000 is dial controlled. Meets government specification requirements for contract work.



SOLDERING STATION

MODEL EC-2000

OUR PRICE

\$196.95

DESCRIPTION

The Weller EC-2000 has continuously variable tip temperature from 350 to 850°F. A positive temperature coefficient sensor inside the tip provides temperature feedback to maintain tip temperature at a set point. Zero crossing control of heater current to eliminate RFI/EMI and accurate tip proportioning to reduce tip temperature hysteresis are features of the control circuit. Has plug-in soldering irons with positive plug lock, grounded tip, and room temperature compensation that are interchangeable with all EC power units without recalibration of the temperature settings. Temperature adjusting control can be locked at any desired temperature. Power unit, provided with extra large sponge, iron holder tip holding tray, solder drip shield, over current protection (circuit breaker) and lighted on/off switch. Nine different tip styles are available. The EC-2000 has three large digit LED display for accurate setting of desired tip temperature, and instantaneous tip temperature readings are available by setting a selector switch to 'read' position.

WELLER POPULAR TIPS FOR MODELS EC-1000, EC-2000

OUR PRICE **\$3.95** each 10 FOR **\$35.00**

MODELS

ETA Tip 1/16" screwdriver
ETL Tip 3/16" screwdriver
ETL Tip 5/64" long screwdriver

ETB Tip 3/32" screwdriver
ETH Tip 1/32" screwdriver
ETO Tip 1/32" long conical

ETC Tip 1/8" screwdriver
ETK Tip 3/64" long screwdriver
ETP Tip 1/32" conical

BP MAGNIFIER LAMP

MODEL ML-2A CLAMP ON LAMP

OUR PRICE **\$29.95**

Lamp attaches to table or desk edge with large adjustable 4-way bracket clamp. 39" arm allows you to maneuver the lamp to a desired position. Shipping Wt. 3 lbs 14 oz.



MODEL ML-2B DESK TOP

OUR PRICE **\$39.95**

Lamp is mounted in a weighted base. It sits on desk or table.

DESCRIPTION

The new BP magnifier utility lamps has a 3-3/4" diameter lens supplemented by a 40-watt standard appliance bulb. The A-15 incandescent bulb enlarges and illuminates allowing for hands free work or inspecting the viewing area clearly and comfortably. This lamp is sold in black only, it includes a factory installed 3-diopter lens, suited for most magnification requirements. Same magnification as the MG-180. 39" flexible arm. Shipping Wt. 15 lbs.



ELECTRIX HALOGEN LAMP

The Next Best Thing To Sunshine

MODEL 7500X

OUR PRICE **\$89.95**

DESCRIPTION

The Electrix Halogen Lamp illuminates your workspace with a streamlined energy-efficient lamp which recreates the benefits of sunlight in your office. Your efficiency will improve as you bask in the diffused light recommended by scientists for maintaining alertness. Glare from your desk and computer is also reduced. The 50 watt halogen bulb supplied produces the light output of a 150-watt bulb, consuming only 1/3 the energy. A true task light that casts an evenly diffused light over a 36" work area circumference. Weighted base measures: 4"x6"x4", shade dimension 4"x6"x1-1/2", lamp arm reach is 36", 8' cord.



CALL US/WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

COMPLETE TOOL CASES

FORDHAM Tool Kits with Hand Held Digital Multimeter.

All Fordham Tool Kits contain primarily Weller Xcelite tools. FTK Tool Kits are the leaders in the electronic industry. Ideal for field engineers, technicians and laboratories. There are more than 100 fine tools of the highest quality. All are in a handsome attache case of your choice.

THESE FINE QUALITY TOOLS ARE INCLUDED IN ALL MODELS BELOW

99-20 thru 99-26—Allen hex Driver Blade Set. 7 pcs.
Alignment Tool Kit.—5 pcs.
9336—Burnishing Tool
70219—Circuit Tester—twin lead type 60-500 volts
1963—Crimping Tool with bolt cutter and stripper
6980—Dip Extensor
TE101—Electrical Tape—UL approved 60' x 3/4"
Flashlight—Heavy duty industrial type, 2 cell
Hammer—(bell pein)—6 oz. head
99-1—Handle for hex, spline end nutdriver blades 4"
99-2—Handle for hex, spline end nutdriver blades 3"
99-4—Handle for hex, spline and nutdriver blades tee type
80—Heat Sink
70146—Hex Key Set—folding type .050—3/16"
K-22—Knife—multipurpose electrician's type
5090—Mirror—dental type
99-6 thru 99-12—Nutdriver Blade Set—3/16" thru 1/2" 7 pcs.
P01—Oiler—precision type
55CG—Pliers—diegonal 5"
72CG—Pliers—instrument type chain nose 5"
52CG—Pliers—long nose with side cutter
64CG—Pliers—miniature cutter 4" with pointed nose
56CG—Pliers—special purpose radio end TV 6"
56CG—Pliers—needle nose 6" slim jaw
63CG—Pliers—utility type 10"
70195—Pliers—convertible snap ring, adjust for internal or external snap rings
TS800—Screwdriver—Jeweler's kit 6 pcs. .025-1"
V02—Offset Screwdrivers—6—10 screws
X100—Screwdriver—Phillips -0-2" blade

X101—Screwdriver—Phillips -1 3" blade
X102—Screwdriver—Phillips -2 4" blade
SX102—Screwdriver—Phillips Stubby -2 1-5/16" blade
R3322—Screwdriver—regular 3/32", 2" blade
R146—Screwdriver—regular 1/8", 6" blade
R3163—Screwdriver—regular 3/16", 3" blade
R144—Screwdriver—regular 1/4", 4" blade
R5323—Screwdriver—regular 5/32", 3" blade
R5166—Screwdriver—regular 5/16", 6" blade
S141—Screwdriver—regular stubby 1/4", 1-1/4" blade
K34—Screwdriver—screwholding type 3/16" 4" blade
42H—Solder—6" straight nose—serrated
66CG—Snips—6-1/2" pointed, 1-1/2" blade
99-61 thru 99-66—Spline Driver Blade Set—6 pcs. .046—.096
WP-25—Soldering Iron—Weller
9073—Solder Aid—fork tip and brush
AC303P—Solder Aid—desoldering bulb
AB—Solder Aid—solder wick
DS-1—Solder—small coil .031
8010—Tape Measure—10 ft. long, 1/2" wide
7993—Tweezer—fine point 4-1/8" long
101-S—Wire Stripper/Cutter—with adjustable screw stop and spring
XL70—Wrench Sets—1/4" drive sockets with ratchet, spinner and extensions
44CG—Wrench—4" length adjustable
48CG—Wrench—6" length adjustable
EVEREADY PENLITE
DVM-632—Scope Digital Multimeter



New Scope DVM-632 is supplied with each tool case.

FORDHAM TOOL CASES

MODEL FTK-20SD (Super Deep)

OUR PRICE **\$499.95**

DESCRIPTION

EXECUTIVE ATTACHE CASE WITH DOUBLE PALLETS

This tool kit contains all the tools described above. This executive attache case made of high impact ABS plastic with German steel latches and each latch has it's own key lock. The sturdy aluminum edging has an interlocking tongue and groove design for rigidity and easy closing. It has a spacious compartment with two removable pallets. Color: Gray
Dimensions: 18" x 13-1/4" x 8".

EMPTY CASE AVAILABLE MODEL TC-6808\$79.95

MODEL FTK-20MLD

OUR PRICE **\$469.95**

DESCRIPTION

DELUXE MOLDED TOOL CASE.

This tool kit contains all the tools described above. This deluxe case is constructed of heavy gauge ABS material and has reinforced fiberglass corners. It has a one piece extruded aluminum radius valance, all nickel plated steel hardware attached to aluminum valance for added strength, interchangeable positive closure locks, and three hinges for heavy duty use, two removable pallets. This popular compact case with its versatile design is perfect for electronics, computer and office equipment technicians. Steel core padded handle for carrying comfort. Pallets equipped with 50 pockets and specifically designed for interchangeable nut driver and hex key blades. Color: Black
Dimensions: 18-3/4" x 12-3/4" x 5-3/4".

EMPTY CASE AVAILABLE MODEL TC-6800\$69.95

MODEL FTK-20PSD

OUR PRICE **\$549.95**

DESCRIPTION

SUPER DEEP TOOL CASE.

This tool kit contains all of the above tools described. This case is made of rough and tough high impact polyethylene shell. Attache style case. Color: Gray. This kit also comes with two removable tool pallets for your convenience. Recommended for the technician that needs spaciousness.

Dimensions: 18" x 13" x 8".

EMPTY CASE AVAILABLE MODEL ST-8\$119.95

MODEL FTK-20TW

OUR PRICE **\$519.95**

DESCRIPTION

SUPER STRONG TOOL CASE WITH DOUBLE WINGED PALLETS

This tool kit contains all of the above tool described. This super strong lightweight tool case is made of a high impact ABS plastic and features deluxe double winged pallets for extra storage. European latch and lock of the finest quality prevents jamming. It has a sturdy aluminum edging for rigidity, easy opening and closing. Color: Gray
Dimensions: 18" x 13-1/4" x 8".

EMPTY CASE AVAILABLE MODEL TC-6812\$99.95

TOOLS LISTED AT TOP OF PAGE ARE CONTAINED IN EACH CASE



FORDHAM RADIO • 260 MOTOR PARKWAY • HAUPPAUGE • NEW YORK 11788

FORDHAM COMPACT TOOL KIT *With A Padded Zipper Case*

MODEL FTK-16 OUR PRICE **\$179.95**

Size: 12" x 10" x 2-1/2".

DESCRIPTION

Ideal for field engineers, radio-TV repairmen and electronic technicians. This kit is designed for the professional electronic technician or field engineer. Basic tools in the kit are from Xcelite allowing for additions to be added quite easily. The tools are furnished in an attractive padded zipper case.


These Fine Tools Are Included:

8454 Alignment tool set
5 pcs.
9338 Burnishing tool.
K-22 Knife, precision type.
99-2 3" plastic handle.
99-1 4" plastic handle.
99-8 1/4" nutdriver blade.
99-10 5/16" nutdriver blade.
99-12 3/8" nutdriver blades.
72CG 5" chain nose plier.
52CG 6" long nose plier.
84CG 4-1/4" diagonal cutter plier.
53CG 6" utility type plier.
99-811 Regular screwdriver 3/16" blade.
99-250 Regular screwdriver 1/4" blade.

99-312 Regular screwdriver 5/16" blade.
99-821 #1 Phillips blade screwdriver.
99-822 #2 Phillips blade screwdriver.
X100 #0 Phillips miniature screwdriver.
TS600 Jeweler type .025 to 0.1" screwdriver set.
WP-25 20W Soldering Iron.
DS-1 60/40 solder coil.

9073 Fork tip end brush solder aid.
99-81-99-86 8 pcs. .048-.096 epine driver blade set.
101-S Wire stripper with adjustable stop screw end spring.

44CG 4" adjustable wrench. SLK-7 7 pcs. Allen hex key type wrench set.
VOM test instrument 2K per volt sensitivity.
ZP-5 Padded zipper case with retractable handles.



FORDHAM DELUXE SOLDERING & ELECTRONIC TECHNICIAN SERVICE KIT

MODEL FTK-18 OUR PRICE **\$199.95**

These Fine Quality Tools Are Included:

WP40 Weller Soldering Iron
9073 Brush & Forked Tip
9075 Straight Reamer & Forked Tip
AA Solder Wick
AB Solder Wick
BB Solder Wick
XD16 Extractor Pliers
DS1 older (Dispenser Pack)
DS40 Professional Desoldering/Repair Tool
91CG Extra Thin Long Needle Nose
101S Wire Stripper & Cutter
108CG Diagonal Full-Flush Cutting Pliers
80V Heat Sink
US140 esoldering Tool
BCR10 older Cream K22 Knife
HD100A Clip Leads

DP-1 Pen Lite
99-6 1/8" Nutdriver Blade
99-7 3/32" Nutdriver Blade
99-8 1/4" Nutdriver Blade
99-9 9/32" Nutdriver Blade
99-10 5/16" Nutdriver Blade
99-11 11/32" Nutdriver Blade
99-12 3/8" Nutdriver Blade
99-811 3/16" Screwdriver
99-250 1/4" Slotted Screwdriver Blade
99-821 #1 Phillips Screwdriver Blade
99-822 #2 Phillips Screwdriver Blade
99X5 4" Extension
99-1 Regular Handle For 99 Series
ZP-5 Padded zipper case with retractable handles.
13" x 10" x 2-1/2".



FORDHAM SOLDERING & SERVICEMAN'S AID KIT

MODEL FTK-17 OUR PRICE **\$169.95**

These Fine Quality Tools Are Included:

US140 Universal Solderpult
9069 Reamer & Scraper Tip
9074 Brush & Scraper Tip
AA Solder Wick
AB Solder Wick
BB Solder Wick
FH-80 Desoldering Tool
WM120 Pencil Thin Soldering Station
91CG Extra Thin Long Needle Nose
108CG Diagonal Full-Flush Cutting Pliers
101S Wire Stripper & Cutter
HD100A Heavy Duty Clip Leads
K22 Knife
DS-1 Dispenser Peck Solder
BCR10 Solder Cream

5090P Shockproof Inspection Mirror
99-1 Handle
99-8 1/4" Nutdriver Blade
99-10 5/16" Nutdriver Blade
99-12 3/8" Nutdriver Blade
99-14 7/16" Nutdriver Blade
99-821 #1 Phillips Screwdriver Blade
99-822 #2 Phillips Screwdriver Blade
99-125 1/8" Slotted Screwdriver Blade
99-250 1/4" Slotted Screwdriver Blade
DP-1 Pen Lite
99X10 10" Extension
ZP-5 Padded zipper case with retractable handles.
13" x 10" x 2-1/2".



VACO SUPER ZIP

MODEL 70390 OUR PRICE **\$179.95**

This compact assortment holds 36 popular professional tools. Includes interchangeable 90 Series handle and screwdriver, nutdriver and hexdriver blades plus pliers, electrical tools and offset and regular screwdrivers. Zippered vinyl case is tough and lightweight. Measures: 12-1/2 x 10-1/4 x 1-3/8". Shipping Weight: 8 lbs.

These Fine Quality Tools Are Included:

Handles and Extension
90-1 Full size handle.
90-10 10" blade extension.
Screwdriver Blades
90-811 3/16" slotted.
90-250 1/4" slotted.
90-821 #1 Phillips.
90-822 #2 Phillips.
Nutdriver Blades
90-6 3/16" socket.
90-8 1/4" socket.
90-10 5/16" socket.
90-11 11/32" socket.
90-12 3/8" socket.
90-14 7/16" socket.
90-16 1/2" socket.
Offset Screwdrivers
VOT Slotted.
P120 Phillips.
Hex Blades
90-20 .050" hex.

90-21 1/16" hex.
90-22 5/64" hex.
90-23 3/32" hex.
90-764 7/64" hex.
90-24 1/8" hex.
90-964 9/64" hex.
90-25 5/32" hex.
90-26 3/16" hex.
Screw Holding Drivers
K23 1/8 x 3" slotted tip.
K15 Phillips tip.
Screwdriver
PO1 #0 Phillips.
Electrical Tools & Testers
WS 150 Adjustable wire stripper & cutter
1963 Crimping tool with bolt slicer
Pliers and Wrenches
70277 Electronic 4" diagonal plier.
70280 Electronic 5" long reach plier.



88105 8" long nose plier.
88601 5" Vecgruv adjustable plier.
88602 6-1/2" Vecgruv adjustable pliers.
70195 External snap ring plier.
7704 4" adjustable wrench.


XCELITE Series "99" Handles, Blades and Service Kits

MULTI-PURPOSE TOOL KIT

MODEL 99-MP OUR PRICE **\$96.50**

DESCRIPTION

40-piece kit contains 99-1 (regular) and 99-4 (tee) handles, nine regular nutdrivers (99-6 thru 99-18), 99-8M magnetic nutdriver, nine Allen hex type screwdrivers (99-20 thru 99-26), nine Bristol Multiple Spine screwdrivers (99-61 thru 99-69), four slotted screwdrivers (99-125, 99-811, 99-250, 99-312), three Phillips screwdrivers (99-820 thru 99-822), reamer (99-38), extension blade (99-X5), canvas case (99-MPK).



ROLL KIT
MODEL 99-PR

OUR PRICE

\$37.50

DESCRIPTION

Contains nine regular nutdrivers (99-6, 7, 8, 9, 10, 11, 12, 14 and 16), 99-811 end 99-250 (slotted) and 99-821 end 99-822 (Phillips) screwdriver blades, 99-1 handle (regular), 99K plastic fabric case.



SERVICE KIT

MODEL 99SMW

OUR PRICE **\$109.95**

DESCRIPTION

Plastic-coated cover holds 28 piece set of handles and interchangeable screwdriver, nutdriver and other blades plus wire stripper and cutter and Weller® soldering iron.

CONTENTS

- WP25—Soldering Iron.
- ST3—Tip.
- 100-X—Wire stripper and cutter.
- 52CG—6" long nose cushion grip plier.
- 55CG—5" diagonal cushion grip plier.
- 48CG—6" thin-pattern cushion grip adjustable wrench.
- 99-1—Regular handle.
- 99-3—Stubby handle.
- 99-6 thru 99-18—Regular nutdrivers (9).
- 99-821, 99-822—Phillips screwdrivers.
- 99-58, 99-S10, 99-S12—Stubby nutdrivers.
- 99-811, 99-250—Slotted screwdrivers.
- 99-38—Reamer.
- 99-X10—Extension blade.
- 99MWK—Canvas case.



SERVICE MASTER TOOL KIT

MODEL 99-SM OUR PRICE **\$74.95**

DESCRIPTION

24-piece kit contains 99-1 (regular) and 99-3 (stubby) handles, nine regular and three stubby nutdrivers (99-6 thru 99-18), two slotted screwdrivers (99-811, 99-250), two Phillips screwdrivers (99-821 and 99-822), one reamer (99-38), extension blade (99-X10), 6" long nose cushion grip plier (52CG), 5" diagonal cushion grip plier (55CG), 8" adjustable wrench (48CG), plastic-coated canvas case (99SMK).



COMPLETE TOOL CASES

XCELITE ATTACHE TOOL CASE

MODEL TCM-100/ST REG. \$499.95 OUR PRICE **\$399.95**

Largest, most elaborate of the three cases. Contains 53 individual tools, 31 Series 99[®] interchangeable screwdriver/nutdriver blades and handles, and 2 specialized screwdriver/nutdriver sets and kits, as listed. Case (19-1/2 x 13-1/2 x 6-3/4") covered with attractive, tough, heavy duty ABS material. Removeable three-panel, hinged pallet and tray outfitted with pocket tool holders. Solid brass locks, latches, and hardware. Padded handle. Partitioned bottom compartment for other tools.

CONTENTS

Interchangeable Screwdrivers, Nutdrivers, Other Tools and Handles

99-1, 1-R, & 4-R Handles (regular, straight and Tee ratchets).
99X5 & X10 Extensions.
99-61 thru 68 Bristol 6-flute multiple spline blades (9).
99-20 thru 26 & 99-765 Allen hex-socket type blades (9).
99-125, 250, 312 & 611 Slotted screw blades.
99-620, 621 & 622 Phillips screw blades.
99-38 Reamer.

Pliers, Wrenches, Cutters

42H Straight nose Seizer[®].
46CG Adjustable wrench (6").
50CG Midget slip joint plier (5").
51CG Long nose plier (6-1/2").
53CG Utility plier (7").

54CG & 66CG Diagonal pliers (4" & 6").
57CG Needle nose plier (5-1/2").
59CG Chain nose plier (6").
66CG Electronic snips.
103-S Wire stripper/cutter.
K-22 Electrician's knife.

Sets and Kits

M-60 Mini Drivers.
XL-75 Offset ratchet screwdrivers.
600 Combination dual nutdriver handle and SB1 dual reversible screwdriver blade.

Screwdrivers

R-144 Slotted screwdriver.
R-146 Slotted screwdriver.
R-161 Slotted screwdriver.
R-184 Slotted screwdriver.
R-3164 Slotted screwdriver.

R-3166 Insulated Slotted screwdriver.
R-3323 Slotted screwdriver.
R-5325 Slotted screwdriver.
R-386 Slotted screwdriver.
R-3161 Slotted screwdriver.
R-5161 Slotted screwdriver.
R-5166 Slotted screwdriver.
SX-101 Phillips screws.
XST-100 Phillips screws.
XST-101 Phillips screws.
XST-102 Phillips screws.
P-16 & P-19 (.028 & .035) compact convertible hex socket screws.

Nutdrivers

HS-6, 6, 10, 11, 12, 14, 16, 16 Hollow shaft 6M and 10M magnetic.
P3 thru P12 Compact convertible drivers (10) and AT-2 torque amplifier handle.



XCELITE ATTACHE TOOL CASE

MODEL TC-150/ST REG. \$365.00 OUR PRICE **\$309.95**

A carefully selected, intermediate assortment of Xcelite hand tools plus Weller[®] Soldering Iron for those making field repairs to electronic circuits. Contains 24 individual hand tools, 24 Series 99[®] interchangeable screwdriver/nutdriver blades and handles, measuring tape, soldering iron, and solder, as listed. Case (18-3/4 x 13-1/2 x 5") covered with durable, whiskey-ten Mervelon. Removeable pallets in lid end base outfitted with tool pockets. Base has ample room for additional, personally selected tools, with 14 x 9-1/2" partition. Solid brass hardware and padded handle.

CONTENTS

Interchangeable Screwdrivers, Nutdrivers, Other Tools and Handles

99-1 & 99-4 Handles (regular and Tee).
99X5 Extensions.
99-20 thru 26 & 99-764 Allen hex-socket type blades (9).
99-6 thru 12 Hex nutdriver blades (7).
99-250 & 99-611 Slotted screw blades.
99-621 & 622 Phillips screw blades.
99-38 Reamer.

Pliers, Wrenches, Cutters

42H Straight nose Seizer[®].
46CG Adjustable wrench (6").
50CG Midget slip joint plier (5").
51CG Long nose plier (6-1/2").
53CG Utility plier (7").
54CG Diagonal pliers (4" & 6").
55CG 5" diagonal.
57CG Needle nose plier (5-1/2").
58CG Chain nose plier (6").
66CG Electronic snips.

101-S Wire stripper.
K-22 Electrician's knife.

Screwdrivers

R-181 Slotted screwdriver.
R-164 Slotted screwdriver.
R-3323 Slotted screwdriver.
S-3161 Slotted screwdriver.
S-5161 Slotted screwdriver.
S-5166 Slotted screwdriver.
SX-101 Phillips screws.
Nutdrivers
HS-14 & HS-16 Hollow shaft 6M and 10M magnetic.

Offset Ratchet Screwdrivers
XL-75 5-piece set in see thru plastic pouch.

4-Way Pocket Tool 600 Combination dual nutdriver handle.

Soldering Equipment

WP-25 20 watt soldering iron.
RC-60 Rosin core solder.

Tapes

W9210ME 10-foot tape.



VACO SUPER CASE

MODEL 70260

OUR PRICE **\$369.95**

Popular assortment of 48 precision engineered tools. Includes screwdrivers, nutdrivers, electrical tools, pliers and specialty tools on two custom-fitted pallets. Ample storage space in bottom for meters, power tools and other equipment. Large pocket in lip holds catalogs, manuals, guides. Sturdy attache style case. Size: 19 x 14-1/2 x 6". Weight: 20 lbs. Color: Black

These Fine Quality Tools are Included

Hollow Shaft Nut Drivers

S6 3/16" socket, black handle
S6 1/4" socket, red handle
S10 5/16" socket, amber handle
S11 11/16" socket, green handle
S12 3/8" socket, blue handle
S14 7/16" socket, brown handle
S16 1/2" socket, red handle

Electrical Tools & Testers

WS-150 Adjustable wire stripper & cutter
1963 Crimping tool with bolt slicer
70008 Continuity tester with wire lead & clip.
70219 100-500 volt twin lead tester.
70125 100-500 volt circuit tester.
AN2 RF tester.

Problem Solving Tools

70126 6 ft. measuring tape.
HK-17 Folding hex key wrench set.
P120 Phillips tips offset screwdriver.
VO2 Slotted tips offset screwdriver.
TT31 3-in-1 tapping tool.
TS49 Spring tool.

220 External snap ring plier.
700035 Magnetic screwdriver.

Pliers and Wrenches

66202 5" diagonal pliers.
66203 6" diagonal pliers.
66102 6" long needle nose plier.
66105 6" long nose pliers.
88602 6-1/2" Vacu-grub adjustable pliers.
70301 4" electronic chain nose pliers.
70303 4" electronic diagonal pliers.
7706 6" adjustable wrench.
1214 3/8 x 7/16" ratchet box wrench.

Screwdrivers

A130 2-1/8" slotted driver.
A132 1/4" slotted stubby driver.
BD144 1/4" Bull Driver
P1 #1 & P2 #2 Phillips drivers.

P6 #1 Phillips stubby driver.
74164 1/4" slotted cushion grip driver.
71002 #2 Phillips cushion grip driver.
R10 #1 square recess driver.
R20: #2 square recess driver.
CH540: 5/32" clutch head driver.
F710: Frearson driver.
DU2 3/16" slotted x #1 Phillips reversible blade driver
DUH4 1/4" slotted x #2 Phillips reversible blade driver
K23 1/8" slotted tip screw holding driver
K34 3/16" slotted tip screw holding driver
K46 1/4" slotted tip screw holding driver
K15 Phillips tip screw holding driver



FORDHAM GENERAL ALL PURPOSE TOOL KIT

MODEL FTK-25

OUR PRICE **\$349.95**

These Fine Quality Tools are Included

5004 Alignment tool
8276 Alignment tool
9337 Burnisher
9338 Burnisher
1000 Crimp tool
26A Feeler gauge
225 Disposable penlight
01-104 4oz. Ball pein hammer
99-1 Handle 4-1/8"
99-20 .050" Hex blade
99-21 1/16" Hex blade
99-22 5/64" Hex blade
99-23 3/32" Hex blade
99-24 1/8" Hex blade
99-11 11/32" Nutdriver blade
99-12 3/8" Nutdriver blade
99-14 7/16" Nutdriver blade
99-16 1/2" Nutdriver blade
984 Oiler
45-600 5" Dieagonal cutter
4003 4" Diagonal cutter
4000 Short nose plier
21R Snapping plier
22R Snapping plier
45-505 10" Grove joint plier
45-606 Long nose plier
5109 Jeweler's screwdriver set
V01 Offset screwdriver
1022P 0 pt. Phillips screwdriver
1033P 1 pt. Phillips screwdriver
1044P 2 pt. Phillips screwdriver
S1041P 2 pt. Stubby screwdriver

99-25 5/32" Hex blade
99-26 3/16" Hex blade
99-764 7/64" Hex blade
99-964 9/64" Hex blade
1123 5" Straight hemo
299 Electric knife
SH-133 Mirror
99-8 3/16" Nutdriver blade
99-7 7/32" Nutdriver blade
99-10 5/16" Nutdriver blade
99-8 1/4" Nutdriver blade

1028R 1/8 x 6 Screwdriver
1034R 3/16 x 4 Screwdriver
1044R 1/4 x 4 Screwdriver
1056R 5/16 x 6 Screwdriver
R5323 5/32 x 3 Screwdriver
1041SQ Stubby screwdriver
1736 Holding screwdriver
1825C Electrician scissor
7760 Handle
1238 Element and tip
SH20C Soldering aid
1120 Solder brush
S-100 Solder roll
99-61 0.048/1.22mm Splinedriver blade
99-62 0.060/1.52mm Splinedriver blade
99-63 0.069/1.75mm Splinedriver blade

99-64 0.072/1.62mm Splinedriver blade
99-65 0.076/1.93mm Splinedriver blade
99-66 0.096/2.43mm Splinedriver blade
925 Push and pull spring hook
AA Tweezer
100 Wire stripper
704 4" Adjustable wrench
68-508 6" Adjustable wrench
92-160 Ignition wrench set
91-112 1/4" Drive socket set
74B 3/32 Center punch
75A 1/16 Pin punch
736 1/8 Pin punch
301MM 6" Ruier
TC-6808 Tool Case
R3323 3/32 x 3 Screwdriver



FORDHAM COMPUTER & ELECTRONIC TECHNICAL TOOL KIT

MODEL FTK-24

OUR PRICE **\$499.95**

These Fine Quality Tools are Included

WM120 Weller Soldering Iron
52CG Long Nose Pliers
101S Wire Stripper & Cutter
108CG Diagonal Full Flush Cutting Pliers
91CG Extra Thin Long Needle Nose
72CG Midget Chain Nose
X100 -1 Phillips
R3166 3/16" Screwdriver
R-184 1/8" Screwdriver
X101 #2 Phillips
R5166 5/16" Screwdriver
R-144 1/4" Screwdriver
6725 Illuminated Dental Mirror
DS-017 Deluxe Soidavac
XD16 Extractor Pliers
99-1 Handle
99-61 thru 99-68 Bristol 6-Flute Multiple Spine Driver Blade Set
99-21 thru 99-26 Allen Hex Socket Type Screwdrivers
L8M 1/4" Extra Long Magnetic Nutdrivers
L10M 5/16" Extra Long Magnetic Nutdrivers
K22 Knife
XL75 Midget Ratchet Offset Kit
TS600 Precision Screwdriver Kit

7950 Three GC Tweezer Kit
HD100A Heavy Duty Clip Leads
99-6 3/16" Nutdriver Blade
99-7 7/32" Nutdriver Blade
99-8 1/4" Nutdriver Blade
99-9 9/32" Nutdriver Blade
99-10 5/16 Nutdriver Blade
99-11 11/32" Nutdriver Blade
99-12 3/8" Nutdriver Blade
99-14 7/16" Nutdriver Blade
99-16 1/2" Nutdriver Blade
FH-80 Desoldering Tool
80V Heat Sink
BCR10 Solder Cream
DS-1 Dispenser Pack Solder
AA, AB, & BB Solder Wick
DP-1 Pen Lite

42-H Xcelite Seizers
78CG Combination Slip-Joint Pliers
DP51 B&K Digital Probe
MOS 1416 DIP IC Insertion Tools with Pin Straightener (14-16 Pin)
MOS 2428 DIP IC Insertion Tools with Pin Straightener (24-26 Pin)
INS 1416 DIP IC Insertion Tools with Pin Straightener (14-16 Pin)
TC-6800 Tool Case
16 x 13 x 5-3/4"
DVM-632 New Scope Meter!



CALL US MONDAY THRU FRIDAY 8:00 AM to 6:30 PM • SATURDAY 9:00 AM to 3:00 PM E.T.

POWER SUPPLIES & ACCESSORIES

TRIPP LITE BC SERIES: EMERGENCY POWER SYSTEM



DESCRIPTION
BC SERIES: These Emergency Power Systems include a self-contained, maintenance-free gel cell battery, DC to AC inverter, regulated battery charger and automatic (10 millisecond) transfer switch in an attractive desk top housing. Each Power System is shipped ready to plug into the wall end use. No installation or assembly is required. An audible alarm permits the operator to start an orderly shut down, and the size of the battery provides adequate time to insure that these procedures can be completed. Once power is restored, the regulated battery charger automatically starts restoring the battery to full power.
CAUTION: These models are not suitable for long term operation during power failures.

MODEL BC-1000FC OUR PRICE **\$995.00**

DESCRIPTION
 Completely self-contained 1000 watt emergency power system with its own built-in 55 ampere hour battery. Also features an audible warning signal when power has failed and frequency-control for constant 60Hz ($\pm 1/2$ Hz) output, suitable for more sensitive electronic equipment.

SPECIFICATIONS	
Wattage: 1000 W. Output voltage: 120V, AC 60 Hz $\pm 1/2$ Hz. Back-up power time:	
LOAD	TIME
1000 watts	16 minutes
750 watts	21 minutes
500 watts	38 minutes
300 watts	90 minutes

MODEL BC-450 OUR PRICE **\$469.95**

DESCRIPTION
 Completely self-contained 450 watt emergency power system with its own built-in 28 ampere hour battery. Also features an audible warning signal when power has failed and frequency-control for constant 60 Hz ($\pm 1/2$ Hz) output, suitable for more sensitive electronic equipment.

SPECIFICATIONS	
Wattage: 450 W. Output voltage: 120V, AC 60 Hz $\pm 1/2$ Hz. Back-up power time:	
LOAD	TIME
450 watts	10 minutes
240 watts	30 minutes
160 watts	50 minutes
80 watts	120 minutes

MODEL BC-200

OUR PRICE **\$299.95**

DESCRIPTION
 Completely self-contained 200 watt emergency power system with its own built-in battery. No installation required. BC plugs into wall and equipment to be protected plug into BC.

SPECIFICATIONS	
Wattage: 200 W. Output voltage: 120V, AC 60 Hz. Back-up power time:	
LOAD	TIME
200 watts	10 amp hour standard battery
100 watts	10 minutes
50 watts	30 minutes
	60 minutes

ISOBAR® NOISE FILTER AND SURGE SUPPRESSORS

DESCRIPTION
High Voltage Spike Protection: Handles up to 13,000 amp spikes. Starts suppressing spikes at 140 volts AC RMS. 70-Watt-second capacity. High Voltage spike protection works between ground and neutral, neutral and hot, and hot and ground. **Transient Response Time:** Less than 5 nanoseconds. Transient amplitude reduction occurs faster than the clamp response of the varistors because of the high rejection rate of the Isobar filter networks. **High Frequency Noise Suppression:** Greater than 30 db @ 50kHz. Greater than 40db @ 150kHz. Greater than 80db @ 1MHz. Greater than 30db from 8MHz to 1000MHz.



Model #	IB-2-0	IB-2-6	IB-4-6	IB-8-15
No. of Outlets	2	2	4	8
No. of Filter Banks	1	1	2	4
Ltg. of Cord	Direct Plug-in	6 Ft.	6 Ft.	12 Ft.
Line Dimensions	2-3/8x4-1/8x2-1/2	5-1/2x2-1/2x3-1/2	6-1/2x2-1/2x3-1/2	10-1/2x2-1/2x3-1/2
On/Off Switch	No	Yes	Yes	Yes
On/Off Light	Yes	Yes	Yes	Yes
Circuit Breaker	No	No	15 amp	15 amp
Features	Protection Ind. Light	1 Main Filter	2 Indiv. Filters	4 Indiv. Filters
Weight	1 lb.	2 lbs.	2-1/2 lbs.	4 lbs.
Input	125VAC, 15 amps; Std. 3 prong plug			
Load Handling	1875 Watts max. Total load; 15 amps per socket			
Our Price	\$37.95	\$49.95	\$59.95	\$79.95

TRIPP LITE EMERGENCY POWER SYSTEMS POWER OUTAGE SOLUTIONS! (Batteries Not Included)

MODEL SB-200
 OUR PRICE **\$239.95**

MODEL SB-400
 OUR PRICE **\$349.95**

MODEL SB-1000FC OUR PRICE **\$699.95**

FEATURES Each Unit Includes:

- Automatic, heavy duty, regulated battery charger for trouble-free recharging after a power failure
- Automatic load transfer switch, for virtually uninterrupted power when your line voltage fails, as fast as 10 milliseconds
- Rugged rectangular wave form, DC to AC inverter for reliable AC power
- Circuit breaker and/or fuse on the DC line to protect equipment from overload
- Status indicating power lights to indicate presence of line power or battery power.
- Multiple receptacles to handle all your power needs.
- Frequency controlled 60 Hz $\pm 1/2$ Hz (except for models SB-200 & SB-400)

DESCRIPTION

During normal conditions, line power feeds directly through the transfer relay to the load being powered. It also flows to the battery charger circuit, which converts high voltage AC to regulated low voltage DC. This control circuit monitors the battery charger, and cuts off the charge current when the battery is fully charged, thus minimizing premature battery aging and water loss. It will also shut down the entire system when the battery drops to 10V (in a 12V system, or 20V in a 24V system), thus preventing damage to battery through over discharge.

These SB models are designed for a variety of applications, such as telephones, computers, paging systems, and answering systems. Batteries are not included.

SPECIFICATION	SB-200	SB-400	SB-1000FC
CAPACITY (wattage)	200 VA	400 VA	1000 VA
INPUT VOLTAGE (DC)	12	12	12
Maximum, automatic transfer time from line power to battery power or back again	10 ms	10 ms	12 ms
OUTPUT VOLTAGE (AC)	117	117	117
FREQUENCY (Hz)	60 Hz	60 Hz	60 Hz ($\pm 1/2$)
NUMBER OF AC PLUG-IN RECEPTACLES	2	2	2
BATTERY CHARGE RATE (max)	2 amps	2 amps	8 amps
Recovery ratio (recharge time to running time @ full load)	8:1	16:1	10:1
CURRENT DRAW AT FULL LOAD (amps)	18 amps	35 amps	85 amps
IS THE AC INPUT OVER-CURRENT PROTECTED	YES	YES	YES
HEIGHT	3-5/8"	3-5/8"	5"
WIDTH	7-1/4"	7-1/4"	10"
DEPTH	11-1/2"	11-1/2"	14"
WEIGHT	10 lbs.	16 lbs.	34 lbs.
ALARM INCLUDED	No	No	No

TRIPP LITE LINE STABILIZERS/CONDITIONERS

Voltage Regulation and ISOBAR® Surge Protection at an Affordable Cost

MODEL LS-600
 OUR PRICE **\$110.00**

MODEL LC-1200
 OUR PRICE **\$199.00**

MODEL LC-1800 OUR PRICE **\$269.00**

Protect your equipment and data by maintaining a constant power level during brownout and power surges. Line stabilizers automatically adjust varying input voltage to provide full support during a low voltage condition. In addition, all units contain spike and line noise filtering. Models LC-1200 and LC-1800 feature full Isobar protection.

SPECIFICATIONS

Voltage Regulation Characteristics			
MODEL	Output voltage will comply with ANSI-C84.1 ANSI-C84.1 specifications		
LS-600	With input from 87V to 127V		
LC-1200	With input from 87V to 140V		
LC-1800	With input from 96V to 138V		
Output voltage will maintain 120V $\pm$ 5%			
With input from 96V to 126V			
With input from 96V to 138V			
SPECIFICATION	LS-600	LC-1200	LC-1800
Output Wattage	600	1200	1800
Auto. Undervoltage Regulation	Yes	Yes	Yes
Auto. Overvoltage Regulation	No	Yes	Yes
LED Indicator Lights for Monitoring Voltage	Pilot Light Only	Pilot Light Only	Yes
Isobar® Level Spike and Noise Protection	No	Yes	Yes
Transient Overvoltage Spike	Yes	Yes	Yes
Protection	Both Common & Transverse Modes	Both Common & Transverse Modes	Both Common & Transverse Modes
RFI/EMI Noise Suppression	Yes	Yes	Yes
Load to Load Isolation	No	Yes	Yes
No. of Outlets	2 Outlets	2 Circuits, 4 Outlets	3 Circuits, 6 Outlets
Circuit Breaker	Yes 5 Amps	Yes 10 Amps	Yes 15 Amps
On/Off Switch	No	Yes	Yes
Length	5-1/2"	6"	9"
Width	6-1/2"	7-1/4"	9-1/2"
Height	3-1/2"	3-5/8"	5"
Weight	7 lbs.	13 lbs.	20 lbs.



CALL US WE ACCEPT PHONE ORDERS • TOLL FREE 800-645-9518 • NYS TOLL FREE 800-832-1446

CONSUMER PRODUCTS

BP OAK VENEER COMPUTER BACK CHAIRS MODEL CH-98

OUR PRICE **\$49.95**

Adjustable Caster Model!

FEATURES

- The adjustable Back Chair you can raise or lower the seat to correspond with the varying levels of your computer, typewriter, desk for the most comfortable position.
- The Back Chair can help alleviate annoying back pain after sitting long hours at home or office. It does so by changing the stress points on the body.
- No back rest is needed because your spine naturally straightens to its proper position.
- It's a perfect addition to your home computer set-up, artists table or for the working executive.



CH-98

BP DELUXE FLOPPY DISKETTE STORAGE CASE

MODEL COMP-85 OUR PRICE **\$12.95**

SPECIAL!

FEATURES

- Holds 85 Floppy Diskettes.
- Smoke Plastic Top.
- High Impact ABS Base.
- Two Piece Contemporary Design.
- Index Divider with Adjustable Tabs.
- Lock with Two Keys.



BP MULTI PURPOSE SUPER MINI CLEANER

MODEL VC-098

OUR PRICE **\$14.95**

Use the BP Super Mini Cleaner to remove dust and debris safely from delicate areas and small hard to reach places. Ideal for tiny dust particles which collect in the crevices of your VCR, TV, Camera, Lens, Movie Projector, Cassette Player, Keyboards, Computer Terminal, Disc Drive, etc. Comes with handle, brush, pipette, and bag. Runs on 2 "AA" (1.5V) batteries not included.



HANDSOME TWO DRAWER OAK FILE

MODEL CF-22

OUR PRICE **\$69.95**
SPECIAL!

DESCRIPTION

This beautiful, functional, solid wood oak veneer, two drawer oak file, is a magnificent addition to any home or work place. Its pleasing simple lines blend with any interior bringing warmth to its surroundings. Use it to organize business or personal files. The cabinet drawers are 13" deep and have hanging steel rails to fit standard files.

Dimensions: 28-1/4"H x 18-1/4"W x 17"D.




BP COPYHOLDERS MODEL COMP-115

WEIGHTED BASE

OUR PRICE **\$29.95**

Whether you're typing a letter or entering data into your personal computer, this copyholder is the best way to keep your data in order. The COMP-115 has an adjustable holder which can be maneuvered to a desired position for comfortable viewing. The cursor bar pinpoints copy for easy reading. The 9/16"H arm is mounted in a weighted base. Color Black



COMP-115

MODEL COMP-116

CLAMP BRACKET

OUR PRICE **\$29.95**

This copyholder is suited to desks or copyboards which have an edge for the clamp bracket. You can adjust the copyboard and its 30" arm by loosening or tightening their respective knob adjustments. The cursor bar is etched by a clip to move up and down the board. The cursor bar also flips up to a 90° angle to remove or insert copy easily. Copyholder mounts in bracket provided. Color Black

COMP-116

BROTHER CORRECTRONIC 320 ELECTRONIC TYPEWRITER

MODEL 320-BR OUR PRICE **\$179.95**

FEATURES

- Full line lift-off correction memory. • 12" Paper capacity. • 9" Print capacity.
- Automatic "Word-Out" and "Line-Out" correction system for erasing a single word or complete line.
- Variable 10 and 12 pitch typing (Pica and Elite). • 12 CPS typing speed. • Line indentation.
- Automatic carriage return. • Automatic right margin flush, centering, and underlining.
- Interchangeable cassette daisy wheel with various typestyles available.
- 96 Character keyboard.
- Forward and reverse indexing.
- Automatic repeat for all characters.
- Interchangeable cassette ribbon.
- Automatic relocation after correction.
- Express backspace.
- Half backspace.
- One-touch Tab set and Tab Clear.
- Super/Sub Script.
- Margin release key.
- Line spacing: 1, 1 1/2, 2.
- Built-in handle and lid cover.
- UL listed, operates on 115 VAC.
- Size: 15.9" x 4.9" x 13.8".
- Weight: 11 lbs.



ENTERPREX ELECTRONIC DIGITAL SCALE

MODEL CR-105

OUR PRICE

\$49.00

DESCRIPTION

The new office tool that every office should have is the CR-105 electronic digital scale with calculator/alarm clock. The scale measures 0-2000 grams with a resolution of 1 gram. It does easy conversion from grams to ounces. The calculator is 4 function with memory and 8 digit display. Clock with alarm has em/pm/alarm indicator. Runs on 6 "AA" batteries (not included). Size: 8.1"W x 7.4"L x 2.3"H.



SENTRY® FIRE-SAFE™ SECURITY FILE

MODEL 1170

OUR PRICE **\$69.95**

DESCRIPTION

Sentry introduces the Fire-Safe Security File. It offers fire protection for hanging file folders at an affordable price to homeowners and small businesses.

This Fire-Safe is the product of a patented molding process. Its unique construction incorporates unusual strength with outstanding fire protection, far superior to metal boxes.

This attractive Security File includes six hanging folders plus index tabs, and a key lock for privacy. It not only protects, it also organizes and centralizes insurance policies, financial data, important records, contracts, passports, titles, wills, stocks, bonds, etc. Size: Exterior: 11-7/8"D x 15-1/8"W x 13-7/8"H. Interior: 8"D x 12"W x 10-1/2"H.



SENTRY® FIRE-SAFE™

*Practical Features and
Affordable Fire Theft Protection*
MODEL 1200-S

OUR PRICE **\$139.95**

FEATURES

- Convenient size allows for easy concealment.
- Protects and organizes important papers, family documents and other priceless items.
- Protective shroud around dial for privacy.
- Four live-locking bolts activated by metal handle.
- Special bolt down installation system for added security.
- Size: Exterior: 17-9/16"H x 14-7/8"W x 13-1/4"D. Interior: 13"H x 10-1/2"W x 8-1/8"D.



Discover the Vendex Headstart™ Computer System

VENDEX HEAD START COMPUTER SYSTEM with COLOR MONITOR

MODEL TURBO-888XT

OUR PRICE **\$1180.00**

- **VENDEX FORM OF COMPUTER-EASE:** Don't become intimidated by computer systems. The VENDEX TURBO-888XT is the first 100% IBM® - compatible computer system that brings together immediate hands-on training, the most needed software programs, and the power to upgrade from simple to sophisticated. All standard. And all at one easy-to-handle price.
- **WORRY-FREE ENVIRONMENT:** Because the most frustrating time at the computer is usually at the learning stage, Vendex designed an exclusive Headstart Operating Environment. It's your personal guide right from the start. And it takes you step-by-step, and slowly and clearly, through all the ways to use Vendex. How does it work? Simply insert the Master Disk. If you want to learn how to work Vendex, or use software, or learn about DOS computer language, just punch up the area you need. It's as easy as picking courses from a menu. And with each area of application are help screens of pictures and charts to break it all down even further. Sixty-four help screens in all! No more being a slave to complicated manuals, with the Headstart Operating Environment you're free to explore and learn right on the computer. And at your own pace.
- **HARDWARE THAT ISN'T HARD TO USE:** Just turn Vendex on and its turbo Intel 8088-2 microprocessor runs the double-disk drive system at either a 4.77 or a high-speed 8MHz. Faster than the much more expensive IBM PC/XT, it excels in high powered maneuvers. Plus, Vendex starts you off with a heady 512K of RAM. And that's quickly expandable to 768K! This gives you when expanded, a reserve of 128K that can be used for additional computer or printer memory in the form of a RAM disk or printer spooler. So while your computer is handling one job, you can simultaneously be printing pages of different data. Power and memory. They're time-saving features. And they suit expanded software programs like Lotus 1-2-3® - just fine!
- **5-STAR MENU OF COURSES:** Since software programs are what really show off the Turbo-888XT, included are five of the most popular programs at no extra charge. You can choose the award-winning ATI Skill Builder by American Training International. It's a hands-on tutorial program that shows you all of the Vendex's functions and capabilities. There's Executive Writer and Executive Filer from Paperback Software. One is a full-featured word processing program that will help you write a note or a novel. And the other is your computerized file cabinet for maintaining mountains of data. You also get MyCalc, the indispensable spreadsheet program that will keep you in budget, do your taxes, even illustrate with detail bar graphs. And with simple keystroke, you can immediately rearrange one number or entire rows of them. Finally, there's the HOT Pop-Up Services. And hot is the word! Available at the press of a button, it's a collection of all the tools most wanted by PC users. They include 1Word, a notepad word processor; File Finder, a disk and file management program; Calendar; DateBook; Pocket Calculator; CRT Saver, which prevents screen "burn-in" by blanking the screen until you press any key; and Printer Setup, a direct command line to your printer.
- **OPTIONAL HARD DISC DRIVE:** MODEL 888-HC: Features 21.3 Megabyte Hard Card Kit: comes with Hardware installation kit and X-Tree Software Upgraded Head Start Environment.



\$499.95

SONY PRESSMAN™ POCKET-SIZED MICROCASSETTE-CORDER

MODEL M-14V

OUR PRICE **\$69.90**

Voice Operated Microcassette-Corder

- Ultra-small size fits in shirt pocket. • Built-in speaker for immediate playback.
- Voice operated recording for unparalleled ease of use. • Two speed for recording flexibility.
- One touch recording eliminates juggling play and record buttons.
- Instant edit for on the spot corrections and gap free results in playback.
- Electret condenser microphone design for small size and extended frequency response.
- Automatic shut off from play and record modes.
- Mic and earphone jacks.
- Sonymatic® automatic recording level control.
- Size: 2-5/8"W x 5"H x 1-1/4"D.
- Weight: 7.8 oz. • Color: Black.



MODEL M-19V

OUR PRICE **\$89.00**

Rechargeable Microcassette-Corder

- Same features as M-14V plus:
- Built-in flat microphone.
- Built-in rechargeable battery for dual power supply.
- Back-up power supply capability with 2 optional "AA" batteries.
- Locking pause control.
- Size: 3-3/8"W x 5-1/4"H x 1-1/2"D.

BROTHER HIGH SPEED WORD PROCESSOR

It's So Easy
Because It's So Advanced!
MODEL WP-55

OUR PRICE **\$699.95**

This high speed Word Processor with the most user-friendly software ever developed, makes it possible to do more work, more quickly. To store more information in less space. And to recall, to edit and to print out with one-button simplicity.

Brother offers features you'd expect to find only on the most expensive models. Including on-screen "prompts" to take you easily through each step, our exclusive built-in "word-spell" 70,000 word electronic dictionary, large easy to read characters, justified margins, centering, underlining, bold typing...plus much more!

FEATURES

- High resolution yellow/black contrast. • Larger easy to read characters.
- 5 x 9 CRT display. • Detachable keyboard. • 91 columns by 15 lines. (2 prompting, 2 format).
- Interchangeable daisy wheel letter quality printing with various typesets available.
- 64,000 character memory. • 12" carriage. • Global search and replace.
- Block move, copy and delete. • Header/Footer. • Page break.
- Auto pagination. • Formatting. • Page print. (Stop Code). • Right margin justification.
- Automatic: centering, right margin flush, line end paragraph indentation, underlining, bold typing.
- File Commands: delete all files, delete 1 file, copy file, copy complete disk, re-name file, print file.



STAR® MICRONICS MULTI-FONT DOT-MATRIX PRINTER

MODEL NX-1000

OUR PRICE **\$249.00**

Star has designed the NX-100 for those who insist on quality, capability, and reliability. This 9-pin dot-matrix printer boasts a wide choice of pitches and print styles and is capable of NLO and high-speed draft. These features make the NX-1000 versatile enough for a broad range of applications, yet easy enough for just about anyone to operate at home in school or at the office.



FEATURES

- Selection of Fonts and Type Styles: Courier, Sanserif, Orator-1 and Orator-2 type styles, in a choice of pica, elite, condensed pica and elite sizes. In addition, italic printing is available in all print modes.
- Near Letter Quality printing at 36 cps, plus draft quality at 144 cps.
- Paper Parking: Allows single sheet feed without removing sprocket paper.
- Epson-based control codes in the Standard mode and IBM Proprinter II in the IBM mode. The NX-1000 will perform outstandingly well with a host of different computer systems. (Cables not included).
- Additional features include: enlarged and proportional printing, semi-automatic paper loading, panel lock mode, forward and reverse feeds at the smallest pitch, and hex dump.

SPECIFICATIONS

Interface: Parallel (centronics compatible) cables not included. **Paper:** 5.5"-8.5" single sheet, 4"-10" Fanfold. **Copies:** original plus 2 copies. **Dot Buffer:** 4 KB (without download). **Ribbon:** dedicated cartridge ribbon black. **Size:** 15.1"W x 11.3"D x 4.25"H. **Weight:** 10.3 lbs. * IBM and IBM proprinter II are registered trademarks of International Business Machines Corp. Epson is a registered trademark of Seiko Epson Corp.

RICOH RIPROjr. COMPACT LIGHTWEIGHT COPIER

Some People Buy This Compact Copier
For Business Others Take It Personally.
MODEL 112MIU

Special 90 Day On Site
Service Warranty from Ricoh

OUR PRICE **\$666.00**

4 BLACK TONER
CARTRIDGES INCLUDED!

For ease of operation and trouble-free service in a personal copier, the choice is RIPROjr. It delivers copies of superb quality.

With its two-component copying system, maintenance is quick and easy. And it's small, quiet and so light you can place it anywhere.

FEATURES

- Delivers the first copy in just 10 seconds. Eight per min. thereafter.
- Exceptional copy quality due to ultrafine monocomponent toner and highly sensitive photoconductor.
- Two-component copying system means maintenance is easier and the master unit last longer.
- Clam-shell design lets you change color cartridges easily and clear misfeeds in seconds.
- Built-in 100-sheet paper cassette plus manual feed for special jobs.
- Additional Toner Cartridges Black (4 per carton) model #889202 \$66.00
- Special 90 Day On Site Service Warranty from Ricoh.

SPECIFICATIONS

Copying Process: Dry process (monocomponent toner). **Configuration:** Desktop. **Original:** Book/Sheet. **Copy Size:** Max. 8 1/2" x 11", Min. 3 1/2" x 2". **Copy Quantity:** 1 to 20. **Paper Feed:** Single cassette (100 sheets) and manual feed. **Warm-up Time:** 15 sec. **Auto Reset:** After 60 sec. **Reproduction Ratio:** 1:1. **Copy Paper Weight:** 14 to 42 lb. **Copy Paper:** Bond paper, colored paper, mailing labels, OHP transparencies, translucent paper. **Power Source:** 115V/60Hz/12A. **Power Consumption:** 1.2kW. **Size:** 16"W x 19 1/4"D x 8 3/4"H. **Weight:** 44 lbs. approx. Comes with 4 Black Toner Cartridges



FORDHAM ALL PURPOSE TOOL CASE MODEL FTK-28

OUR PRICE
COMES WITH 52 PIECE SOCKET SET
See Orderform for a complete description

\$169⁹⁵



RABBIT EYE OF THE STORM

The Chamber of Living Lightning

MODEL E-6000


DESCRIPTION

Within the Eye Of The Storm, a stream of charged particles suddenly bursts forth into the atmosphere of rare gases. A single strand of lightning erupts. Then another and another...until finally the wispy bolts of brilliant color explode into a spectacular electrical storm.

As you re-focus the electrical discharge inside the chamber, the threads of lightning thicken and split into jagged forks that strike out in dazzling starburst patterns.

Now, touch the chamber's surface and the unchained lightning gathers harmlessly about your hand in swirling "plasma" formations that follow your every move.

The Eye Of The Storm will respond to the sound of music—or human voices—with vivid flashes of lightning. Explore the wonder of this raw energy form...re-creating one of nature's greatest marvels.



OUR PRICE **\$149⁹⁵** SPECIAL!

MIDLAND DIGITAL E.T.R. AM/FM/MPX RECEIVER WITH AUTO-STOP CASSETTE PLAYER

MODEL 67-490

FEATURES

- Cassette player features deluxe auto-stop mechanism.
- Illuminated LCD display gives large readouts, even in direct sunlight.
- Electronic digital clock keeps you tuned to the time.
- Tape fast-forward and eject controls for easy push-button operation.
- Controls for fader, local/distant, balance and tone, right at your fingertips.
- Short chassis design and adjustable control shafts for easy installation.
- Delivers 10 watts total power. • Size: 7" x 2" x 4-15/16".
- E.T.R. radio has 10 preset channel (5 + 5) selection.
- Built-in electronic search of all channels or memory channels.

OUR PRICE

\$69⁹⁵

SPECIAL!



BP UHF/VHF/FM INDOOR ANTENNA

*Super Performance High
Sensitivity On All Bands*

MODEL AN-5310

DESCRIPTION

- 12 position fine tuning rotary control for maximum VHF/FM reception.
- Adjustable UHF element for best UHF reception.
- Wall Mountable: Size (Hanging): 1-7/8"D x 8"W x 13-7/8"H (antenna not extended).
- Size: (Sitting) 10-1/2"H (antenna not extended) x 5-5/8"D x 8"W. Antenna extends 39-1/2" approx.

OUR PRICE

\$17⁹⁵



LEATHERMAN MINI-Tool™ The Pocketknife with Full Size Pliers

MODEL MNT-09

DESCRIPTION

For pocket, purse, or belt, the MINI-Tool folds incredibly small just 2-5/8" x 1" x 1/2" and weighs only 4 oz. Yet in seconds the MINI-Tool becomes a full-size, full-strength pliers, over six inches long. The features include: needle-nose pliers, regular pliers, wire cutters, knife blade, ruler, inch/metric; can and bottle opener, 1/4" tip screwdriver, metal file. It's 100% stainless steel and has a manufacturer's 25 year guarantee against defects and workmanship.

OUR PRICE

\$35⁰⁰



PLUS "FACTORY" The Swiss Army Knife Of Desk-top Tools

MODEL FC-04

DESCRIPTION

It's a natural for the entire sales staff, students, field crews, use as premiums, unique gift selections. The "Factory" accommodates nine separate office functions all in one, with a sleek, pocket-knife appearance. It features a hole punch, scissors, tape measure, stapler (50 standard #10 staples), tape dispenser, knife, storage compartment, magnifying lens (1.5 mag.), staple remover. The rugged designer ABS case houses finely crafted stainless steel tools as sturdy and smooth functioning as full-sized units. The "Factory" slips easily into a pocket, pocket-book, briefcase, or on belt clip with the built-in ring.

OUR PRICE

\$29⁹⁵



DELIVER
TO
CURRENT
RESIDENT

Fordham Radio
260 Motor Parkway
Hauppauge, NY 11788
Toll Free (800) 645-9518
NYS (516) 435-8080

Bulk Rate
U.S. Postage
PAID
Fordham Radio